

LORDOMYRMA

accuminata. *Lordomyrma cryptocera* var. *accuminata* Stitz, 1912: 504 (w.) NEW GUINEA (no state data).

Subspecies of cryptocera: Wheeler, W.M. 1919f: 102; Emery, 1924d: 239; Chapman & Capco, 1951: 117; Bolton, 1995b: 248.

Status as species: Taylor, 2009: 17.

azumai. *Rogeria (Rogeria) azumai* Santschi, 1941: 275, fig. 3 (w.) JAPAN.

Taylor, 2012: 50 (q.).

Combination in *Lordomyrma*: Brown, 1952c: 124.

Status as species: Azuma, 1951: 87; Chapman & Capco, 1951: 111; Brown, 1952c: 124; Azuma, 1953: 3; Azuma, 1977: 114; Onoyama, 1980: 198; Ogata, 1991b: 119; Morisita, et al. 1992: 53; Bolton, 1995b: 248; Imai, et al. 2003: 112; Taylor, 2009: 17; Taylor, 2012: 48 (redescription).

Senior synonym of nobilis: Brown, 1952c: 124; Onoyama, 1980: 198; Bolton, 1995b: 248; Imai, et al. 2003: 112; Taylor, 2009: 17; Taylor, 2012: 48.

bensoni. *Lordomyrma bensoni* Donisthorpe, 1949d: 94, figs. 1, 2 (w.) NEW GUINEA (Indonesia).

[*Lordomyrma bensoni* Donisthorpe, 1949b: 499. *Nomen nudum.*]

Status as species: Chapman & Capco, 1951: 116; Bolton, 1995b: 248.

Junior synonym of furcifera: Taylor, 2009: 17.

bhutanensis. *Stenamma bhutanense* Baroni Urbani, 1977b: 420, figs. 2, 4 (w.) BHUTAN.

Combination in *Lordomyrma*: Branstetter, 2009: 48.

Status as species: Bolton, 1995b: 393; DuBois, 1998b: 304 (redescription); Branstetter, 2009: 48.

caledonica. *Podomyrma caledonica* André, 1889: 225 (w.) NEW CALEDONIA.

Combination in *Lordomyrma*: Emery, 1897c: 591.

Status as species: Dalla Torre, 1893: 60; Emery, 1914f: 393; Wheeler, W.M. 1919f: 99 (redescription); Emery, 1924d: 239; Wheeler, W.M. 1935g: 28; Donisthorpe, 1941a: 37 (in key); Taylor, 1987a: 37; Bolton, 1995b: 248; Taylor, 2009: 17.

crawleyi. *Lordomyrma crawleyi* Menozzi, 1923b: 209, fig. 1 (w.) NEW GUINEA (Indonesia).

Status as species: Donisthorpe, 1941a: 37 (in key); Chapman & Capco, 1951: 116; Bolton, 1995b: 248; Taylor, 2009: 17.

cryptocera. *Lordomyrma cryptocera* Emery, 1897c: 592, pl. 15, fig. 34 (w.) NEW GUINEA (Papua New Guinea).

Status as species: Wheeler, W.M. 1919f: 101 (redescription); Emery, 1924d: 239; Donisthorpe, 1941a: 37 (in key); Chapman & Capco, 1951: 116; Bolton, 1995b: 248; Taylor, 2009: 17.

curvata. *Lordomyrma curvata* Sarnat, 2006: 15, figs. 2, 3 (w.) FIJI IS (Vanua Levu).

Status as species: Taylor, 2009: 17; Sarnat & Economo, 2012: 79.

desupra. *Lordomyrma desupra* Sarnat, 2006: 17, figs. 4, 5 (w.) FIJI IS (Viti Levu).

Status as species: Taylor, 2009: 17; Sarnat & Economo, 2012: 80.

diwata. *Lordomyrma diwata* Taylor, 2012: 54, figs. 21-24 (w.) PHILIPPINES (Luzon I.).

emarginata. *Lordomyrma emarginata* Taylor, 2012: 55, figs. 25-28 (w.) PHILIPPINES (Luzon I.).

epinotalis. *Rogeria epinalis* Mann, 1919: 343 (w.q.) SOLOMON IS (Isabel I., Ugi I., San Cristoval I., Malaita I.).

Combination in *Lordomyrma*: Kugler, C. 1994: 26; Kugler, C. in Bolton, 1995b: 248.

Status as species: Wheeler, W.M. 1935g: 29; Taylor, 1976a: 84; Bolton, 1995b: 248; Taylor, 2009: 17; Sarnat, *et al.* 2013: 71.

***furcifera*.** *Lordomyrma furcifera* Emery, 1897c: 591, pl. 15, figs. 32, 33 (w.) NEW GUINEA (Papua New Guinea).

Status as species: Wheeler, W.M. 1919f: 100 (redescription); Emery, 1924d: 239; Donisthorpe, 1941a: 37 (in key); Donisthorpe, 1948b: 308; Donisthorpe, 1949b: 499; Chapman & Capco, 1951: 117; Bolton, 1995b: 248; Taylor, 2009: 17.

Senior synonym of *bensoni*: Taylor, 2009: 17.

***hmong*.** *Lordomyrma hmong* Taylor, 2012: 52, figs. 13-20 (w.q.) VIETNAM.

***idianale*.** *Lordomyrma idianale* Taylor, 2012: 56, figs. 29-32 (w.) PHILIPPINES (Luzon I.).

***infundibuli*.** *Lordomyrma infundibuli* Donisthorpe, 1940b: 45, figs. (w.q.) NEW GUINEA (Indonesia).

[Misspelled as *infundibulum* by Chapman & Capco, 1951: 117.]

Status as species: Donisthorpe, 1941a: 37 (in key); Chapman & Capco, 1951: 117; Bolton, 1995b: 248; Taylor, 2009: 17.

***lakshmi*.** *Lordomyrma lakshmi* Taylor, 2012: 51, figs. 9-12 (w.) INDIA (Kerala).

Status as species: Bharti & Ali, 2013: 151 (in key); Bharti, Guénard, *et al.* 2016: 38.

***leae*.** *Lordomyrma leae* Wheeler, W.M. 1919f: 102, fig. 4 (not 3 as printed, see Wheeler, W.M. 1927i: 143) (w.m.) AUSTRALIA (Lord Howe I.).

Status as species: Wheeler, W.M. 1927i: 141 (redescription); Wheeler, W.M. 1935g: 29; Donisthorpe, 1941a: 37 (in key); Taylor & Brown, 1985: 65; Taylor, 1987a: 37; Bolton, 1995b: 248; Taylor, 2009: 17.

***levifrons*.** *Rogeria (Irogera) tortuosa* subsp. *levifrons* Mann, 1921: 453 (w.) FIJI IS (Viti Levu).

Combination in *Lordomyrma*: Kugler, C. 1994: 26; Kugler, C. in Bolton, 1995b: 248.

Subspecies of *tortuosa*: Wheeler, W.M. 1935g: 29; Bolton, 1995b: 248.

Status as species: Sarnat, 2006: 20 (redescription); Taylor, 2009: 18; Sarnat & Economo, 2012: 80.

***limatula*.** *Lordomyrma limatula* Taylor, 2012: 57, figs. 33-40 (w.q.) PHILIPPINES (Leyte I.).

***longiseta*.** *Lordomyrma longiseta* Sarnat, 2006: 37. *Nomen nudum* (in table).

***nigra*.** *Lordomyrma niger* Donisthorpe, 1941a: 36 (w.) NEW GUINEA (Indonesia: Waigeu I.).

Status as species: Donisthorpe, 1943d: 451; Chapman & Capco, 1951: 117; Bolton, 1995b: 248; Taylor, 2009: 18.

***nobilis*.** *Lordomyrma nobilis* Yasumatsu, 1950: 75, fig. 2 (w.m.) JAPAN.

Status as species: Chapman & Capco, 1951: 117.

Junior synonym of *azumai*: Brown, 1952c: 124; Onoyama, 1980: 198; Bolton, 1995b: 248; Imai, *et al.* 2003: 112; Taylor, 2009: 17; Taylor, 2012: 48.

***politina*.** *Rogeria (Irogera) tortuosa* subsp. *politina* Mann, 1921: 453 (w.) FIJI IS (Viti Levu).

Combination in *Lordomyrma*: Kugler, C. 1994: 26; Kugler, C. in Bolton, 1995b: 248.

Subspecies of *tortuosa*: Wheeler, W.M. 1935g: 29; Bolton, 1995b: 248.

Status as species: Sarnat, 2006: 21 (redescription); Taylor, 2009: 18; Sarnat & Economo, 2012: 81.

***punctiventris*.** *Lordomyrma punctiventris* Wheeler, W.M. 1919f: 105, fig. 3 (not 4 as printed, see Wheeler, W.M. 1927i: 143) (w.m.) AUSTRALIA (Queensland).

Status as species: Donisthorpe, 1941a: 37 (in key); Taylor & Brown, 1985: 65; Taylor, 1987a: 37; Bolton, 1995b: 248; Taylor, 2009: 18.

reticulata. *Lordomyrma reticulata* Lucky & Sarnat, 2008: 39, figs. 1-3 (w.) BORNEO (East Malaysia: Sabah).

Status as species: Taylor, 2009: 18; Pfeiffer, *et al.* 2011: 47.

rouxi. *Promeranoplus rouxi* Emery, 1914f: 413, pl. 13, fig. 8 (w.) NEW CALEDONIA.

Combination in *Lordomyrma*: Bolton, 1995b: 248.

Status as species: Emery, 1924d: 226; Wheeler, W.M. 1935g: 27; Taylor, 1987a: 66; Bolton, 1995b: 248; Taylor, 2009: 18.

rugosa. *Rogeria (Irogera) rugosa* Mann, 1921: 455, fig. 20 (w.) FIJI IS (Viti Levu).

Combination in *Lordomyrma*: Kugler, C. 1994: 26; Kugler, C. in Bolton, 1995b: 248.

Status as species: Wheeler, W.M. 1935g: 29; Dlussky, 1994: 55; Bolton, 1995b: 248; Sarnat, 2006: 23 (redescription); Taylor, 2009: 18; Sarnat & Economo, 2012: 81.

rugosa Clark, 1934: see under **PODOMYRMA**.

sarasini. *Prodicroaspis sarasini* Emery, 1914f: 414, pl. 13, fig. 9 (w.) NEW CALEDONIA.

Combination in *Lordomyrma*: Bolton, 1995b: 248.

Status as species: Emery, 1924d: 223; Wheeler, W.M. 1935g: 27; Taylor, 1987a: 65; Bolton, 1995b: 248; Taylor, 2009: 18.

sinensis. *Stenamma sinensis* Ma, Xu, Makio & DuBois, 2007: 372, figs. 1-4 (w.) CHINA (Shaanxi).

Combination in *Lordomyrma*: Branstetter, 2009: 49.

Status as species: Branstetter, 2009: 49; Guénard & Dunn, 2012: 44.

stoneri. *Rogeria (Irogera) tortuosa* subsp. *stoneri* Mann, 1925b: 5 (w.) FIJI IS (Viti Levu).

Combination in *Lordomyrma*: Kugler, C. 1994: 26; Kugler, C. in Bolton, 1995b: 248.

Subspecies of *tortuosa*: Bolton, 1995b: 248.

Status as species: Dlussky, 1994: 55; Sarnat, 2006: 25 (redescription); Taylor, 2009: 18; Sarnat & Economo, 2012: 82.

striatella. *Rogeria (Irogera) striatella* Mann, 1921: 454, fig. 19 (w.m.) FIJI IS (Kadavu I., Viti Levu).

Combination in *Lordomyrma*: Kugler, C. 1994: 26; Kugler, C. in Bolton, 1995b: 248.

Status as species: Wheeler, W.M. 1935g: 29; Dlussky, 1994: 55; Bolton, 1995b: 248; Sarnat, 2006: 27 (redescription); Taylor, 2009: 18; Sarnat & Economo, 2012: 82.

sukuna. *Lordomyrma sukuna* Sarnat, 2006: 29, figs. 16, 17 (w.) FIJI IS (Viti Levu, Ovalau I., Taveuni I.).

Status as species: Taylor, 2009: 18; Sarnat & Economo, 2012: 83.

taylori. *Lordomyrma taylori* Bharti & Ali, 2013: 150, figs. 1-3 (w.) INDIA (Kerala).

Status as species: Bharti, Guénard, *et al.* 2016: 38.

tortuosa. *Rogeria (Irogera) tortuosa* Mann, 1921: 452, fig. 18 (w.) FIJI IS (Ovalau I., Vanua Levu).

Combination in *Lordomyrma*: Kugler, C. 1994: 26; Kugler, C. in Bolton, 1995b: 248.

Status as species: Wheeler, W.M. 1935g: 29; Dlussky, 1994: 55; Bolton, 1995b: 248; Sarnat, 2006: 33 (redescription); Taylor, 2009: 18; Sarnat & Economo, 2012: 83.

vanua. *Lordomyrma vanua* Lucky & Sarnat, 2008: 42, figs. 1, 4, 5 (w.) FIJI IS (Vanua Levu).

Status as species: Taylor, 2009: 18; Sarnat & Economo, 2012: 84.

vuda. *Lordomyrma vuda* Sarnat, 2006: 34, figs. 20, 21 (w.) FIJI IS (Viti Levu).

Status as species: Taylor, 2009: 18; Sarnat & Economo, 2012: 84.