

MELOPHORUS

aeneovirens. *Formica aeneovirens* Lowne, 1865a: 276 (s.w.) AUSTRALIA (New South Wales).

Combination in *Cataglyphis*: Mayr, 1876: 78;

combination in *Myrmecocystus*: Dalla Torre, 1893: 216;

combination in *Melophorus*: Forel, 1902h: 488.

Status as species: Mayr, 1876: 78 (redescription); Dalla Torre, 1893: 216; Emery, 1925b: 11; Taylor & Brown, 1985: 122; Taylor, 1987a: 37; Bolton, 1995b: 250; Heterick, *et al.* 2017: 75 (redescription).

Senior synonym of *constans*: Heterick, *et al.* 2017: 75.

Senior synonym of *fraudatrix*: Heterick, *et al.* 2017: 75.

Senior synonym of *froggatti*: Heterick, *et al.* 2017: 75.

Senior synonym of *insularis*: Heterick, *et al.* 2017: 75.

Senior synonym of *iridescens*: Heterick, *et al.* 2017: 75.

aesopus. *Melophorus turneri* subsp. *aesopus* Forel, 1910b: 64 (s.w.q.m.) AUSTRALIA (Northern Territory).

Subspecies of *turneri*: Emery, 1925b: 12; Clark, 1938: 375; Taylor & Brown, 1985: 125; Taylor, 1987a: 38; Bolton, 1995b: 250.

Junior synonym of *turneri*: Heterick, *et al.* 2017: 315.

anderseni. *Melophorus anderseni* Agosti, 1998: 163, figs. 4, 5 (w.q.) AUSTRALIA (Northern Territory).

Heterick, *et al.* 2017: 148 (s.).

Status as species: Heterick, *et al.* 2017: 146 (redescription).

andersenioides. *Melophorus andersenioides* Heterick, *et al.* 2017: 149, fig. 27 (s.w.) AUSTRALIA (New South Wales, Queensland, Western Australia).

ankylochaetes. *Melophorus ankylochaetes* Heterick, *et al.* 2017: 231, fig. 52 (s.w.) AUSTRALIA (Western Australia, Northern Territory, New South Wales, Western Australia, Queensland).

argus. *Melophorus argus* Heterick, *et al.* 2017: 159, fig. 30 (w.) AUSTRALIA (Northern Territory).

attenuipes. *Melophorus attenuipes* Heterick, *et al.* 2017: 81, fig. 7 (s.w.) AUSTRALIA (Western Australia).

bagoti. *Melophorus bagoti* Lubbock, 1883: 52, pl. 2, figs. 1-10 (w.) AUSTRALIA (no state data).

Forel, 1886f: 213 (s.); Forel, 1910b: 60 (q.); Wheeler, G.C. & Wheeler, J. 1953c: 129 (l.).

Status as species: Forel, 1886f: 213; Dalla Torre, 1893: 175; Wheeler, W.M. 1908d: 387; Forel, 1910b: 60; Forel, 1915b: 87; Emery, 1925b: 12; Taylor & Brown, 1985: 122; Taylor, 1987a: 37; Bolton, 1995b: 250; Heterick, *et al.* 2017: 134 (redescription).

Senior synonym of *cowlei*: Clark, 1930c: 22; Heterick, *et al.* 2017: 134.

barbellulatus. *Melophorus barbellulatus* Heterick, *et al.* 2017: 377, fig. 89 (s.w.) AUSTRALIA (Western Australia, South Australia).

bidens Emery, 1895; see under **LASIOPHANES**.

biroi. *Melophorus biroii* Forel, 1907a: 29 (s.) AUSTRALIA (New South Wales).

Combination in *M. (Erimelophorus)*: Wheeler, W.M. 1935c: 71.

Status as species: Emery, 1925b: 12; Taylor & Brown, 1985: 123; Taylor, 1987a: 37; Bolton, 1995b: 250; Heterick, *et al.* 2017: 161 (redescription).

Senior synonym of *marius*: Heterick, *et al.* 2017: 162.

- Senior synonym of *propinqua*:** Heterick, *et al.* 2017: 162.
- brevignathus*.** *Melophorus brevignathus* Heterick, *et al.* 2017: 219, fig. 48 (s.w.) AUSTRALIA (Queensland, Northern Territory).
- brevipalpus*.** *Melophorus brevipalpus* Heterick, *et al.* 2017: 328, fig. 76 (s.w.) AUSTRALIA (South Australia).
- breviscapa*.** *Melophorus ludius* r. *sulla* var. *breviscapa* Forel, 1915b: 89 (w.) AUSTRALIA; unavailable (infrasubspecific) name.
As unavailable (infrasubspecific) name: Emery, 1925b: 12.
Declared as unavailable (infrasubspecific) name: Taylor, 1986: 34.
Material referred to *sulla* by Heterick, *et al.* 2017: 308.
- bruneus*.** *Melophorus (Melophorus) brunea* McAreavey, 1949: 20, figs. 57-65 (s.w.q.m.) AUSTRALIA (New South Wales).
Status as species: Taylor & Brown, 1985: 123; Taylor, 1987a: 37; Bolton, 1995b: 250; Heterick, *et al.* 2017: 235 (redescription).
- caeruleoviolaceus*.** *Melophorus caeruleoviolaceus* Heterick, *et al.* 2017: 331, fig. 77 (s.w.) AUSTRALIA (South Australia, Northern Territory, Western Australia, New South Wales, Queensland).
- candida*.** *Melophorus turneri* st. *candida* Santschi, 1919a: 328, fig. 2 (w.) AUSTRALIA (Victoria).
Subspecies of *turneri*: Taylor & Brown, 1985: 125; Taylor, 1987a: 38; Bolton, 1995b: 250.
Junior synonym of *turneri*: Heterick, *et al.* 2017: 315.
- canus*.** *Melophorus canus* Heterick, *et al.* 2017: 84, fig. 8 (s.w.) AUSTRALIA (Western Australia, New South Wales, Queensland, South Australia).
- castaneus*.** *Melophorus castaneus* Heterick, *et al.* 2017: 92, fig. 9 (s.w.) AUSTRALIA (South Australia, Victoria, Northern Territory, New South Wales, Western Australia, Queensland).
- castanopus*.** *Melophorus castanopus* Heterick, *et al.* 2017: 168, fig. 32 (s.w.) AUSTRALIA (South Australia, New South Wales, Tasmania).
- cerasinoniger*.** *Melophorus cerasinoniger* Heterick, *et al.* 2017: 335, fig. 78 (s.w.) AUSTRALIA (South Australia, Victoria, New South Wales).
- chauliodon*.** *Melophorus chauliodon* Heterick, *et al.* 2017: 338, fig. 79 (s.w.) AUSTRALIA (Queensland, Western Australia, South Australia, New South Wales, Northern Territory).
- chrysus*.** *Melophorus chrysus* Heterick, *et al.* 2017: 152, fig. 28 (s.w.) AUSTRALIA (Western Australia, South Australia, Victoria).
- clypeatus*.** *Melophorus clypeatus* Heterick, *et al.* 2017: 84, fig. 10 (s.w.) AUSTRALIA (Western Australia).
- compactus*.** *Melophorus compactus* Heterick, *et al.* 2017: 172, fig. 33 (s.w.) AUSTRALIA (Queensland, New South Wales).
- constans*.** *Melophorus constans* Santschi, 1928e: 475 (w.q.) AUSTRALIA (Victoria).
Status as species: Taylor & Brown, 1985: 123; Taylor, 1987a: 37; Bolton, 1995b: 250.
Junior synonym of *aeneovirens*: Heterick, *et al.* 2017: 75.
- cowlei*.** *Camponotus cowlei* Froggatt, 1896: 387, pl. 27, figs. 1-5 (w.q.m.) AUSTRALIA (Northern Territory).
Combination in *C. (Myrmophyma)*: Emery, 1925b: 110;
combination in *Camponotus*: Taylor & Brown, 1985: 112;

- combination in *Melophorus*: Wheeler, W.M. 1908d: 388; Clark, 1930c: 22; Heterick, *et al.* 2017: 134.
 Status as species: Emery, 1898a: 226; Wheeler, W.M. 1908d: 388; Emery, 1925b: 110; Taylor & Brown, 1985: 112; Taylor, 1987a: 12; Bolton, 1995b: 94; McArthur, 2007a: 335; Heterick, 2009: 69; McArthur, 2010: 78; McArthur, 2014: 54.
 Junior synonym of *bagoti*: Clark, 1930c: 22; Heterick, *et al.* 2017: 134.
- cuneatus.** *Melophorus cuneatus* Heterick, *et al.* 2017: 175, fig. 34 (s.w.) AUSTRALIA (Western Australia).
- curtus.** *Melophorus curtus* Forel, 1902h: 485 (s.w.q.) AUSTRALIA (Queensland).
Status as species: Emery, 1925b: 12; Taylor & Brown, 1985: 123; Taylor, 1987a: 38; Bolton, 1995b: 250; Heterick, *et al.* 2017: 95 (redescription).
- depressiceps* Emery, 1914; see under **PROLASIUS**.
- dicyrtos.** *Melophorus dicyrtos* Heterick, *et al.* 2017: 178, fig. 35 (s.w.) AUSTRALIA (Northern Territory, Queensland, Western Australia).
- diversus.** *Melophorus diversus* Heterick, *et al.* 2017: 343, fig. 80 (s.w.) AUSTRALIA (Queensland, New South Wales, Northern Territory).
- eumorphus.** *Melophorus eumorphus* Heterick, *et al.* 2017: 239, fig. 54 (s.w.) AUSTRALIA (South Australia, Western Australia, New South Wales).
- fieldi.** *Melophorus fieldi* Forel, 1910b: 62 (s.) AUSTRALIA (Northern Territory).
 Heterick, *et al.* 2017: 244 (w.).
 Combination in *M.* (*Erimelophorus*): Wheeler, W.M. 1935c: 71.
Status as species: Emery, 1925b: 12; Taylor & Brown, 1985: 123; Taylor, 1987a: 38; Bolton, 1995b: 250; Heterick, *et al.* 2017: 243 (redescription).
- formicoides* Forel, 1902; see under **PROLASIUS**.
- fraudatrix.* *Melophorus iridescens* var. *fraudatrix* Forel, 1915b: 87 (footnote) (w.) AUSTRALIA (Victoria).
 Subspecies of *iridescens*: Emery, 1925b: 12; Taylor & Brown, 1985: 123; Taylor, 1987a: 38; Bolton, 1995b: 250.
 Junior synonym of *aeneovirens*: Heterick, *et al.* 2017: 76.
- froggatti.* *Melophorus iridescens* var. *froggatti* Forel, 1902h: 487 (s.w.q.) AUSTRALIA (New South Wales).
 Subspecies of *iridescens*: Forel, 1907a: 29; Emery, 1925b: 12; Taylor & Brown, 1985: 124; Taylor, 1987a: 38; Bolton, 1995b: 250.
 Junior synonym of *aeneovirens*: Heterick, *et al.* 2017: 75.
- fulgidus.** *Melophorus fulgidus* Heterick, *et al.* 2017: 99, fig. 12 (s.w.) AUSTRALIA (South Australia).
- fulvidus.** *Melophorus fulvidus* Heterick, *et al.* 2017: 247, fig. 56 (s.w.) AUSTRALIA (Queensland, Northern Territory, Western Australia).
- fulvihirtus.** *Melophorus fulvihirtus* Clark, 1941: 88, pl. 13, figs. 19-21 (s.w.) AUSTRALIA (Victoria).
 [Misspelled as *fulvohirtus* by Bolton, 1995b: 250.]
Status as species: Taylor & Brown, 1985: 123; Taylor, 1987a: 38; Bolton, 1995b: 250; Heterick, *et al.* 2017: 380 (redescription).
- gibbosus.** *Melophorus gibbosus* Heterick, *et al.* 2017: 102, fig. 13 (s.w.) AUSTRALIA (South Australia, Victoria, New South Wales, Queensland).

- gilliatensis***. *Melophorus gilliatensis* Heterick, *et al.* 2017: 250, fig. 57 (s.w.) AUSTRALIA (Queensland).
- graciliceps***. *Melophorus graciliceps* Heterick, *et al.* 2017: 182, fig. 36 (s.w.) AUSTRALIA (Victoria, New South Wales, Queensland, South Australia, Western Australia).
- gracilipes***. *Melophorus gracilipes* Heterick, *et al.* 2017: 138, fig. 24 (s.w.) AUSTRALIA (Western Australia).
- gracilis***. *Melophorus gracilis* Heterick, *et al.* 2017: 186, fig. 37 (s.w.) AUSTRALIA (Western Australia).
- griseus***. *Melophorus griseus* Heterick, *et al.* 2017: 106, fig. 14 (w.) AUSTRALIA (Western Australia).
- hexidens***. *Melophorus hexidens* Heterick, *et al.* 2017: 347, fig. 81 (w.) AUSTRALIA (New South Wales).
- hirsutipes***. *Melophorus hirsutipes* Heterick, *et al.* 2017: 253, fig. 58 (s.w.) AUSTRALIA (New South Wales, South Australia, Queensland, Northern Territory, Victoria, Western Australia).
- hirsutus***. *Melophorus hirsutus* Forel, 1902h: 488 (s.w.) AUSTRALIA (Queensland).
Combination in *M. (Trichomelophorus)*: Wheeler, W.M. 1935c: 71.
Status as species: Emery, 1925b: 12; Taylor & Brown, 1985: 123; Taylor, 1987a: 38; Bolton, 1995b: 250; Heterick, *et al.* 2017: 384 (redescription).
- hoffmanni* Forel, 1903; see under **LASIOPHANES**.
- incisus***. *Melophorus incisus* Heterick, *et al.* 2017: 259, fig. 59 (s.w.) AUSTRALIA (Northern Territory, Western Australia).
- inconspicuus***. *Melophorus inconspicuus* Heterick, *et al.* 2017: 262, fig. 60 (s.w.) AUSTRALIA (South Australia, New South Wales, Western Australia, Northern Territory, Queensland, Victoria).
- insularis*. *Melophorus insularis* Wheeler, W.M. 1934d: 151 (s.w.) AUSTRALIA (Western Australia: Rottne I.).
Status as species: Taylor & Brown, 1985: 123; Taylor, 1987a: 38; Bolton, 1995b: 250; Heterick, 2009: 93.
Junior synonym of *aeneovirens*: Heterick, *et al.* 2017: 75.
- iridescens*. *Myrmecocystus iridescens* Emery, 1887a: 247 (w.) AUSTRALIA (New South Wales).
Combination in *Melophorus*: Forel, 1902h: 487.
Status as species: Dalla Torre, 1893: 217; Emery, 1925b: 12; Taylor & Brown, 1985: 123; Taylor, 1987a: 38; Bolton, 1995b: 250.
Junior synonym of *aeneovirens*: Heterick, *et al.* 2017: 75.
- isaiah***. *Melophorus isaiah* Heterick, *et al.* 2017: 267, fig. 61 (s.w.) AUSTRALIA (Northern Territory, South Australia, Western Australia).
- kuklos***. *Melophorus kuklos* Heterick, *et al.* 2017: 108, fig. 15 (w.) AUSTRALIA (Northern Territory, Western Australia (Augustus I.)).
- lanuginosus***. *Melophorus lanuginosus* Heterick, *et al.* 2017: 271, fig. 62 (s.w.) AUSTRALIA (New South Wales, Northern Territory, South Australia, Western Australia).
- laticeps***. *Melophorus laticeps* Wheeler, W.M. 1915g: 813, pl. 66, fig. 2 (q.) AUSTRALIA (South Australia).
Heterick, *et al.* 2017: 349 (s.w.).
Combination in *M. (Erimelophorus)*: Wheeler, W.M. 1935c: 71.

- Status as species:** Emery, 1925b: 12; Taylor & Brown, 1985: 124; Taylor, 1987a: 38; Bolton, 1995b: 250; Heterick, *et al.* 2017: 349.
- latinotus.** *Melophorus latinotus* Heterick, *et al.* 2017: 190, fig. 38 (w.) AUSTRALIA (Western Australia).
- lissotriches.** *Melophorus lissotriches* Heterick, *et al.* 2017: 192, fig. 39 (s.w.) AUSTRALIA (Queensland, South Australia, Western Australia, New South Wales, Northern Territory).
- longiceps.** *Melophorus longiceps* Heterick, *et al.* 2017: 196, fig. 40 (w.) AUSTRALIA (New South Wales).
- longipes.** *Melophorus longipes* Heterick, *et al.* 2017: 275, fig. 63 (s.w.) AUSTRALIA (South Australia, Western Australia, Northern Territory).
- ludius.** *Melophorus ludius* Forel, 1902h: 484 (s.w.) AUSTRALIA (Queensland).
Status as species: Emery, 1925b: 12; Taylor & Brown, 1985: 124; Taylor, 1987a: 38; Bolton, 1995b: 250; Heterick, 2009: 96; Heterick, *et al.* 2017: 387 (redescription).
- macrops.** *Melophorus macrops* Heterick, *et al.* 2017: 198, fig. 41 (w.) AUSTRALIA (New South Wales, South Australia, Queensland).
- macroschismus.** *Melophorus macroschismus* Heterick, *et al.* 2017: 403, fig. 96 (w.) AUSTRALIA (Western Australia).
- majeri.** *Melophorus majeri* Agosti, 1998: 166, figs. 6-9 (s.w.) AUSTRALIA (Western Australia).
Status as species: Heterick, 2009: 93; Heterick, *et al.* 2017: 400 (redescription).
- major.** *Melophorus fieldi* var. *major* Forel, 1915b: 87 (s.w.) AUSTRALIA (Western Australia).
Subspecies of fieldi: Emery, 1925b: 12; Taylor & Brown, 1985: 123; Taylor, 1987a: 38; Bolton, 1995b: 250.
Status as species Heterick, *et al.* 2017: 280 (redescription).
- marius.** *Melophorus marius* Forel, 1910b: 66 (s.) AUSTRALIA (Northern Territory).
Combination in *M. (Erimelophorus)*: Wheeler, W.M. 1935c: 71.
Status as species: Emery, 1925b: 12; Taylor & Brown, 1985: 124; Taylor, 1987a: 38; Bolton, 1995b: 250.
Junior synonym of *biroi*: Heterick, *et al.* 2017: 162.
- marmar.** *Melophorus marmar* Heterick, *et al.* 2017: 222, fig. 49 (s.w.) AUSTRALIA (South Australia, Western Australia).
- microreticulatus.** *Melophorus microreticulatus* Heterick, *et al.* 2017: 200, fig. 42 (s.w.) AUSTRALIA (South Australia, New South Wales, Queensland, Western Australia, Northern Territory).
- microtriches.** *Melophorus microtriches* Heterick, *et al.* 2017: 283, fig. 65 (s.w.) AUSTRALIA (South Australia, Northern Territory, Western Australia, New South Wales, Queensland).
- minimus.** *Melophorus minimus* Heterick, *et al.* 2017: 204, fig. 43 (s.w.) AUSTRALIA (Queensland, South Australia, Western Australia, New South Wales).
- mjobergi.** *Melophorus mjobergi* Forel, 1915b: 88 (w.) AUSTRALIA (Western Australia).
Heterick, *et al.* 2017: 210 (s.).
Combination in *M. (Erimelophorus)*: Wheeler, W.M. 1935c: 71.
Status as species: Emery, 1925b: 12; Taylor & Brown, 1985: 124; Taylor, 1987a: 38; Bolton, 1995b: 250; Heterick, 2009: 95; Heterick, *et al.* 2017: 208 (redescription).
- mullewaensis.** *Melophorus castaneus* Heterick, *et al.* 2017: 112, fig. 16 (w.) AUSTRALIA (Western Australia).

- nemophilus.** *Melophorus nemophilus* Heterick, *et al.* 2017: 142, fig. 25 (s.w.) AUSTRALIA (South Australia, Victoria, Western Australia).
- oblongiceps.** *Melophorus oblongiceps* Heterick, *et al.* 2017: 325, fig. 75 (s.w.) AUSTRALIA (South Australia).
- omniparens.* *Melophorus omniparens* Forel, 1915b: 85 (w.) AUSTRALIA (Queensland).
Combination in *M.* (*Erimelophorus*): Wheeler, W.M. 1935c: 71.
Status as species: Emery, 1925b: 12; Taylor & Brown, 1985: 124; Taylor, 1987a: 38; Bolton, 1995b: 250.
Junior synonym of *wheeleri*: Heterick, *et al.* 2017: 368.
- orthonotus.** *Melophorus orthonotus* Heterick, *et al.* 2017: 287, fig. 62 (w.) AUSTRALIA (Western Australia).
- paramorphomenus.** *Melophorus paramorphomenus* Heterick, *et al.* 2017: 290, fig. 62 (s.w.) AUSTRALIA (Western Australia).
- parvimolaris.** *Melophorus parvimolaris* Heterick, *et al.* 2017: 354, fig. 83 (s.w.) AUSTRALIA (Western Australia, Northern Territory).
- pelecygnathus.** *Melophorus pelecygnathus* Heterick, *et al.* 2017: 405, fig. 97 (s.w.) AUSTRALIA (Western Australia, South Australia, Queensland).
- pelorocephalus.** *Melophorus pelorocephalus* Heterick, *et al.* 2017: 357, fig. 84 (s.w.) AUSTRALIA (Western Australia, South Australia).
- perplexus* Santschi, 1920; see under **LASIOPHANES**.
- perthensis.** *Melophorus turneri* subsp. *perthensis* Wheeler, W.M. 1934d: 152 (s.w.) AUSTRALIA (Western Australia: Rottnest I.).
Subspecies of *turneri*: Taylor & Brown, 1985: 125; Taylor, 1987a: 38; Bolton, 1995b: 250; Heterick, 2009: 98.
Status as species: Heterick, *et al.* 2017: 293 (redescription).
- pillipes.* *Melophorus pillipes* Santschi, 1919a: 329, fig. 2 (w.) AUSTRALIA (Queensland).
Combination in *M.* (*Erimelophorus*): Wheeler, W.M. 1935c: 71.
Status as species: Taylor & Brown, 1985: 124; Taylor, 1987a: 38; Bolton, 1995b: 250.
Junior synonym of *turneri*: Heterick, *et al.* 2017: 315.
- pilosulus* Emery, 1922; see under **LASIOPHANES**.
- platyceps.** *Melophorus platyceps* Heterick, *et al.* 2017: 114, fig. 17 (s.w.) AUSTRALIA (South Australia, Western Australia).
- postlei.** *Melophorus postlei* Heterick, *et al.* 2017: 211, fig. 45 (s.w.) AUSTRALIA (Northern Territory, Western Australia).
- potteri.** *Melophorus potteri* McAreavey, 1947: 25, fig. 1 (s.w.q.) AUSTRALIA (Victoria).
Status as species: Taylor & Brown, 1985: 124; Taylor, 1987a: 38; Bolton, 1995b: 250; Heterick, 2009: 94; Heterick, *et al.* 2017: 409 (redescription).
- praesens.** *Melophorus praesens* Heterick, *et al.* 2017: 117, fig. 18 (s.w.) AUSTRALIA (South Australia, Western Australia, Queensland, Victoria).
- prominens.** *Melophorus prominens* Heterick, *et al.* 2017: 361, fig. 85 (s.w.) AUSTRALIA (Western Australia).
- propebiroi.** *Melophorus propebiroi* Heterick, *et al.* 2017: 215, fig. 46 (w.) AUSTRALIA (Western Australia).
- propinqua.* *Melophorus fieldi* var. *propinqua* Viehmeyer, 1925a: 36 (w.) AUSTRALIA (New South Wales).
Subspecies of *fieldi*: Taylor & Brown, 1985: 123; Taylor, 1987a: 38; Bolton, 1995b: 250.

Junior synonym of *biroi*: Heterick, *et al.* 2017: 162.

purpureus. *Melophorus purpureus* Heterick, *et al.* 2017: 364, fig. 86 (s.w.) AUSTRALIA (Western Australia).

pusillus. *Melophorus pusillus* Heterick, *et al.* 2017: 392, fig. 93 (s.w.) AUSTRALIA (Western Australia, Northern Territory, South Australia, Queensland).

quadratus. *Melophorus quadratus* Heterick, *et al.* 2017: 226, fig. 50 (s.w.) AUSTRALIA (Northern Territory, South Australia).

rufoniger. *Melophorus rufoniger* Heterick, *et al.* 2017: 122, fig. 19 (s.w.) AUSTRALIA (South Australia, New South Wales, Queensland, Australian Capital Territory, Northern Territory, Victoria, Western Australia).

sauberi Forel, 1903; see under **LASIOPHANES**.

scipio Forel, 1915; see under **PROLASIUS**.

sericothrix. *Melophorus sericothrix* Heterick, *et al.* 2017: 298, fig. 69 (s.w.) AUSTRALIA (South Australia, Western Australia).

setosus. *Melophorus setosus* Heterick, *et al.* 2017: 302, fig. 70 (s.w.) AUSTRALIA (Northern Territory, Western Australia, Queensland).

solitudinis. *Melophorus solitudinis* Heterick, *et al.* 2017: 305, fig. 71 (s.w.) AUSTRALIA (Western Australia).

spinisquamis André, 1896; see under **NOTONCUS**.

subulipalpus. *Melophorus subulipalpus* Heterick, *et al.* 2017: 156, fig. 29 (w.) AUSTRALIA (Western Australia, South Australia).

sulconotus. *Melophorus sulconotus* Heterick, *et al.* 2017: 127, fig. 20 (w.) AUSTRALIA (Northern Territory).

sulla. *Melophorus ludius* subsp. *sulla* Forel, 1910b: 66 (s.q.m.) AUSTRALIA (Northern Territory).

Heterick, *et al.* 2017: 312 (w.).

Subspecies of *ludius*: Forel, 1915b: 89; Emery, 1925b: 12; Taylor & Brown, 1985: 124; Taylor, 1987a: 38; Bolton, 1995b: 250; Heterick, 2009: 96.

Status as species: Heterick, *et al.* 2017: 308 (redescription).

Material of the unavailable name *breviscapa* referred here by Heterick, *et al.* 2017: 308.

tenuis. *Melophorus tenuis* Heterick, *et al.* 2017: 129, fig. 21 (w.) AUSTRALIA (Western Australia).

teretinotus. *Melophorus teretinotus* Heterick, *et al.* 2017: 131, fig. 22 (w.) AUSTRALIA (Western Australia).

translucens. *Melophorus translucens* Heterick, *et al.* 2017: 396, fig. 94 (s.w.) AUSTRALIA (Western Australia).

turbineus. *Melophorus turbineus* Heterick, *et al.* 2017: 217, fig. 47 (w.) AUSTRALIA (South Australia, Western Australia).

turneri. *Melophorus turneri* Forel, 1910b: 63 (s.w.) AUSTRALIA (Queensland).

Viehmeyer, 1914b: 43 (q.); Wheeler, G.C. & Wheeler, J. 1968: 206 (l.).

Combination in *M.* (*Erimelophorus*): Wheeler, W.M. 1935c: 71.

Status as species: Viehmeyer, 1914b: 43; Emery, 1925b: 12; Clark, 1938: 375; Taylor & Brown, 1985: 124; Taylor, 1987a: 38; Bolton, 1995b: 250; Heterick, 2009: 98; Heterick, *et al.* 2017: 314 (redescription).

Senior synonym of: *aesopus*: Heterick, *et al.* 2017: 315.

Senior synonym of: *candida*: Heterick, *et al.* 2017: 315.

Senior synonym of: *pillipes*: Heterick, *et al.* 2017: 315.
uxorius Emery, 1922; see under **LASIOPHANES**.
valdiviensis Forel, 1904; see under **LASIOPHANES**.
vitreus. *Melophorus vitreus* Heterick, *et al.* 2017: 322, fig. 74 (w.) AUSTRALIA (Western Australia, Northern Territory, Queensland).
wheeleri. *Melophorus wheeleri* Forel, 1910b: 60 (s.w.m.) AUSTRALIA (Northern Territory).
Viehmeier, 1914b: 43 (q.); Forel, 1915b: 88 (q.).
Combination in *M. (Erimelophorus)*: Wheeler, W.M. 1935c: 71.
Status as species: Viehmeier, 1914b: 43; Forel, 1915b: 88; Emery, 1925b: 12; Taylor & Brown, 1985: 125; Taylor, 1987a: 38; Bolton, 1995b: 250; Heterick, 2009: 98; Heterick, *et al.* 2017: 368 (redescription).
Senior synonym of *omniparens*: Heterick, *et al.* 2017: 368.
xouthos. *Melophorus xouthos* Heterick, *et al.* 2017: 374, fig. 88 (w.) AUSTRALIA (Western Australia, South Australia).