

RHOPALOTHRIX

[Note: all *Rhopalothrix* taxa with combination in *Basiceros*, *sensu* Baroni Urbani & De Andrade, 2007: 90-93. Synonymy of all basicerotine genera under *Basiceros*, by Baroni Urbani & De Andrade, 2007: 88, is incorrect procedure as *Rhopalothrix* has priority. Basicerotine taxonomy documented in Bolton, 2003: 183-185, is retained here.]

acutipilis. *Rhopalothrix acutipilis* Kempf, 1962b: 28, fig. 28 (q.) BRAZIL (Santa Catarina).

Status as species: Kempf, 1972a: 227; Bolton, 1995b: 377.

Junior synonym of *plaumanni*: Longino & Boudinot, 2013: 315.

amoena Mann, 1922; see under **EURHOPALOTHRIX**.

andersoni. *Rhopalothrix andersoni* Longino & Boudinot, 2013: 308, figs. 1A, 2B, 3F, 5, 16 (w.) HONDURAS.

angulinodis Stitz, 1925; see under **EURHOPALOTHRIX**.

apertor. *Rhopalothrix apertor* Longino & Boudinot, 2013: 309, figs. 1F, 2B, 3A, 6, 16 (w.) COSTA RICA.

atitlanica. *Rhopalothrix atitlanica* Longino & Boudinot, 2013: 310, figs. 1B, 2B, 3E, 7, 16 (w.) GUATEMALA.

ballionii Forel, 1904; see under **EURHOPALOTHRIX**.

balzani Emery, 1894; see under **OCTOSTRUMA**.

barberi Mann, 1922; see under **OCTOSTRUMA**.

batesi Emery, 1894; see under **OCTOSTRUMA**.

biroi Szabó, 1910; see under **EURHOPALOTHRIX**.

bolau Mayr, 1870; see under **EURHOPALOTHRIX**.

borneensis Wheeler, W.M. 1919; see under **EURHOPALOTHRIX**.

brevicornis Emery, 1897; see under **EURHOPALOTHRIX**.

*bruch*i Santschi, 1922; see under **EURHOPALOTHRIX**.

ciliata. *Rhopalothrix ciliata* Mayr, 1870a: 415 (w.) COLOMBIA (“New Granada”).

Status as species: Dalla Torre, 1893: 145; Emery, 1894c: 216 (in key); Emery, 1924d: 329; Brown, 1949f: 93; Brown & Kempf, 1960: 232 (redescription); Kempf, 1972a: 227; Bolton, 1995b: 377; Longino & Boudinot, 2013: 311; Fernández & Serna, 2019: 871.

diadema. *Rhopalothrix diadema* Brown & Kempf, 1960: 239, fig. 59 (w.) NEW GUINEA (Papua New Guinea).

Status as species: Taylor, 1968b: 334 (in key); Taylor, 1990b: 401 (in key); Bolton, 1995b: 377; Longino & Boudinot, 2013: 311.

elegans Mann, 1921; see under **EURHOPALOTHRIX**.

emeryi Forel, 1912; see under **EURHOPALOTHRIX**.

equilatera Weber, 1934; see under **OCTOSTRUMA**.

godmani Forel, 1899; see under **OCTOSTRUMA**.

gravis Mann, 1922; see under **EURHOPALOTHRIX**.

iheringi Emery, 1888; see under **OCTOSTRUMA**.

inopinata De Andrade, in Baroni Urbani & De Andrade, 1994; see under **STRUMIGENYS**.

isabellae Mann, 1919; see under **EURHOPALOTHRIX**.

isthmica. *Acanthidris isthmicus* Weber, 1941a: 188, figs. 4-7 (w.) PANAMA (Barro Colorado I.).

Combination in *Rhopalothrix*: Brown & Kempf, 1960: 235.

Status as species: Brown, 1949f: 94; Brown & Kempf, 1960: 235 (redescription); Kempf, 1972a: 227; Bolton, 1995b: 377; Longino & Boudinot, 2013: 311 (redescription).

kokodensis Donisthorpe, 1936; see under **EURHOPALOTHRIX**.

kusnezovi. *Rhopalothrix kusnezovi* Brown & Kempf, 1960: 238, fig. 60 (q.) ARGENTINA (Tucumán).
Status as species: Kempf, 1972a: 227; Bolton, 1995b: 377; Longino & Boudinot, 2013: 312.

lutzi Wheeler, W.M. 1913; see under **OCTOSTRUMA**.

malua Mann, 1919; see under **EURHOPALOTHRIX**.

manni Menozzi, 1923; see under **EURHOPALOTHRIX**.

megisthmica. *Rhopalothrix megisthmica* Longino & Boudinot, 2013: 313, figs. 1B, 2C, 3F, 9, 16 (w.) GUATEMALA, MEXICO.

melanotica Mann, 1919; see under **EURHOPALOTHRIX**.

mixta Szabó, 1910; see under **EURHOPALOTHRIX**.

nubilosa. *Rhopalothrix nubilosa* Longino & Boudinot, 2013: 314, figs. 1D, 2D, 3C, 10, 16 (w.) COSTA RICA.

orbis. *Rhopalothrix orbis* Taylor, 1968b: 336, figs. 1-3 (w.) AUSTRALIA (Queensland).
Taylor, 1970a: 49 (q.).
Status as species: Taylor, 1970a: 49; Taylor & Brown, 1985: 86; Taylor, 1987a: 66; Taylor, 1990b: 401 (in key); Bolton, 1995b: 377; Longino & Boudinot, 2013: 315.

petiolata Mayr, 1887; see under **OCTOSTRUMA**.

plaumanni. *Rhopalothrix plaumanni* Brown & Kempf, 1960: 235, fig. 58 (w.) BRAZIL (Santa Catarina).
Status as species: Kempf, 1972a: 227; Bolton, 1995b: 377; Longino & Boudinot, 2013: 315.
Senior synonym of acutipilis: Longino & Boudinot, 2013: 315.

procera Emery, 1897; see under **EURHOPALOTHRIX**.

punctata Szabó, 1910; see under **EURHOPALOTHRIX**.

redux Donisthorpe, 1939; see under **BASICEROS**.

reichenspergeri Santschi, 1923; see under **EURHOPALOTHRIX**.

rugifer Mayr, 1887; see under **OCTOSTRUMA**.

samoana Santschi, 1928; see under **EURHOPALOTHRIX**.

schmidti Menozzi, 1936; see under **EURHOPALOTHRIX**.

simoni Emery, 1890; see under **OCTOSTRUMA**.

spei Forel, 1912; see under **OCTOSTRUMA**.

stannardi. *Rhopalothrix stannardi* Brown & Kempf, 1960: 236, fig. 57 (w.) MEXICO (Chiapas).
Status as species: Kempf, 1972a: 227; Bolton, 1995b: 377; Branstetter & Sáenz, 2012: 261; Longino & Boudinot, 2013: 315 (redescription).

subdentatus Donisthorpe, 1942; see under **EURHOPALOTHRIX**.

subspatulata. *Rhopalothrix subspatulata* Longino & Boudinot, 2013: 316, figs. 1D, 2D, 3B, 4, 12, 16 (w.q.) COSTA RICA, NICARAGUA.

sulcata Santschi, 1936; see under **OCTOSTRUMA**.

therion. *Rhopalothrix therion* Longino & Boudinot, 2013: 318, figs. 1A, 2A, 3E, 13, 16 (w.) HONDURAS, NICARAGUA, COSTA RICA.

triumphalis. *Rhopalothrix triumphalis* Longino & Boudinot, 2013: 319, figs. 1A, 2B, 3F, 14, 16 (w.q.) MEXICO (Chiapas).

truncata Forel, 1912; see under **OCTOSTRUMA**.

weberi. *Rhopalothrix weberi* Brown & Kempf, 1960: 234.

Replacement name for *Heptastruma wheeleri* Weber, 1934a: 55. [Junior secondary homonym of *Rhopalothrix wheeleri* Mann, 1922: 43.]

Longino & Boudinot, 2013: 323 (q.).

Status as species: Kempf, 1961b: 517; Kempf, 1972a: 227; Bolton, 1995b: 377; Branstetter & Sáenz, 2012: 261; Longino & Boudinot, 2013: 321 (redescription).

wheeleri Mann, 1922; see under **OCTOSTRUMA**.

wheeleri. *Heptastruma wheeleri* Weber, 1934a: 55, fig. 13 (w.) CUBA.

[**Junior secondary homonym** of *Rhopalothrix wheeleri* Mann, 1922: 43.]

Status as species: Brown, 1949f: 94; Alayo, 1974: 41.

Replacement name: *Rhopalothrix weberi* Brown & Kempf, 1960: 234.

wighti Wheeler, W.M. 1908; see under **OCTOSTRUMA**.