

MYCETOMOELLERIUS

- agudensis.** *Trachymyrmex agudensis* Kempf, 1967a: 124, figs. 4-6 (w.) BRAZIL (São Paulo).
Combination in *Mycetomoellerius*: Solomon, Rabeling, *et al.* 2019: 948.
Status as species: Kempf, 1972a: 252; Bolton, 1995b: 420.
- antiguensis.** *Trachymyrmex jamaicensis* subsp. *antiguensis* Weber, 1938b: 196 (w.) ANTIGUA & BARBUDA (Antigua I.).
Combination in *Mycetomoellerius*: Solomon, Rabeling, *et al.* 2019: 948.
Subspecies of jamaicensis: Kempf, 1972a: 253; Bolton, 1995b: 420.
[Note: excluded from *jamaicensis* group: Mayhé-Nunes & Brandão, 2007: 3.]
- atlanticus.** *Trachymyrmex atlanticus* Mayhé-Nunes & Brandão, 2007: 5, figs. 1-4, 30 (w.) BRAZIL (Rio de Janeiro, Bahia, Espirito Santo).
Combination in *Mycetomoellerius*: Solomon, Rabeling, *et al.* 2019: 948.
- balboai.** *Trachymyrmex balboai* Weber, 1940a: 424 (w.) PANAMA.
Status as species: Weber, 1941b: 124.
Junior synonym of *zeteki*: Weber, 1958b: 55; Kempf, 1972a: 254; Bolton, 1995b: 420
Mayhé-Nunes & Brandão, 2007: 16.
- caroli.** *Atta (Trachymyrmex) turrifex* subsp. *caroli* Wheeler, W.M. 1911g: 248 (w.) U.S.A. (Texas).
Combination in *Trachymyrmex*: Creighton, 1950a: 324.
Subspecies of *turrifex*: Emery, 1924d: 346; Creighton, 1950a: 324; Smith, M.R. 1951a: 831; Smith, D.R. 1979: 1412; Bolton, 1995b: 420.
Junior synonym of *turrifex*: Rabeling, *et al.* 2007: 23.
- cirratus.** *Trachymyrmex cirratus* Mayhé-Nunes & Brandão, 2005: 275, figs. 9-12 (w.) BRAZIL (São Paulo).
Combination in *Mycetomoellerius*: Solomon, Rabeling, *et al.* 2019: 948.
- compactus.** *Trachymyrmex compactus* Mayhé-Nunes & Brandão, 2002: 673, figs. 2-4 (w.) SURINAME.
Combination in *Mycetomoellerius*: Solomon, Rabeling, *et al.* 2019: 948.
- cordovana.** *Acromyrmex (Trachymyrmex) iheringi* var. *cordovana* Bruch, 1921: 202 (in text) (w.) ARGENTINA (Córdoba).
Combination in *Trachymyrmex*: Kempf, 1972a: 254.
Status as species: Kusnezov, 1953b: 338.
Subspecies of *tucumanus*: Santschi, 1922b: 358; Kempf, 1972a: 254; Bolton, 1995b: 420.
Junior synonym of *tucumanus*: Mayhé-Nunes & Brandão, 2005: 299.
- cubaensis.** *Trachymyrmex jamaicensis* subsp. *cubaensis* Wheeler, W.M. 1937b: 459 (w.) CUBA.
Subspecies of *jamaicensis*: Kempf, 1972a: 253; Alayo, 1974: 42; Bolton, 1995b: 420.
Junior synonym of *jamaicensis*: Mayhé-Nunes & Brandão, 2007: 13; Rabeling, *et al.* 2007: 12.
- dichrous.** *Trachymyrmex dichrous* Kempf, 1967a: 126, figs. 7-9 (w.) BRAZIL (Goiás, São Paulo, Mato Grosso).
Combination in *Mycetomoellerius*: Solomon, Rabeling, *et al.* 2019: 948.
Status as species: Kempf, 1972a: 252; Bolton, 1995b: 420; Mayhé-Nunes & Brandão, 2002: 675 (redescription); Wild, 2007b: 38.
- echinus.** *Trachymyrmex echinus* Weber, 1938b: 191, fig. 3 (w.) BOLIVIA.
Combination in *Mycetomoellerius*: Solomon, Rabeling, *et al.* 2019: 948.
Status as species: Kempf, 1972a: 252; Bolton, 1995b: 420.
- farinosus.** *Atta (Trachymyrmex) farinosa* Emery, 1894c: 221 (w.) BRAZIL (Pará).

Combination in *Cyphomyrmex* (*Trachymyrmex*): Emery, 1924d: 345;
combination in *Trachymyrmex*: Gallardo, 1916b: 242; Kempf, 1972a: 252;
combination in *Mycetomoellerius*: Solomon, Rabeling, *et al.* 2019: 948.

Status as species: Forel, 1895b: 141; Wheeler, W.M. 1911g: 249 (in key); Wheeler, W.M. 1916c: 11; Emery, 1924d: 345; Borgmeier, 1927c: 128; Weber, 1946b: 146; Weber, 1958b: 51; Kempf, 1972a: 252; Bolton, 1995b: 420; Guénard & Economo, 2015: 228.

Senior synonym of *trifurcatus*: Weber, 1958b: 51; Kempf, 1972a: 252; Bolton, 1995b: 420.

***fiebrigi*.** *Cyphomyrmex* (*Trachymyrmex*) *fiebrigi* Santschi, 1916e: 384, fig. (w.) PARAGUAY.

Combination in *Trachymyrmex*: Kempf, 1972a: 252;

combination in *Mycetomoellerius*: Solomon, Rabeling, *et al.* 2019: 948.

Status as species: Emery, 1924d: 345; Kempf, 1972a: 252; Bolton, 1995b: 420; Wild, 2007b: 38.

***fitzgeraldi*.** *Trachymyrmex relictus* subsp. *fitzgeraldi* Weber, 1937: 401 (w.) TRINIDAD.

Subspecies of *relictus*: Weber, 1945: 57; Kempf, 1972a: 254; Bolton, 1995b: 420.

Junior synonym of *relictus*: Mayhé-Nunes & Brandão, 2002: 686.

***fracticornis*.** *Trachymyrmex tucumana* var. *fracticornis* Santschi, 1925e: 164 (w.) ARGENTINA (Santa Fe).

Subspecies of *tucumanus*: Kempf, 1972a: 254; Bolton, 1995b: 420.

Junior synonym of *tucumanus*: Mayhé-Nunes & Brandão, 2005: 299.

***frontalis*.** *Trachymyrmex jamaicensis* var. *frontalis* Santschi, 1925d: 238 (w.) HAITI.

Subspecies of *jamaicensis*: Kempf, 1972a: 253; Bolton, 1995b: 420.

Junior synonym of *jamaicensis*: Mayhé-Nunes & Brandão, 2007: 13; Rabeling, *et al.* 2007: 12.

***fusca*.** *Atta* (*Trachymyrmex*) *urichi* subsp. *fusca* Emery, 1894c: 222 (w.) BRAZIL (Mato Grosso).

Subspecies of *urichii*: Emery, 1906c: 163; Wheeler, W.M. 1911g: 249 (in key); Wheeler, W.M. 1916c: 11; Emery, 1924d: 346; Borgmeier, 1927c: 129; Weber, 1946b: 151.

Junior synonym of *urichii*: Weber, 1958b: 53; Kempf, 1972a: 254; Bolton, 1995b: 420.

***gaigei*.** *Acromyrmex* (*Trachymyrmex*) *gaigei* Forel, 1914c: 617 (w.) COLOMBIA.

Combination in *Cyphomyrmex* (*Trachymyrmex*): Emery, 1924d: 345;

combination in *Trachymyrmex*: Kempf, 1972a: 253;

combination in *Mycetomoellerius*: Solomon, Rabeling, *et al.* 2019: 948.

Status as species: Emery, 1924d: 345; Kempf, 1972a: 253; Bolton, 1995b: 420; Fernández & Serna, 2019: 878.

***guianensis*.** *Trachymyrmex guianensis* Weber, 1937: 404 (w.) GUYANA.

Combination in *Mycetomoellerius*: Solomon, Rabeling, *et al.* 2019: 948.

Status as species: Weber, 1946b: 146; Kempf, 1972a: 253; Bolton, 1995b: 420.

***haytianus*.** *Atta* (*Trachymyrmex*) *jamaicensis* subsp. *haytiana* Wheeler, W.M. & Mann, 1914: 41, fig. 18 (w.) HAITI.

Combination in *Trachymyrmex*: Kempf, 1972a: 253;

combination in *Mycetomoellerius*: Solomon, Rabeling, *et al.* 2019: 948.

Subspecies of *jamaicensis*: Emery, 1924d: 345; Kempf, 1972a: 253; Bolton, 1995b: 420.

Status as species: Mayhé-Nunes & Brandão, 2007: 6 (redescription); Lubertazzi, 2019: 195.

***holmgreni*.** *Trachymyrmex holmgreni* Wheeler, W.M. 1925a: 37 (w.) BOLIVIA.

Mayhé-Nunes & Brandão, 2005: 282 (q.m.).

Combination in *Mycetomoellerius*: Solomon, Rabeling, *et al.* 2019: 948.

Status as species: Weber, 1938b: 204; Kempf, 1972a: 253; Bolton, 1995b: 420; Mayhé-Nunes & Brandão, 2005: 279 (redescription); Wild, 2007b: 38.

iheringi. *Atta (Acromyrmex) iheringi* Emery, 1888c: 359 (w.q.m.) BRAZIL (Rio Grande do Sul). [Misspelled as *jheringi* by Forel, 1893e: 601, Kempf, 1972a: 253, and others.]

Combination in *Atta (Trachymyrmex)*: Forel, 1893e: 601;

combination in *Acromyrmex (Trachymyrmex)*: Forel, 1914d: 282;

combination in *Cyphomyrmex (Trachymyrmex)*: Emery, 1924d: 345;

combination in *Trachymyrmex*: Gallardo, 1916b: 242; Kempf, 1972a: 253;

combination in *Mycetomoellerius*: Solomon, Rabeling, *et al.* 2019: 948.

Status as species: Dalla Torre, 1893: 153; von Jhering, 1894: 386; Forel, 1895b: 139; Forel, 1908c: 352; Wheeler, W.M. 1911g: 248 (in key); Emery, 1924d: 345; Borgmeier, 1927c: 128; Kempf, 1972a: 253; Bolton, 1995b: 420; Mayhé-Nunes & Brandão, 2005: 286 (redescription).

isthmicus. *Trachymyrmex isthmicus* Santschi, 1931c: 280, figs. 13-15 (w.) PANAMA.

Mayhé-Nunes & Brandão, 2007: 10 (q.).

Combination in *Mycetomoellerius*: Solomon, Rabeling, *et al.* 2019: 948.

Status as species: Weber, 1941b: 118; Kempf, 1972a: 253; Bolton, 1995b: 420; Mayhé-Nunes & Brandão, 2007: 8 (redescription); Fernández & Serna, 2019: 878.

ixyodus. *Trachymyrmex ixyodus* Mayhé-Nunes & Brandão, 2007: 11, figs. 15-18, 30 (w.) BRAZIL (Amazonas), SURINAME, VENEZUELA.

Combination in *Mycetomoellerius*: Solomon, Rabeling, *et al.* 2019: 948.

jamaicensis. *Atta (Acromyrmex) jamaicensis* André, 1893b: 149 (w.) JAMAICA.

Wheeler, W.M. 1907c: 713 (q.m.); Wheeler, G.C. 1949: 674 (l.).

Combination in *Atta (Trachymyrmex)*: Wheeler, W.M. 1907c: 712;

combination in *Cyphomyrmex (Trachymyrmex)*: Emery, 1924d: 345;

combination in *Trachymyrmex*: Gallardo, 1916b: 242; Kempf, 1972a: 253;

combination in *Mycetomoellerius*: Solomon, Rabeling, *et al.* 2019: 948.

Status as species: Wheeler, W.M. 1905b: 130; Wheeler, W.M. 1907c: 712 (redescription); Wheeler, W.M. 1908a: 149; Wheeler, W.M. 1908b: 162; Wheeler, W.M. 1911a: 29; Wheeler, W.M. 1911g: 249 (in key); Wheeler, W.M. & Mann, 1914: 41; Mann, 1920: 428; Emery, 1924d: 345; Wheeler, W.M. 1936b: 204; Smith, M.R. 1937: 860; Weber, 1938b: 196; Smith, M.R. 1951a: 831; Smith, M.R. 1954c: 9; Smith, M.R. 1958c: 137; Kempf, 1972a: 253; Smith, D.R. 1979: 1411; Deyrup, *et al.* 1989: 98; Bolton, 1995b: 420; Deyrup, 2003: 47; Mayhé-Nunes & Brandão, 2007: 13 (redescription); Rabeling, *et al.* 2007: 11 (redescription); Deyrup, 2017: 154; Lubertazzi, 2019: 196.

Senior synonym of *cubaensis*: Mayhé-Nunes & Brandão, 2007: 13; Rabeling, *et al.* 2007: 12.

Senior synonym of *frontalis*: Mayhé-Nunes & Brandão, 2007: 13; Rabeling, *et al.* 2007: 12.

Senior synonym of *maritima*: Wheeler, W.M. 1907c: 712; Smith, M.R. 1951a: 831; Smith, M.R. 1954c: 9; Smith, D.R. 1979: 1411; Mayhé-Nunes & Brandão, 2007: 13; Rabeling, *et al.* 2007: 12.

Senior synonym of *sharpii*: Wheeler, W.M. 1907c: 712; Smith, M.R. 1951a: 831; Smith, M.R. 1954c: 9; Smith, D.R. 1979: 1411; Mayhé-Nunes & Brandão, 2007: 13; Rabeling, *et al.* 2007: 11.

Current subspecies: nominal plus *antiguensis*.

jheringi, misspelling, see under *iheringi*.

kempfi. *Trachymyrmex kempfi* Fowler, 1982: 70, figs. 1-3 (w.) PARAGUAY.

Combination in *Mycetomoellerius*: Solomon, Rabeling, *et al.* 2019: 948.

Status as species: Brandão, 1991: 382; Bolton, 1995b: 420; Mayhé-Nunes & Brandão, 2005: 290 (redescription); Wild, 2007b: 38.

maritima. *Atta (Trachymyrmex) maritima* Wheeler, W.M. 1905b: 107, pl. 7, figs. 7, 8 (w.) BAHAMAS (Andros I., New Providence I.).

Combination in *Cyphomyrmex (Trachymyrmex)*: Emery, 1924d: 345;

combination in *Trachymyrmex*: Kempf, 1972a: 253.

Status as species: Emery, 1924d: 345.

Subspecies of *jamaicensis*: Mann, 1920: 428; Kempf, 1972a: 253; Bolton, 1995b: 420.

Junior synonym of *jamaicensis*: Wheeler, W.M. 1907c: 712; Smith, M.R. 1951a: 831; Smith, M.R. 1954c: 9; Smith, D.R. 1979: 1411; Mayhé-Nunes & Brandão, 2007: 13; Rabeling, *et al.* 2007: 12.

marthae. *Atta (Trachymyrmex) urichii* r. *marthae* Forel, 1912e: 183 (w.q.) COLOMBIA.

Subspecies of *urichii*: Emery, 1924d: 346.

Junior synonym of *urichii*: Weber, 1958b: 53; Kempf, 1972a: 254; Bolton, 1995b: 420.

missionensis. *Trachymyrmex tucumana* st. *cordovana* var. *missionensis* Santschi, 1934c: 31 (w.) ARGENTINA (Misiones); unavailable (infrasubspecific) name.

As unavailable (infrasubspecific) name: Kempf, 1972a: 254.

Declared as unavailable (infrasubspecific) name: Bolton, 1995b: 420.

oetkeri. *Atta (Trachymyrmex) oetkeri* Forel, 1908c: 352 (w.) BRAZIL (São Paulo).

Combination in *Cyphomyrmex (Trachymyrmex)*: Emery, 1924d: 345;

combination in *Trachymyrmex*: Gallardo, 1916b: 242; Kempf, 1972a: 253;

combination in *Mycetomoellerius*: Solomon, Rabeling, *et al.* 2019: 948.

Status as species: Wheeler, W.M. 1911g: 249 (in key); Luederwaldt, 1918: 39; Emery, 1924d: 345; Borgmeier, 1927c: 129; Kempf, 1972a: 253; Bolton, 1995b: 421.

opulentus. *Sericomyrmex opulenta* Mann, 1922: 48, fig. 21 (w.) HONDURAS.

Mayhé-Nunes & Brandão, 2002: 683 (q.).

Combination in *Trachymyrmex*: Weber, 1958b: 51;

combination in *Mycetomoellerius*: Solomon, Rabeling, *et al.* 2019: 948.

Status as species: Weber, 1958b: 51; Kempf, 1972a: 253; Bolton, 1995b: 421; Mayhé-Nunes & Brandão, 2002: 680 (redescription); Branstetter & Sáenz, 2012: 262.

Senior synonym of *pakeelai*: Mayhé-Nunes & Brandão, 2002: 680.

Senior synonym of *wheeleri*: Mayhé-Nunes & Brandão, 2002: 680.

pakeelai. *Sericomyrmex wheeleri* subsp. *pakeelai* Weber, 1937: 398, fig. 9 (w.) GUYANA.

Combination in *Trachymyrmex*: Weber, 1958b: 54;

combination in *Mycetomoellerius*: Solomon, Rabeling, *et al.* 2019: 948.

Subspecies of *wheeleri*: Weber, 1946b: 144; Kempf, 1972a: 254; Bolton, 1995b: 421.

Junior synonym of *wheeleri*: Weber, 1958b: 54; Brandão, 1991: 382.

Junior synonym of *opulentus*: Mayhé-Nunes & Brandão, 2002: 680.

- panamensis*. *Trachymyrmex urichi* subsp. *panamensis* Wheeler, W.M. 1925a: 38 (w.) PANAMA (Taboga Is).
Junior synonym of *urichii*: Weber, 1958b: 53; Kempf, 1972a: 254; Bolton, 1995b: 421.
- papulatus***. *Trachymyrmex papulatus* Santschi, 1922b: 359 (w.) ARGENTINA (Córdoba).
Combination in *Mycetomoellerius*: Solomon, Rabeling, *et al.* 2019: 948.
Status as species: Kempf, 1972a: 253; Bolton, 1995b: 421.
- **primaevus***. **Trachymyrmex primaevus* Baroni Urbani, 1980b: 4, figs. 1-14 (w.) DOMINICAN AMBER (Dominican Republic, Miocene).
Combination in *Mycetomoellerius*: Solomon, Rabeling, *et al.* 2019: 948.
Status as species: Keilbach, 1982: 274; Brandão, 1991: 382; Bolton, 1995b: 421.
- pruinus***. *Atta (Trachymyrmex) pruinosa* Emery, 1906c: 163, fig. 25 (w.) ARGENTINA (Buenos Aires).
Gallardo, 1916b: 249 (q.m.).
Combination in *Cyphomyrmex (Trachymyrmex)*: Santschi, 1916e: 386;
combination in *Trachymyrmex*: Gallardo, 1916b: 248; Kempf, 1972a: 253;
combination in *Mycetomoellerius*: Solomon, Rabeling, *et al.* 2019: 948.
Status as species: Wheeler, W.M. 1911g: 248 (in key); Bruch, 1914: 217; Gallardo, 1916b: 248; Gallardo, 1916d: 324; Santschi, 1916e: 386; Bruch, 1917a: 308; Santschi, 1922b: 359; Emery, 1924d: 345; Kusnezov, 1953b: 338; Kempf, 1972a: 253; Zolessi, *et al.* 1988: 5; Bolton, 1995b: 421; Mayhé-Nunes & Brandão, 2005: 294 (redescription).
Senior synonym of *spinosior*: Mayhé-Nunes & Brandão, 2005: 294.
- radicis*. *Trachymyrmex urichi* subsp. *radicis* Weber, 1938b: 197 (w.) TRINIDAD.
Subspecies of *urichii*: Weber, 1945: 54.
Junior synonym of *urichii*: Weber, 1958b: 53; Kempf, 1972a: 254; Bolton, 1995b: 421.
- relictus***. *Trachymyrmex relictus* Borgmeier, 1934: 107, figs. 6, 7 (w.q.) SURINAME.
Mayhé-Nunes & Brandão, 2002: 689 (m.).
Combination in *Mycetomoellerius*: Solomon, Rabeling, *et al.* 2019: 948.
Status as species: Weber, 1937: 401; Weber, 1945: 57; Kempf, 1961b: 519; Kempf, 1972a: 254; Bolton, 1995b: 421; Mayhé-Nunes & Brandão, 2002: 686 (redescription).
Senior synonym of *fitzgeraldi*: Mayhé-Nunes & Brandão, 2002: 686.
- ruthae***. *Trachymyrmex ruthae* Weber, 1937: 402 (w.q.m.) TRINIDAD.
Combination in *Mycetomoellerius*: Solomon, Rabeling, *et al.* 2019: 948.
Status as species: Weber, 1945: 58; Kempf, 1972a: 254; Bolton, 1995b: 421.
- sharpii*. *Atta (Trachymyrmex) sharpii* Forel, 1893e: 601 (w.) ST VINCENT & THE GRENADINES (St Vincent I.).
[Also described as new by Forel, 1893g: 372.]
Combination in *Cyphomyrmex (Trachymyrmex)*: Emery, 1924d: 346;
combination in *Trachymyrmex*: Kempf, 1972a: 254.
Status as species: Wheeler, W.M. 1905b: 130; Emery, 1924d: 346; Kempf, 1972a: 254; Bolton, 1995b: 421.
Junior synonym of *jamaicensis*: Wheeler, W.M. 1907c: 712; Smith, M.R. 1951a: 831; Smith, M.R. 1954c: 9; Smith, D.R. 1979: 1411; Mayhé-Nunes & Brandão, 2007: 13; Rabeling, *et al.* 2007: 11.
- spinosior*. *Trachymyrmex pruinus* var. *spinosior* Santschi, 1922b: 359 (w.) ARGENTINA (Córdoba).
Subspecies of *pruinus*: Kempf, 1972a: 253; Bolton, 1995b: 421.

Junior synonym of *pruinus*: Mayhé-Nunes & Brandão, 2005: 294.

squamulifer. *Atta (Trachymyrmex) squamulifera* Emery, 1896g: 100 (w.) COSTA RICA.
Combination in *Cyphomyrmex (Trachymyrmex)*: Emery, 1924d: 346;
combination in *Trachymyrmex*: Gallardo, 1916b: 242; Kempf, 1972a: 254;
combination in *Mycetomoellerius*: Solomon, Rabeling, *et al.* 2019: 948.
Status as species: Forel, 1899c: 36; Wheeler, W.M. 1911g: 249 (in key); Emery, 1924d: 346; Kempf, 1972a: 254; Bolton, 1995b: 421.

trifurcatus. *Trachymyrmex trifurcatus* Weber, 1938b: 199 (w.) GUYANA.
Status as species: Weber, 1946b: 151.
Junior synonym of *farinosus*: Weber, 1958b: 51; Kempf, 1972a: 252; Bolton, 1995b: 421.

tucumanus. *Acromyrmex (Trachymyrmex) iheringi* var. *tucumana* Forel, 1914d: 282 (w.) ARGENTINA (Tucumán).
Bruch, 1921: 202 (q.).
Combination in *Trachymyrmex*: Gallardo, 1916d: 325;
combination in *Mycetomoellerius*: Solomon, Rabeling, *et al.* 2019: 948.
Subspecies of iheringi: Bruch, 1915: 529; Gallardo, 1916d: 325; Bruch, 1921: 202; Emery, 1924d: 345.
Status as species: Santschi, 1925e: 164; Santschi, 1931e: 281; Kusnezov, 1953b: 338; Kempf, 1972a: 254; Zolessi, *et al.* 1988: 5; Brandão, 1991: 382; Bolton, 1995b: 421; Mayhé-Nunes & Brandão, 2005: 299 (redescription).
Senior synonym of cordovanus: Mayhé-Nunes & Brandão, 2005: 299.
Senior synonym of fracticornis: Mayhé-Nunes & Brandão, 2005: 299.
Senior synonym of weiseri: Mayhé-Nunes & Brandão, 2005: 299.

turrifex. *Atta (Trachymyrmex) turrifex* Wheeler, W.M. 1903b: 100, fig. 6 (w.q.) U.S.A. (Texas).
Rabeling, *et al.* 2007: 23 (m.).
Combination in *Cyphomyrmex (Trachymyrmex)*: Emery, 1924d: 346;
combination in *Trachymyrmex*: Gallardo, 1916b: 242; Creighton, 1950a: 324;
combination in *Mycetomoellerius*: Solomon, Rabeling, *et al.* 2019: 948.
Status as species: Wheeler, W.M. 1907c: 709 (redescription); Wheeler, W.M. 1910g: 568; Wheeler, W.M. 1911g: 249 (in key); Emery, 1924d: 346; Creighton, 1950a: 324; Smith, M.R. 1951a: 831; Smith, D.R. 1979: 1412; Bolton, 1995b: 421; Rabeling, *et al.* 2007: 22 (redescription).
Senior synonym of caroli: Rabeling, *et al.* 2007: 23.

urichii. *Atta (Trachymyrmex) urichii* Forel, 1893e: 601 (w.m.) TRINIDAD.
Emery, 1894c: 222 (q.).
Combination in *Cyphomyrmex (Trachymyrmex)*: Emery, 1924d: 346;
combination in *Trachymyrmex*: Gallardo, 1916b: 242; Wheeler, W.M. 1916c: 11; Kempf, 1972a: 254;
combination in *Mycetomoellerius*: Solomon, Rabeling, *et al.* 2019: 948.
Status as species: Emery, 1894c: 222; Forel, 1895b: 141; Wheeler, W.M. 1905b: 130; Wheeler, W.M. 1911g: 249 (in key); Wheeler, W.M. 1916c: 11; Wheeler, W.M. 1916d: 325; Wheeler, W.M. 1922c: 13; Emery, 1924d: 346; Wheeler, W.M. 1925a: 38; Borgmeier, 1927c: 129; Weber, 1938b: 197; Weber, 1945: 44; Weber, 1946b: 151; Weber, 1958b: 53; Kempf, 1972a: 254; Bolton, 1995b: 421; Fernández & Serna, 2019: 878.
Senior synonym of fusca: Weber, 1958b: 53; Kempf, 1972a: 254; Bolton, 1995b: 421.

Senior synonym of *marthae*: Weber, 1958b: 53; Kempf, 1972a: 254; Bolton, 1995b: 421.

Senior synonym of *panamensis*: Weber, 1958b: 53; Kempf, 1972a: 254; Bolton, 1995b: 421.

Senior synonym of *radicis*: Weber, 1958b: 53; Kempf, 1972a: 254; Bolton, 1995b: 421.

***verrucosus*.** *Trachymyrmex verrucosus* Borgmeier, 1948a: 205, figs. 31, 32 (w.q.) SURINAME.
Combination in *Mycetomoellerius*: Solomon, Rabeling, *et al.* 2019: 948.

Status as species: Kempf, 1961b: 519; Kempf, 1972a: 254; Bolton, 1995b: 421.

weiseri. *Trachymyrmex tucumana* var. *weiseri* Santschi, 1925e: 164 (w.) ARGENTINA (Santa Fe).
Subspecies of *tucumanus*: Kempf, 1972a: 254; Bolton, 1995b: 421.
Junior synonym of *tucumanus*: Mayhé-Nunes & Brandão, 2005: 299.

wheeleri. *Sericomyrmex wheeleri* Weber, 1937: 396, fig. 8 (w.q.) GUYANA.
Wheeler, G.C. 1949: 670 (l.).
Combination in *Trachymyrmex*: Weber, 1958b: 54.
Status as species: Weber, 1946b: 143; Weber, 1958b: 54; Kempf, 1972a: 254; Brandão, 1991: 382; Bolton, 1995b: 421.
Junior synonym of *opulentus*: Mayhé-Nunes & Brandão, 2002: 680.

***zeteki*.** *Trachymyrmex zeteki* Weber, 1940a: 422 (w.) PANAMA.
Mayhé-Nunes & Brandão, 2007: 17 (q.).
Status as species: Weber, 1941b: 124; Weber, 1958b: 55; Kempf, 1972a: 254; Bolton, 1995b: 421; Mayhé-Nunes & Brandão, 2007: 16 (redescription).
Senior synonym of *balboai*: Weber, 1958b: 55; Kempf, 1972a: 254; Bolton, 1995b: 421
Mayhé-Nunes & Brandão, 2007: 16.