

APTEROSTIGMA

- abdita*. *Apterostigma abdita* Mann, 1922: 50, fig. 22 (w.q.) HONDURAS.
Junior synonym of *mayri*: Weber, 1958c: 248; Kempf, 1972a: 24; Bolton, 1995b: 74.
[Note: member of unresolved *pilosum*-complex: Lattke, 1997: 165.]
- acre*. *Apterostigma acre* Lattke, 1997: 133, figs. 57, 75, 98, 115, 138 (w.q.m.) BRAZIL (São Paulo).
- affinis*. *Apterostigma affinis* Santschi, 1922b: 354 (w.) PARAGUAY.
Status as species: Kempf, 1972a: 23; Bolton, 1995b: 74.
Junior synonym of *steigeri*: Lattke, 1997: 171.
- amiae*. *Apterostigma amiae* Weber, 1937: 391 (w.) GUYANA.
Status as species: Weber, 1946b: 132.
Junior synonym of *robustum*: Weber, 1958c: 249; Kempf, 1972a: 24; Bolton, 1995b: 74; Lattke, 1997: 167.
- ancilonodum*. *Apterostigma ancilonodum* Lattke, 1997: 135, figs. 76, 116, 139, 181, 182 (w.q.m.) COLOMBIA.
Status as species: Fernández & Serna, 2019: 838.
- andense*. *Apterostigma andense* Lattke, 1997: 136, figs. 14, 32, 37, 47, 183 (w.q.m.) VENEZUELA.
Status as species: Bezděčková, et al. 2015: 115.
- angulatum*. *Apterostigma collare* subsp. *angulatum* Weber, 1938b: 169, figs. 4, 12 (w.q.) PANAMA.
Wheeler, G.C. 1949: 667 (l.).
Status as species: Weber, 1941b: 111.
Junior synonym of *dentigerum*: Weber, 1958c: 246; Kempf, 1972a: 24; Bolton, 1995b: 74; Lattke, 1997: 151.
- angustum*. *Apterostigma angustum* Lattke, 1997: 138, figs. 77, 117, 140, 184, 185 (w.) VENEZUELA.
- auriculatum*. *Apterostigma auriculatum* Wheeler, W.M. 1925a: 49 (w.q.) TRINIDAD.
Status as species: Weber, 1945: 39; Weber, 1946b: 133; Weber, 1958c: 243; Kempf, 1970b: 336; Kempf, 1972a: 23; Bolton, 1995b: 74; Lattke, 1997: 138 (redescription); Guénard & Economo, 2015: 227; Fernández & Serna, 2019: 838.
Senior synonym of *billi*: Lattke, 1997: 139.
Senior synonym of *demerarae*: Weber, 1958c: 243; Kempf, 1972a: 23; Bolton, 1995b: 74; Lattke, 1997: 139.
Senior synonym of *icta*: Lattke, 1997: 139.
Senior synonym of *immobile*: Weber, 1958c: 243; Kempf, 1972a: 23; Bolton, 1995b: 74; Lattke, 1997: 139.
Senior synonym of *petiolatum*: Lattke, 1997: 139.
- avium*. *Apterostigma avium* Lattke, 1997: 140, figs. 7, 16, 26, 36, 49 (w.) VENEZUELA.
- billi*. *Apterostigma billi* Weber, 1938b: 165, figs. 5, 17 (w.) BOLIVIA.
Status as species: Weber, 1958c: 244; Kempf, 1972a: 23; Bolton, 1995b: 74.
Junior synonym of *auriculatum*: Lattke, 1997: 139.
- bolivianum*. *Apterostigma bolivianum* Weber, 1938b: 181, fig. 15 (w.q.) BOLIVIA.
Status as species: Weber, 1958c: 245; Kempf, 1972a: 23; Bolton, 1995b: 74; Lattke, 1997: 141 (redescription); Bezděčková, et al. 2015: 115.
- branneri*. *Apterostigma branneri* Mann, 1916: 456, pl. 5, fig. 37 (w.q.m.) BRAZIL (Rondônia).
Status as species: Emery, 1924d: 338; Borgmeier, 1927c: 124.

Junior synonym of *robustum*: Weber, 1958c: 249; Kempf, 1972a: 24; Bolton, 1995b: 74; Lattke, 1997: 167.

bruchi. *Apterostigma bruchi* Santschi, 1919f: 49, fig. 5 (w.) ARGENTINA (Buenos Aires). Bruch, 1921: 204 (q.m.).

Status as species: Bruch, 1921: 204; Kempf, 1972a: 23; Bolton, 1995b: 74; Lattke, 1997: 142 (redescription).

callipygum. *Apterostigma callipygum* Lattke, 1997: 144, figs. 60, 79, 102, 119, 142 (w.q.) COLOMBIA, ECUADOR.

Status as species: Fernández & Serna, 2019: 838.

calverti. *Apterostigma calverti* Wheeler, W.M. 1911h: 206 (w.q.) COSTA RICA.

Status as species: Emery, 1924d: 338; Wheeler, W.M. 1942: 212; Weber, 1958c: 245; Kempf, 1972a: 24; Bolton, 1995b: 74; Lattke, 1997: 143 (redescription).

carinatum. *Apterostigma carinatum* Lattke, 1997: 145, figs. 120, 143, 190, 191 (w.q.m.) COLOMBIA.

Status as species: Fernández & Serna, 2019: 839.

chocoense. *Apterostigma chocoense* Lattke, 1997: 148, figs. 8, 18, 28, 29, 40, 51 (w.) COLOMBIA, COSTA RICA.

Status as species: Fernández & Serna, 2019: 839.

collare. *Apterostigma collare* Emery, 1896g: 99, pl. 1, fig. 18 (w.q.) COSTA RICA. Forel, 1899c: 38 (m.).

Status as species: Forel, 1899c: 38; Wheeler, W.M. 1911h: 208 (in key); Mann, 1922: 51; Emery, 1924d: 338; Weber, 1938b: 168; Weber, 1958c: 246; Kempf, 1972a: 24; Brandão, 1991: 326; Bolton, 1995b: 74; Lattke, 1997: 147 (redescription).

constrictum. *Apterostigma robustum* subsp. *constrictum* Weber, 1938b: 173 (w.q.m.) BOLIVIA. Junior synonym of *robustum*: Weber, 1958c: 250; Kempf, 1972a: 24; Bolton, 1995b: 74; Lattke, 1997: 167.

convexum. *Apterostigma convexum* Lattke, 1997: 149, figs. 82, 122, 145, 176, 194, 195 (w.q.) VENEZUELA.

demerarae. *Apterostigma auriculatum* var. *demerarae* Wheeler, W.M. 1925a: 51 (w.q.m.) GUYANA.

Subspecies of *auriculatum*: Weber, 1946b: 133.

Junior synonym of *auriculatum*: Weber, 1958c: 243; Kempf, 1972a: 23; Bolton, 1995b: 74; Lattke, 1997: 139.

dentigerum. *Apterostigma dentigerum* Wheeler, W.M. 1925a: 51 (w.q.m.) COSTA RICA.

Status as species: Weber, 1958c: 246; Kempf, 1972a: 24; Bolton, 1995b: 74; Lattke, 1997: 151 (redescription); Fernández & Serna, 2019: 839.

Senior synonym of *angulatum*: Weber, 1958c: 246; Kempf, 1972a: 24; Bolton, 1995b: 74; Lattke, 1997: 151.

Senior synonym of *dubium*: Weber, 1958c: 246; Kempf, 1972a: 24; Bolton, 1995b: 74; Lattke, 1997: 151.

depressum. *Apterostigma depressum* Lattke, 1997: 152, figs. 19, 43, 55, 196 (w.) ECUADOR.

Status as species: Bezděcková, et al. 2015: 115.

discrepans. *Apterostigma mayri* var. *discrepans* Forel, 1912e: 190 (w.q.m.) BRAZIL (Santa Catarina).

Subspecies of *mayri*: Santschi, 1923d: 67; Emery, 1924d: 338; Borgmeier, 1927c: 124.

Junior synonym of *mayri*: Weber, 1958c: 248; Kempf, 1972a: 24; Bolton, 1995b: 74.

[Note: member of unresolved *pilosum*-complex: Lattke, 1997: 165.]

dorotheae. *Apterostigma dorotheae* Weber, 1937: 389, fig. 5 (w.) GUYANA.

Status as species: Weber, 1946b: 134; Weber, 1958c: 249; Kempf, 1972a: 24; Bolton, 1995b: 74; Lattke, 1997: 153 (redescription).

dubium. *Apterostigma collare* subsp. *dubium* Weber, 1938b: 168, figs. 6, 14, 19 (w.q.) PANAMA.

Status as species: Weber, 1941b: 110.

Junior synonym of *dentigerum*: Weber, 1958c: 246; Kempf, 1972a: 24; Bolton, 1995b: 74; Lattke, 1997: 151.

***electropilosum.** **Apterostigma electropilosum* Schultz, 2007: 426, figs. 1, 2 (w.) DOMINICAN AMBER (Dominican Republic, Miocene).

***eowilsoni.** **Apterostigma eowilsoni* Schultz, 2007: 427, figs. 3-5 (w.) DOMINICAN AMBER (Dominican Republic, Miocene).

epinotale. *Apterostigma epinotale* Weber, 1937: 390, fig. 6 (w.) GUYANA.

Weber, 1946b: 135 (q.m.).

Status as species: Weber, 1946b: 134; Kempf, 1972a: 24; Bolton, 1995b: 74; Lattke, 1997: 154 (redescription); Fernández & Serna, 2019: 839.

fallax. *Apterostigma fallax* Borgmeier, 1934: 105, fig. 5 (w.q.) SURINAME.

Status as species: Kempf, 1972a: 24; Bolton, 1995b: 74.

Junior synonym of *urichii*: Lattke, 1997: 217.

fitzgeraldi. *Apterostigma fitzgeraldi* Weber, 1937: 393 (w.) TRINIDAD.

Status as species: Weber, 1945: 39.

Junior synonym of *ierense*: Weber, 1958c: 247; Kempf, 1972a: 24; Bolton, 1995b: 74; Lattke, 1997: 156.

fusinodum. *Apterostigma fusinodum* Weber, 1938b: 177 (w.m.) BOLIVIA.

Status as species: Kempf, 1972a: 24; Bolton, 1995b: 74.

Junior synonym of *peruvianum*: Lattke, 1997: 163.

gibbum. *Apterostigma gibbum* Weber, 1938b: 162, fig. 18 (w.q.m.) BOLIVIA.

Status as species: Kempf, 1972a: 24; Bolton, 1995b: 74.

Junior synonym of *ierense*: Lattke, 1997: 156.

goniodes. *Apterostigma goniodes* Lattke, 1997: 155, figs. 64, 85, 104, 125, 148 (w.) COSTA RICA.

guianense. *Apterostigma urichi* var. *guianense* Weber, 1937: 393 (q.) GUYANA.

Subspecies of *urichii*: Weber, 1946b: 139.

Junior synonym of *urichii*: Weber, 1958c: 251; Kempf, 1972a: 25; Bolton, 1995b: 74; Lattke, 1997: 217.

icta. *Apterostigma wasmanni* var. *icta* Weber, 1937: 393 (q.) TRINIDAD.

Subspecies of *wasmannii*: Weber, 1945: 39.

Subspecies of *auriculatum*: Weber, 1958c: 244; Kempf, 1972a: 23; Bolton, 1995b: 74.

Junior synonym of *auriculatum*: Lattke, 1997: 139.

ierense. *Apterostigma ierense* Weber, 1937: 387, fig. 4 (w.q.m.) TRINIDAD.

Status as species: Weber, 1945: 39; Weber, 1958c: 247; Kempf, 1972a: 24; Bolton, 1995b: 74; Lattke, 1997: 156 (redescription); Bezděcková, et al. 2015: 115; Fernández & Serna, 2019: 839.

Senior synonym of fitzgeraldi: Weber, 1958c: 247; Kempf, 1972a: 24; Bolton, 1995b: 74; Lattke, 1997: 156.

Senior synonym of gibbum: Lattke, 1997: 156.

immobile. *Apterostigma immobile* Weber, 1940a: 418 (w.m.) PANAMA.

Status as species: Weber, 1941b: 114.

Junior synonym of *auriculatum*: Weber, 1958c: 243; Kempf, 1972a: 23; Bolton, 1995b: 74; Lattke, 1997: 139.

jubatum. *Apterostigma jubatum* Wheeler, W.M. 1925a: 47 (w.q.) GUYANA.

Lattke, 1997: 159 (m.).

Junior synonym of *robustum*: Weber, 1958c: 249; Kempf, 1972a: 24; Bolton, 1995b: 74.

Status as species: Weber, 1946b: 135; Lattke, 1997: 158 (redescription); Guénard & Economo, 2015: 227; Fernández & Serna, 2019: 839.

luederwaldti. *Apterostigma luederwaldti* Santschi, 1923d: 66 (w.) BRAZIL (São Paulo).

Status as species: Borgmeier, 1927c: 124; Weber, 1958c: 247; Kempf, 1972a: 24; Bolton, 1995b: 74.

Junior synonym of *steigeri*: Lattke, 1997: 171.

madidiense. *Apterostigma madidiense* Weber, 1938b: 179 (w.q.m.) BOLIVIA.

Status as species: Kempf, 1972a: 24; Bolton, 1995b: 74; Lattke, 1997: 160 (redescription); Bezděcková, et al. 2015: 115.

manni. *Apterostigma manni* Weber, 1938b: 176, fig. 11 (w.) BOLIVIA.

Status as species: Kempf, 1972a: 24; Bolton, 1995b: 74; Lattke, 1997: 161 (redescription); Guénard & Economo, 2015: 227; Fernández & Serna, 2019: 839.

mayri. *Apterostigma mayri* Forel, 1893e: 604 (w.) TRINIDAD.

Wheeler, G.C. 1949: 668 (l.).

Status as species: Wheeler, W.M. 1905b: 129; Wheeler, W.M. 1911h: 208 (in key); Wheeler, W.M. 1916c: 11; Wheeler, W.M. 1922c: 13; Emery, 1924d: 338; Weber, 1937: 388; Weber, 1938b: 166; Weber, 1941b: 115; Weber, 1945: 34; Weber, 1946b: 136; Weber, 1958c: 248; Kempf, 1972a: 24; Bolton, 1995b: 74; Branstetter & Sáenz, 2012: 257; Fernández & Serna, 2019: 839.

Senior synonym of abdita: Weber, 1958c: 248; Kempf, 1972a: 24; Bolton, 1995b: 74.

Senior synonym of discrepans: Weber, 1958c: 248; Kempf, 1972a: 24; Bolton, 1995b: 74.

Senior synonym of pallidum: Weber, 1958c: 248; Kempf, 1972a: 24; Bolton, 1995b: 74.

Senior synonym of zip: Weber, 1958c: 248; Kempf, 1972a: 24; Bolton, 1995b: 74.

[Note: member of unresolved *pilosum*-complex: Lattke, 1997: 165.]

megacephala. *Apterostigma megacephala* Lattke, 1999: 2, figs. 1, 2 (w.) PERU, COLOMBIA.

Status as species: Bezděcková, et al. 2015: 115; Fernández & Serna, 2019: 839.

mexicanum. *Apterostigma mexicanum* Lattke, 1997: 162, figs. 90, 130, 153, 200, 201 (w.) MEXICO (Veracruz).

moelleri. *Apterostigma moelleri* Forel, 1892d: 348 (w.q.) BRAZIL (Santa Catarina).

Status as species: Dalla Torre, 1893: 149; Forel, 1895b: 137; Wheeler, W.M. 1911h: 208 (in key); Emery, 1924d: 338; Kempf, 1972a: 24; Bolton, 1995b: 74.

[Note: member of unresolved *pilosum*-complex: Lattke, 1997: 165.]

nitidum. *Apterostigma urichi* var. *nitidum* Weber, 1937: 392 (w.m.) GUYANA.

Subspecies of *urichii*: Weber, 1946b: 139.

Junior synonym of *urichii*: Weber, 1958c: 250; Kempf, 1972a: 25; Bolton, 1995b: 74; Lattke, 1997: 217.

pallidum. *Apterostigma mayri* var. *pallidum* Weber, 1937: 388 (w.q.) TRINIDAD.

Subspecies of *mayri*: Weber, 1938b: 168; Weber, 1945: 36.

Junior synonym of *mayri*: Weber, 1958c: 248; Kempf, 1972a: 24; Bolton, 1995b: 74.

[Note: member of unresolved *pilosum*-complex: Lattke, 1997: 165.]

pariense. *Apterostigma pariense* Lattke, 1997: 163, figs. 9, 21, 30, 53 (w.) VENEZUELA.

peruvianum. *Apterostigma peruvianum* Wheeler, W.M. 1925a: 46 (w.q.) PERU.

Lattke, 1997: 164 (m.).

Status as species: Kempf, 1972a: 24; Bolton, 1995b: 74; Lattke, 1997: 163 (redescription); Bezděčková, et al. 2015: 115; Fernández & Serna, 2019: 839.

Senior synonym of *fusinodum*: Lattke, 1997: 163.

petiolatum. *Apterostigma wasmanni* subsp. *petiolatum* Weber, 1938b: 175, fig. 10 (w.m.) BOLIVIA.

Subspecies of *auriculatum*: Weber, 1958c: 244; Kempf, 1972a: 23; Bolton, 1995b: 74.

Junior synonym of *auriculatum*: Lattke, 1997: 139.

pilosum. *Apterostigma pilosum* Mayr, 1865: 113, pl. 4, fig. 35 (q.m.) BRAZIL (Rio de Janeiro).

Mayr, 1887: 554 (w.).

Status as species: Mayr, 1887: 554; Emery, 1890a: 67; Emery, 1888c: 361; Dalla Torre, 1893: 149; Forel, 1895b: 137; Forel, 1899c: 37; Emery, 1906c: 167; Forel, 1907e: 3; Forel, 1908c: 354; Wheeler, W.M. 1911h: 208 (in key); Forel, 1912e: 190; Bruch, 1914: 217; Gallardo, 1916d: 319; Luederwaldt, 1918: 40; Emery, 1924d: 338; Borgmeier, 1927c: 124; Kusnezov, 1953b: 338; Weber, 1958c: 248; Kempf, 1972a: 24; Brandão, 1991: 327; Bolton, 1995b: 74; Wild, 2007b: 30; Branstetter & Sáenz, 2012: 257.

[Note: unresolved *pilosum*-complex of Lattke, 1997: 165, contains the nominal taxa *abdita*, *discrepans*, *mayri*, *moelleri*, *pallidum*, *pilosum*, *scutellare*, *tramitis*, zip.]

reburrum. *Apterostigma reburrum* Lattke, 1997: 166, figs. 10, 22, 31, 42, 54 (w.) COLOMBIA.

Status as species: Fernández & Serna, 2019: 839.

robustum. *Apterostigma robustum* Emery, 1896g: 98, pl. 1, fig. 17 (w.) COSTA RICA.

Lattke, 1997: 168 (m.).

Status as species: Forel, 1899c: 38; Wheeler, W.M. 1911h: 208 (in key); Emery, 1924d: 338; Weber, 1938b: 170; Weber, 1958c: 249; Kempf, 1972a: 24; Bolton, 1995b: 74; Lattke, 1997: 167 (redescription); Guénard & Economo, 2015: 227; Fernández & Serna, 2019: 839.

Senior synonym of *amiae*: Weber, 1958c: 249; Kempf, 1972a: 24; Bolton, 1995b: 74; Lattke, 1997: 167.

Senior synonym of *branneri*: Weber, 1958c: 249; Kempf, 1972a: 24; Bolton, 1995b: 74; Lattke, 1997: 167.

Senior synonym of *constrictum*: Weber, 1958c: 250; Kempf, 1972a: 24; Bolton, 1995b: 74; Lattke, 1997: 167.

Senior synonym of *tic*: Weber, 1958c: 250; Kempf, 1972a: 24; Bolton, 1995b: 74; Lattke, 1997: 167.

scutellare. *Apterostigma pilosum* r. *scutellare* Forel, 1885a: 364 (m.) MEXICO (Veracruz).

Status as species: Emery, in Dalla Torre, 1893: 149; Forel, 1899c: 37; Emery, 1924d: 338; Kempf, 1972a: 25; Bolton, 1995b: 74.

[Note: member of unresolved *pilosum*-complex: Lattke, 1997: 165.]

serratum. *Apterostigma serratum* Lattke, 1997: 168, figs. 70, 95, 110, 133, 156 (w.q.m.) BRAZIL (Minas Gerais, Santa Catarina).

spiculum. *Apterostigma spiculum* Lattke, 1997: 170, figs. 177, 178 (w.) PERU.

Status as species: Bezděčková, et al. 2015: 115.

steigeri. *Apterostigma steigeri* Santschi, 1911b: 52, figs. 1-3 (w.) ARGENTINA (Buenos Aires). Santschi, 1912e: 529 (q.).

Status as species: Wheeler, W.M. 1911h: 208 (in key); Santschi, 1912e: 529; Bruch, 1914: 217; Bruch, 1915: 529; Gallardo, 1916d: 319; Emery, 1924d: 338; Kempf, 1972a: 25; Zolessi, *et al.* 1988: 5; Brandão, 1991: 327; Bolton, 1995b: 74; Lattke, 1997: 171 (redescription); Wild, 2007b: 30.

Senior synonym of *affinis*: Lattke, 1997: 171.

Senior synonym of *luederwaldti*: Lattke, 1997: 171.

***tachirense*.** *Apterostigma tachirense* Lattke, 1997: 172, figs. 12, 25, 33, 56 (w.) VENEZUELA.

***tholiforme*.** *Apterostigma tholiforme* Lattke, 1997: 173, figs. 11, 23, 34, 57 (w.) ECUADOR.

***tic*.** *Apterostigma robustum* subsp. *tic* Weber, 1938b: 170, fig. 7 (w.q.m.) COSTA RICA.

Junior synonym of *robustum*: Weber, 1958c: 250; Kempf, 1972a: 24; Bolton, 1995b: 74; Lattke, 1997: 167.

***tramitis*.** *Apterostigma tramitis* Weber, 1940a: 417 (w.q.) PANAMA.

Wheeler, G.C. 1949: 668 (l.).

Status as species: Weber, 1941b: 113; Weber, 1958c: 249; Kempf, 1972a: 25; Bolton, 1995b: 74.

[Note: member of unresolved *pilosum*-complex: Lattke, 1997: 165.]

***trapeziforme*.** *Apterostigma trapeziforme* Lattke, 1997: 174, figs. 179, 180 (w.) EL SALVADOR.

***tropicoxa*.** *Apterostigma tropicoxa* Lattke, 1997: 175, figs. 94, 111, 135, 158 (w.) BRAZIL (Amazonas), PERU.

Status as species: Bezděcková, *et al.* 2015: 115.

***turgidum*.** *Apterostigma turgidum* Lattke, 1997: 176, figs. 24, 35, 58, 202, 203 (w.) COLOMBIA, ECUADOR, PANAMA.

Status as species: Fernández & Serna, 2019: 839.

uncinatum Mayr, 1887; see under ***MYRMICOCRYPTA***.

***urichii*.** *Apterostigma urichii* Forel, 1893e: 603 (w.) TRINIDAD.

Lattke, 1997: 218 (q.).

Status as species: Wheeler, W.M. 1905b: 129; Wheeler, W.M. 1911h: 208 (in key); Wheeler, W.M. 1916c: 11; Wheeler, W.M. 1916d: 325; Wheeler, W.M. 1922c: 13; Emery, 1924d: 338; Weber, 1937: 392; Weber, 1938b: 203; Weber, 1945: 29; Weber, 1946b: 138; Weber, 1958c: 250; Kempf, 1961b: 518; Kempf, 1970b: 336; Kempf, 1972a: 25; Bolton, 1995b: 74; Lattke, 1997: 217 (redescription); Guénard & Economo, 2015: 227; Fernández & Serna, 2019: 839.

Senior synonym of *fallax*: Lattke, 1997: 217.

Senior synonym of *guianense*: Weber, 1958c: 251; Kempf, 1972a: 25; Bolton, 1995b: 74; Lattke, 1997: 217.

Senior synonym of *nitidum*: Weber, 1958c: 250; Kempf, 1972a: 25; Bolton, 1995b: 74; Lattke, 1997: 217.

***wasmannii*.** *Apterostigma wasmannii* Forel, 1892d: 345 (w.m.) BRAZIL (Santa Catarina).

Forel, 1893e: 605 (q.).

Status as species: Dalla Torre, 1893: 149; Forel, 1893e: 605; von Jhering, 1894: 385; Forel, 1895b: 137; Wheeler, W.M. 1911h: 208 (in key); Forel, 1913l: 235; Wheeler, W.M. 1916d: 325; Luederwaldt, 1918: 40; Wheeler, W.M. 1922c: 13; Emery, 1924d: 338; Borgmeier, 1927c: 125; Weber, 1937: 393; Weber, 1938b: 175; Weber, 1945: 36; Weber, 1958c: 251; Kempf, 1972a: 25; Bolton, 1995b: 74; Lattke, 1997: 219 (redescription).

***zip*.** *Apterostigma mayri* subsp. *zip* Weber, 1938b: 166, figs. 13, 16 (w.q.m.) BOLIVIA.

Junior synonym of *mayri*: Weber, 1958c: 248; Kempf, 1972a: 24; Bolton, 1995b: 74.
[Note: member of unresolved *pilosum*-complex: Lattke, 1997: 165.]