

### **ZASPHINCTUS**

**asper.** *Sphinctomyrmex asper* Brown, 1975: 78 (w.q.m.) AUSTRALIA (Queensland).

Type-material: holotype worker, 1 paratype ergatoid queen, 1 paratype male.

Type-locality: holotype Australia: N Queensland, Halifax, vi.1919 (*F.X. Williams*); paratypes with same data.

Type-depository: MCZC.

Combination in *Zasphinctus*: Borowiec, M.L. 2016: 242.

**Status as species:** Taylor & Brown, 1985: 50; Taylor, 1987a: 73; Bolton, 1995b: 392.

Distribution: Australia.

*brunnicornis.* *Eusphinctus (Nothosphinctus) brunnicornis* Clark, 1930c: 2, fig. 1 (no. 1) (w.) AUSTRALIA (Western Australia).

Type-material: syntype workers (number not stated).

Type-locality: Australia: Western Australia, Collie (*J. Clark*).

Type-depository: MVMA.

Junior synonym of *imbecilis*: Brown, 1975: 33; Taylor & Brown, 1985: 50; Taylor, 1987a: 73; Bolton, 1995b: 392.

**caledonicus.** *Sphinctomyrmex caledonicus* Wilson, 1957a: 8 (w.q.) NEW CALEDONIA.

Type-material: holotype worker, paratype workers (number not stated, "a long series"), 1 paratype ergatoid queen.

Type-locality: holotype New Caledonia: Ciu, 300 m., 31.xii.1954, no. 225 (*E.O. Wilson*); paratypes with same data, and also with same data but 21.xii.1954, no. 195 (*E.O. Wilson*).

Type-depository: MCZC.

Combination in *Zasphinctus*: Borowiec, M.L. 2016: 243.

**Status as species:** Wilson, 1958c: 136; Wilson, 1959b: 56; Brown, 1975: 32; Taylor, 1987a: 74; Bolton, 1995b: 392.

Distribution: New Caledonia.

**cedaris.** *Sphinctomyrmex (Eusphinctus) fallax* var. *cedaris* Forel, 1915b: 16 (w.) AUSTRALIA (Queensland).

Type-material: syntype workers (number not stated).

Type-locality: Australia: Queensland, Cedar Creek (*E. Mjöberg*).

Type-depositories: ANIC, MHNG (possibly also in NHRS).

Wheeler, W.M. 1918a: 229 (q.).

Combination in *Eusphinctus (Eusphinctus)*: Wheeler, W.M. 1918a: 229;

combination in *Sphinctomyrmex*: Brown, 1975: 33

combination in *Zasphinctus*: Borowiec, M.L. 2016: 243.

**Subspecies of steinheili:** Wheeler, W.M. 1918a: 225.

**Status as species:** Brown, 1975: 33; Taylor & Brown, 1985: 50; Taylor, 1987a: 73; Bolton, 1995b: 392.

Distribution: Australia.

**chariensis.** *Sphinctomyrmex rufiventris* st. *chariensis* Santschi, 1915c: 245 (m.) CHAD.

Type-material: 2 syntype males.

Type-locality: Chad: Moyen-Chari, Fort Archambault, 1904 (*Decorse*).

Type-depositories: MNHN, NHMB.

Combination in *Aethiopopone*: Santschi, 1930a: 50;

combination in *Sphinctomyrmex*: Brown, 1975: 33;

combination in *Zasphinctus*: Borowiec, M.L. 2016: 243.

**Subspecies of rufiventris:** Wheeler, W.M. 1922a: 755; Santschi, 1930a: 50.

**Status as species:** Brown, 1975: 33; Bolton, 1995b: 392.

Distribution: Chad.

**clarus.** *Cerapachys emeryi* r. *clarus* Forel, 1893d: 462 (w.) AUSTRALIA (Northern Territory).

Type-material: holotype (?) worker.

[Note: no indication of number of specimens is given.]

Type-locality: Australia: NW Australia, Adelaide River (*J.J. Walker*).

Type-depository: MHNG.  
Combination in *Sphinctomyrmex*: Forel, 1902h: 537;  
combination in *S. (Sphinctomyrmex)*: Emery, 1911d: 7;  
combination in *Eusphinctus (Nothosphinctus)*: Wheeler, W.M. 1918a: 235;  
combination in *Sphinctomyrmex*: Brown, 1975: 33  
combination in *Zasphinctus*: Borowiec, M.L. 2016: 243.  
**Status as species:** Forel, 1900b: 72; Emery, 1911d: 7; Wheeler, W.M. 1918a: 235; Brown, 1975: 33; Taylor & Brown, 1985: 50; Taylor, 1987a: 73; Bolton, 1995b: 392.  
Distribution: Australia.

***cribratus***. *Sphinctomyrmex (Eusphinctus) cribratus* Emery, 1897c: 594 (w.) NEW GUINEA (Papua New Guinea).

Type-material: holotype worker.  
Type-locality: Papua New Guinea: Lemien, nr Berlinhafen (= Aitepe) (*L. Biró*).  
Type-depository: HNHM (perhaps MSNG if retained by Emery).  
Combination in *Zasphinctus*: Borowiec, M.L. 2016: 243.  
**Status as species:** Emery, 1911d: 7; Chapman & Capco, 1951: 21; Wilson, 1959b: 56; Brown, 1975: 33; Bolton, 1995b: 392.  
Distribution: Papua New Guinea.

***duchaussoyi***. *Eusphinctus duchaussoyi* André, 1905: 205 (w.q.) AUSTRALIA (New South Wales).

Type-material: syntype workers, syntype ergatoid queens (numbers not stated).  
Type-locality: Australia: New South Wales, Sydney (*A. Duchaussoy*).  
Type-depositories: MHNG, MNHN, MSNG.  
Combination in *Sphinctomyrmex (Eusphinctus)*: Emery, 1911d: 7;  
combination in *Eusphinctus (Eusphinctus)*: Wheeler, W.M. 1918a: 229;  
combination in *Sphinctomyrmex*: Brown, 1975: 33;  
combination in *Zasphinctus*: Borowiec, M.L. 2016: 243.  
**Subspecies of *steinheili*:** Wheeler, W.M. 1918a: 229.  
**Status as species:** Emery, 1911d: 7; Brown, 1975: 33, 79; Taylor & Brown, 1985: 50; Taylor, 1987a: 73; Bolton, 1995b: 392.  
**Senior synonym of *hackeri*:** Brown, 1975: 33; Taylor & Brown, 1985: 50; Taylor, 1987a: 73; Bolton, 1995b: 392.  
Distribution: Australia.

***emeryi***. *Cerapachys emeryi* Forel, 1893d: 461 (w.) AUSTRALIA (Western Australia).

Type-material: syntype workers (number not stated).  
Type-locality: Australia: NW Australia, Baudin I. (*J.J. Walker*).  
Type-depository: MHNG.  
Combination in *Sphinctomyrmex*: Emery, 1895k: 456;  
combination in *S. (Sphinctomyrmex)*: Emery, 1911d: 7;  
combination in *Eusphinctus (Nothosphinctus)*: Wheeler, W.M. 1918a: 235;  
combination in *Zasphinctus*: Borowiec, M.L. 2016: 243.  
**Status as species:** Emery, 1911d: 7; Wheeler, W.M. 1918a: 235; Bolton, 1995b: 392; Heterick, 2009: 131.  
**Senior synonym of *perstictus* (unnecessary replacement name):** Bolton, 1995b: 392.  
Distribution: Australia.

***fallax***. *Sphinctomyrmex (Eusphinctus) fallax* Forel, 1900b: 73 (w.) AUSTRALIA (Queensland).

Type-material: syntype workers (number not stated).  
Type-locality: Australia: Queensland, Mackay (*Turner*).  
Type-depositories: ANIC, MHNG.  
Status as species: Emery, 1911d: 7.  
Junior synonym of *steinheili*: Wheeler, W.M. 1918a: 225; Clark, 1925a: 62; Brown, 1975: 33; Taylor & Brown, 1985: 51; Taylor, 1987a: 73; Bolton, 1995b: 392.

***froggatti***. *Sphinctomyrmex froggatti* Forel, 1900b: 71 (w.) AUSTRALIA (New South Wales).

Type-material: syntype workers (number not stated).

Type-locality: Australia: New South Wales (*Froggatt*).

Type-depositories: ANIC, MHNG.

Combination in *S. (Sphinctomyrmex)*: Emery, 1911d: 7;

combination in *Eusphinctus (Nothosphinctus)*: Wheeler, W.M. 1918a: 233;

combination in *Sphinctomyrmex*: Brown, 1975: 33;

combination in *Zasphinctus*: Borowiec, M.L. 2016: 243.

**Status as species:** Emery, 1911d: 7; Wheeler, W.M. 1918a: 233 (redescription); Brown, 1975: 33; Taylor & Brown, 1985: 50; Taylor, 1987a: 73; Bolton, 1995b: 392.

Distribution: Australia.

*fulvidus*. *Eusphinctus (Nothosphinctus) fulvidus* Clark, 1924a: 75, fig. 2 (w.q.l.) AUSTRALIA (Western Australia).

Type-material: 680 syntype workers, 1 syntype ergatoid queen.

[Note: numbers given by Clark in text.]

Type-locality: Australia: Western Australia, Mundaring (*J. Clark*).

Type-depository: MVMA.

Junior synonym of *imbecilis*: Brown, 1975: 33; Taylor & Brown, 1985: 50; Taylor, 1987a: 73; Bolton, 1995b: 392.

*fulvipes*. *Eusphinctus fulvipes* Clark, 1934c: 49, pl. 4, fig. 1 (w.q.) AUSTRALIA (Victoria).

Type-material: syntype workers, syntype queens (numbers not stated).

Type-locality: Australia: Victoria, Otway Ranges, Gellibrand, i.1932 (*J. Clark*).

Type-depository: MVMA.

Junior synonym of *steinheili*: Brown, 1975: 33; Taylor & Brown, 1985: 51; Taylor, 1987a: 74; Bolton, 1995b: 392.

*hackeri*. *Eusphinctus (Eusphinctus) hackeri* Wheeler, W.M. 1918a: 229, fig. 3 (w.q.) AUSTRALIA (Queensland).

Type-material: 6 syntype workers, 2 syntype ergatoid queens.

Type-locality: Australia: Queensland, Bribie I., nr Brisbane (*H. Hacker*).

Type-depository: MCZC.

Junior synonym of *duchaussoyi*: Brown, 1975: 33; Taylor & Brown, 1985: 50; Taylor, 1987a: 73; Bolton, 1995b: 392.

*hedwigae*. *Sphinctomyrmex (Eusphinctus) fallax* subsp. *hedwigae* Forel, 1910b: 21 (w.q.) AUSTRALIA (New South Wales).

Type-material: syntype workers (number not stated), 1 syntype ergatoid queen.

Type-locality: Australia: New South Wales (*Walcher*).

Type-depositories: ANIC, MHNG.

Combination in *Eusphinctus (Eusphinctus)*: Wheeler, W.M. 1918a: 228.

Subspecies of *fallax*: Emery, 1911d: 7; Emery, 1914b: 179.

Subspecies of *steinheili*: Wheeler, W.M. 1918a: 228; Clark, 1925a: 63.

Junior synonym of *steinheili*: Brown, 1975: 33; Taylor & Brown, 1985: 51; Taylor, 1987a: 74; Bolton, 1995b: 392.

*hirsutus*. *Eusphinctus hirsutus* Clark, 1929: 118, pl. 1, figs. 1, 2 (w.q.) AUSTRALIA (Victoria).

Type-material: 60 syntype workers, 5 syntype ergatoid queens.

Type-locality: Australia: Victoria, East Gippsland, Cann River, 26.xi.-8.xii.1928, riverbank (*J. Clark*).

Type-depository: MVMA.

Junior synonym of *steinheili*: Brown, 1975: 33; Taylor & Brown, 1985: 51; Taylor, 1987a: 74; Bolton, 1995b: 392.

*imbecilis*. *Sphinctomyrmex froggatti* subsp. *imbecilis* Forel, 1907h: 272 (w.q.) AUSTRALIA (Western Australia).

Type-material: syntype workers, syntype ergatoid queens (numbers not stated).

Type-locality: Australia: Western Australia, Lion Mill, Stat. 99, 1905 (*W. Michaelsen & R. Hartmeyer*).

Type-depositories: ANIC, MHNG.

[Misspelled as *imbecillis* by Emery, 1911d: 7.]

Combination in *S. (Sphinctomyrmex)*: Emery, 1911d: 7;

combination in *Eusphinctus (Nothosphinctus)*: Wheeler, W.M. 1918a: 235;

combination in *Sphinctomyrmex*: Brown, 1975: 33

combination in *Zasphinctus*: Borowiec, M.L. 2016: 243.

**Subspecies of** *froggatti*: Emery, 1911d: 7.

**Status as species**: Wheeler, W.M. 1918a: 235; Brown, 1975: 33, 76; Taylor & Brown, 1985: 50; Taylor, 1987a: 73; Bolton, 1995b: 392; Heterick, 2009: 131.

**Senior synonym of** *brunnicornis*: Brown, 1975: 33; Taylor & Brown, 1985: 50; Taylor, 1987a: 73; Bolton, 1995b: 392.

**Senior synonym of** *fulvidus*: Brown, 1975: 33; Taylor & Brown, 1985: 50; Taylor, 1987a: 73; Bolton, 1995b: 392.

**Senior synonym of** *manni*: Brown, 1975: 33; Taylor & Brown, 1985: 50; Taylor, 1987a: 73; Bolton, 1995b: 392.

**Senior synonym of** *silaceus*: Brown, 1975: 33; Taylor & Brown, 1985: 50; Taylor, 1987a: 73; Bolton, 1995b: 392.

Distribution: Australia.

*manni*. *Eusphinctus (Nothosphinctus) manni* Wheeler, W.M. 1918a: 236, fig. 6 (w.q.) AUSTRALIA (New South Wales).

Type-material: syntype workers (number not stated, “numerous”), 1 syntype ergatoid queen.

Type-locality: Australia: New South Wales, Blue Mts, Leura, xii.1916 (*W.M. Mann*).

Type-depository: MCZC.

Junior synonym of *imbecilis*: Brown, 1975: 33; Taylor & Brown, 1985: 50; Taylor, 1987a: 73; Bolton, 1995b: 392.

**mjobergi**. *Sphinctomyrmex clarus* r. *mjobergi* Forel, 1915b: 16 (w.) AUSTRALIA (Queensland).

Type-material: syntype workers (number not stated).

Type-locality: Australia: Queensland, Mt Tambourine (*E. Mjöberg*).

Type-depository: MHNG (possibly also in NHRS).

Combination in *Eusphinctus (Nothosphinctus)*: Wheeler, W.M. 1918a: 239;

combination in *Sphinctomyrmex*: Brown, 1975: 33;

combination in *Zasphinctus*: Borowiec, M.L. 2016: 243.

**Status as species**: Wheeler, W.M. 1918a: 239; Brown, 1975: 33; Taylor & Brown, 1985: 51; Taylor, 1987a: 73; Bolton, 1995b: 392.

Distribution: Australia

**myops**. *Sphinctomyrmex emeryi* var. *myops* Forel, 1895f: 421 (q.) AUSTRALIA (Queensland).

Type-material: holotype (?) worker.

[Note: no indication of number of specimens is given.]

Type-locality: Australia: Queensland, Mackay (*G. Turner*).

Type-depository: MHNG.

Combination in *S. (Sphinctomyrmex)*: Emery, 1911d: 7;

combination in *Eusphinctus (Nothosphinctus)*: Wheeler, W.M. 1918a: 235;

combination in *Sphinctomyrmex*: Brown, 1975: 33;

combination in *Zasphinctus*: Borowiec, M.L. 2016: 243.

As unavailable (infrasubspecific) name: Forel, 1902h: 537.

**Subspecies of** *emeryi*: Emery, 1911d: 7.

**Status as species**: Wheeler, W.M. 1918a: 235; Brown, 1975: 33; Taylor & Brown, 1985: 51; Taylor, 1987a: 73; Bolton, 1995b: 392.

Distribution: Australia

**nigricans**. *Eusphinctus (Nothosphinctus) nigricans* Clark, 1926: 44, pl. 6, fig. 1 (w.) AUSTRALIA (New South Wales).

Type-material: 2 syntype workers.

Type-locality: Australia: New South Wales, Lismore (*C.F. Deuquet*).

Type-depository: MVMA.

Combination in *Sphinctomyrmex*: Brown, 1975: 33;

combination in *Zasphinctus*: Borowiec, M.L. 2016: 243.

**Status as species:** Brown, 1975: 33; Taylor & Brown, 1985: 51; Taylor, 1987a: 73; Bolton, 1995b: 392.

Distribution: Australia.

**obamai.** *Zasphinctus obamai* Hita Garcia, in Hita Garcia, Fischer, et al. 2017b: 51, figs. 3, 4A,D,G,J,M,P, 5A,D,G,J,M,P, 6A,D,G,J,M,P, 7, 8, 13A, 16, Video1 (w.) KENYA.

Type-material: holotype worker, 7 paratype workers.

Type-locality: holotype Kenya: Western Prov., Kakamega Forest, Buyangu, 0.35222, 34.8647, 1640 m., vii.-viii.2004, FHG00001, secondary forest, leaf litter (*F. Hita Garcia*); paratypes: 2 workers with same data, 2 workers Kakamega Forest, Isecheno, 0.34, 34.85, 1550 m., 6.xi.2002 (*W. Okeka*), 2 workers Kakamega Forest, Kisere Forest Fragment, 0.38505, 34.89378, 1650 m., Transect 11, FHG00036, 16.vii.2007 (*F. Hita Garcia*), 1 worker Kakamega Forest, Bunyala Forest Fragment, 0.37889, 34.69917, 1448 m., ANTC39476, viii.2008 (*G. Fischer*).

Type-depositories: NMKN (holotype); BMNH, LACM, MCZC, NMKN, ZFMK (paratypes).

Distribution: Kenya.

**occidentalis.** *Eusphinctus (Eusphinctus) occidentalis* Clark, 1924a: 74, fig. 1 (w.q.l.) AUSTRALIA (Western Australia).

Type-material: 360 syntype workers, 20 syntype queens.

[Note: numbers given by Clark in text.]

Type-locality: Australia: Western Australia, Mundaring (*J. Clark*).

Type-depository: MVMA.

Combination in *Sphinctomyrmex*: Brown, 1975: 33;

combination in *Zasphinctus*: Borowiec, M.L. 2016: 243.

**Status as species:** Brown, 1975: 33; Taylor & Brown, 1985: 51; Taylor, 1987a: 73; Bolton, 1995b: 392; Heterick, 2009: 131.

Distribution: Australia.

**perstictus.** *Sphinctomyrmex perstictus* Brown, 1975: 33.

Status as species: Taylor & Brown, 1985: 51; Taylor, 1987a: 73.

Unnecessary replacement name for, hence junior synonym of, *emeryi*: Bolton, 1995b: 392.

**rufiventris.** *Sphinctomyrmex rufiventris* Santschi, 1915c: 244, fig. 1 (m.) BENIN, MALI.

Type-material: 6 syntype males.

Type-localities: 2 males Benin ("Haut Dahomey"): Djougou, Kouandé (*Desanti*), 2 males Benin ("Haut Dahomey"): Kika (*Ribot*), 2 males Mali ("Soudan français"): Sikosso, 1900 (*Chevalier*).

Type-depositories: MNHN, NHMB.

Combination in *Aethiopopone*: Santschi, 1930a: 49;

combination in *Sphinctomyrmex*: Brown, 1975: 33;

combination in *Zasphinctus*: Borowiec, M.L. 2016: 243.

**Status as species:** Wheeler, W.M. 1922a: 755; Viehmeyer, 1923: 85; Santschi, 1930a: 49; Brown, 1975: 33; Bolton, 1995b: 392.

Distribution: Benin, Ghana, Mali, Nigeria.

**sarowiwai.** *Zasphinctus sarowiwai* Hita Garcia, in Hita Garcia, Fischer, et al. 2017b: 59, figs. 3, 4B,E,H,K,N,Q, 5B,E,H,K,N,Q, 6B,E,H,K,N,Q, 9, 10, 13B, 14, 15, Videos 2, 4, 5 (w.) CAMEROON, DEMOCRATIC REPUBLIC OF CONGO, GHANA, IVORY COAST, UGANDA.

Type-material: holotype worker, 3 paratype workers.

Type-locality: holotype Cameroon: Centre Prov., Mbalmayo, 3.4597, 11.4714, ca 600 m., xi.1993, rainforest (*N. Stork*); paratypes with same data.

Type-depository: BMNH.

Distribution: Cameroon, Democratic Republic of Congo, Ghana, Ivory Coast, Uganda.

**septentrionalis.** *Eusphinctus (Nothosphinctus) septentrionalis* Crawley, 1925b: 577 (w.) AUSTRALIA (Northern Territory).

Type-material: syntype workers (number not stated).

Type-locality: Australia: Northern Territory, Darwin, no.567 (*Hill*).

Type-depositories: BMNH, OXUM.

Combination in *Sphinctomyrmex*: Brown, 1975: 33;

combination in *Zasphinctus*: Borowiec, M.L. 2016: 243.

**Status as species:** Brown, 1975: 33; Taylor & Brown, 1985: 51; Taylor, 1987a: 73; Bolton, 1995b: 392.

Distribution: Australia.

**siamensis.** *Sphinctomyrmex siamensis* Jaitrong, in Jaitrong, Wiwatwitaya & Sakchoowong, 2016: 6, figs. 5-8 (w.) THAILAND.

Type-material: holotype worker, 5 paratype workers.

Type-locality: holotype Thailand: Chiang Mai Prov., Mae Tang Dist., 26.iv.2000, no. WJT00-TH01, secondary forest (*W. Jaitrong*); paratypes with same data.

Type-depository: TNHM.

Combination in *Zasphinctus*: Borowiec, M.L. 2016: 243.

Distribution: Thailand.

**silaceus.** *Eusphinctus (Nothosphinctus) silaceus* Clark, 1924a: 77, fig. 3 (w.) AUSTRALIA (Western Australia).

Type-material: syntype workers (number not stated, "a large number").

Type-locality: Australia: Western Australia, Armadale (*J. Clark*).

Type-depository: MVMA.

Junior synonym of *imbecilis*: Brown, 1975: 33; Taylor & Brown, 1985: 50; Taylor, 1987a: 73; Bolton, 1995b: 392.

**steinheili.** *Sphinctomyrmex (Eusphinctus) steinheili* Forel, 1900b: 72 (w.) AUSTRALIA (Queensland).

Type-material: syntype workers (number not stated).

[Note: Clark, 1925a: 62, implies that at least one ergatoid queen is present in the type-series.]

Type-locality: Australia: Queensland, Mackay (*Turner*).

Type-depositories: ANIC, MHNG.

Wheeler, W.M. 1918a: 225 (w.l.); Wheeler, G.C. 1950: 104 (l.); Imai, Crozier & Taylor, 1977: 348 (k.).

Combination in *Eusphinctus (Eusphinctus)*: Wheeler, W.M. 1918a: 225;

combination in *Sphinctomyrmex*: Brown, 1975: 33;

combination in *Zasphinctus*: Borowiec, M.L. 2016: 243.

**Status as species:** Emery, 1911d: 7; Wheeler, W.M. 1918a: 225 (redescription); Clark, 1925a: 62; Wilson, 1958c: 136; Brown, 1975: 33, 79; Taylor & Brown, 1985: 51; Taylor, 1987a: 73; Buschinger, Peeters & Crozier, 1990: 287; Bolton, 1995b: 392.

**Senior synonym of fallax:** Wheeler, W.M. 1918a: 225; Clark, 1925a: 62; Brown, 1975: 33; Taylor & Brown, 1985: 51; Taylor, 1987a: 73; Bolton, 1995b: 392.

**Senior synonym of fulvipes:** Brown, 1975: 33; Taylor & Brown, 1985: 51; Taylor, 1987a: 74; Bolton, 1995b: 392.

**Senior synonym of hedwigae:** Brown, 1975: 33; Taylor & Brown, 1985: 51; Taylor, 1987a: 73; Bolton, 1995b: 392.

**Senior synonym of hirsutus:** Brown, 1975: 33; Taylor & Brown, 1985: 51; Taylor, 1987a: 74; Bolton, 1995b: 392.

Distribution: Australia.

**trux.** *Sphinctomyrmex trux* Brown, 1975: 77, figs. 2, 101, 102, 105-113 (w.) AUSTRALIA (Queensland).

Type-material: holotype worker, 21 paratype workers.

Type-locality: holotype Australia: N Queensland, Atherton Tableland, Ravenshoe, 3000 ft, iv.1932 (*P.J. Darlington*); paratypes with same data.

Type-depositories: MCZC (holotype); ANIC, BMNH, MCZC, MHNG (paratypes).

Combination in *Zasphinctus*: Borowiec, M.L. 2016: 243.

**Status as species:** Taylor & Brown, 1985: 52; Taylor, 1987a: 74; Bolton, 1995b: 392.

Distribution: Australia.

**turneri.** *Sphinctomyrmex turneri* Forel, 1900b: 70 (w.) AUSTRALIA (Queensland).

Type-material: syntype workers (number not stated).

Type-locality: Australia: Queensland, Mackay (*Turner*).

Type-depositories: ANIC, MHNG.

Combination in *S. (Sphinctomyrmex)*: Emery, 1911d: 7;  
combination in *Eusphinctus* (*Zasphinctus*): Wheeler, W.M. 1918a: 231;  
combination in *Sphinctomyrmex*: Brown, 1975: 33;  
combination in *Zasphinctus*: Borowiec, M.L. 2016: 243.

**Status as species:** Forel, 1910b: 21; Emery, 1911d: 7; Wheeler, W.M. 1918a: 231  
(redescription); Brown, 1975: 33; Taylor & Brown, 1985: 52; Taylor, 1987a: 74; Bolton,  
1995b: 392.

Distribution: Australia.

**wilsoni.** *Zasphinctus wilsoni* Hita Garcia, in Hita Garcia, Fischer, et al. 2017b: 51, figs. 3,  
4C,F,I,L,O,R, 5C,F,I,L,O,R, 6C,F,I,L,O,R, 11, 12, 13C, Video3 (w.) MOZAMBIQUE.

Type-material: holotype worker.

Type-locality: Mozambique: Sofala, Gorongosa Nat. Park, 2 km. S Chitengo, -18.99472, 34.35769, 1 m.,  
30.v.2012, ANTC37418, secondary forest, leaf litter (G.D. Alpert).

Type-depository: MCZC.

Distribution: Mozambique.