

AENICTUS

abeillei. *Alaoopone abeillei* André, 1886: 855 (q.) (not w., see Emery, 1901d: 43) ALGERIA.

Combination in *Dorylus*: Dalla Torre, 1893: 9;

combination in *Dorylus (Shuckardia)*: Emery, 1895j: 740;

combination in *Aenictus*: Emery, 1901d: 43.

Junior synonym of *Dorylus atriceps* Shuckard: Emery, 1891b: 2; Wheeler, W.M. 1911f: 172.

Status as species: Dalla Torre, 1893: 9; Emery, 1895j: 740; Emery, 1901d: 43; Emery, 1904a: 112; Emery, 1910b: 31; Bolton, 1995b: 58.

acerbus. *Aenictus acerbus* Shattuck, 2008c: 4, figs. 1-3, 7, 8, 24 (w.) AUSTRALIA (Queensland, Northern Territory, Western Australia).

aitkenii. *Aenictus aitkenii* Forel, 1901a: 475 (w.) INDIA (Karnataka, Kerula).

Junior synonym of *aratus*: Wilson, 1964a: 446; Bolton, 1995b: 58; Tiwari, 1999: 17.

Status as species: Bingham, 1903: 19; Emery, 1910b: 29; Wheeler, W.M. 1919e: 62; Chapman & Capco, 1951: 10; Shattuck, 2008c: 16; Bharti, Wachkoo & Kumar, 2012: 294 (in key); Bharti, Guénard, *et al.* 2016: 20.

Senior synonym of asiatica: Shattuck, 2008c: 16.

alluaudi. *Aenictus bottegoi* var. *alluaudi* Santschi, 1910g: 754, fig. 10 (m.) KENYA.

Subspecies of bottegoi: Santschi, 1914b: 67; Wheeler, W.M. 1922a: 751; Santschi, 1935b: 266.

Status as species: Santschi, 1924b: 203; Bolton, 1995b: 58; Hita Garcia, *et al.* 2013: 201.

Current subspecies: nominal plus *falcifer*.

alticola. *Aenictus (Typhlatta) alticola* Wheeler, W.M. & Chapman, in Wheeler, W.M. 1930g: 205, fig. 5a-d (w.) PHILIPPINES (Luzon I.).

Status as species: Chapman & Capco, 1951: 12; Chapman, 1963: 263; Wilson, 1964a: 445; Baltazar, 1966: 231; Bolton, 1995b: 58; Jaitrong & Yamane, 2011: 25 (redescription).

ambiguus. *Aenictus ambiguus* Shuckard, 1840b: 268 (m.) INDIA (Maharashtra).

[Note: comments on type-material: Wilson, 1964a: 444.]

Status as species: Westwood, 1842: 79; Smith, F. 1859b: 9; Roger, 1863b: 41; Mayr, 1863: 394; Smith, F. 1871a: 336; Dalla Torre, 1893: 7; Forel, 1901a: 469; Bingham, 1903: 9; Forel, 1904c: 20; Forel, 1906b: 91; Emery, 1910b: 30; Menozzi, 1939a: 326; Chapman & Capco, 1951: 14; Wilson, 1964a: 444; Bolton, 1995b: 58; Bharti, Guénard, *et al.* 2016: 20.

anceps. *Aenictus bottegoi* subsp. *anceps* Forel, 1910c: 249 (m.) ERITREA.

Subspecies of bottegoi: Wheeler, W.M. 1922a: 751; Finzi, 1939a: 162.

Status as species: Santschi, 1920d: 374; Santschi, 1933b: 100; Bolton, 1995b: 58; Madl, 2019: 13.

andrieui. *Aenictus furculatus* st. *andrieui* Santschi, 1930a: 56, figs. 15-17 (m.) SUDAN.

Subspecies of furculatus: Bolton, 1995b: 58.

annae. *Aenictus annae* Forel, 1911b: 194 (m.) INDONESIA (Java).

Status as species: Chapman & Capco, 1951: 14; Wilson, 1964a: 481; Bolton, 1995b: 58.

appressipilosus. *Aenictus appressipilosus* Jaitrong & Yamane, 2013: 172, fig. 1A-C (w.) BORNEO (East Malaysia: Sabah).

arabicus. *Aenictus arabicus* Sharaf & Aldawood, in Sharaf, Aldawood & El Hawagry, 2012b: 42, figs. 1-12 (w.) SAUDI ARABIA.

Status as species: Borowiec, L. 2014: 7; Jaitrong & Ruangsittichai, 2018: 113 (in key).

aratus. *Aenictus aratus* Forel, 1900b: 74 (w.) AUSTRALIA (Queensland).

Wheeler, G.C. & Wheeler, J. 1984: 265 (l.).

Status as species: Emery, 1910b: 29; Forel, 1915b: 36; Wheeler, W.M. & Chapman, 1925: 47; Chapman & Capco, 1951: 10; Wilson, 1964a: 446; Baltazar, 1966: 230; Taylor & Brown, 1985: 52; Taylor, 1987a: 6; Wu, J. & Wang, 1992: 1303; Bolton, 1995b: 58; Wu, J. & Wang, 1995: 52; Tiwari, 1999: 17; Wang, W. 2006: 637 (in key); Shattuck, 2008c: 4 (redescription); Pfeiffer, *et al.* 2011: 32; Guénard & Dunn, 2012: 22; Bharti, Guénard, *et al.* 2016: 20.

Senior synonym of impressus: Shattuck, 2008c: 4.

Material of the unavailable name *fraterculus* referred here by Wilson, 1964a: 446.

artipus. *Aenictus artipus* Wilson, 1964a: 449, fig. 60 (w.) THAILAND.

Status as species: Bolton, 1995b: 58; Jaitrong & Nabhitabhata, 2005: 11; Jaitrong, *et al.* 2010: 36 (redescription); Liu, C. Guénard, *et al.* 2015: 25; Jaitrong & Ruangsittichai, 2018: 113 (in key).

arya. *Aenictus arya* Forel, 1901a: 472 (m.) INDIA (Karnataka).

Status as species: Bingham, 1903: 8; Emery, 1910b: 30; Chapman & Capco, 1951: 14; Wilson, 1964a: 481; Bolton, 1995b: 58; Tiwari, 1999: 18; Bharti, Guénard, *et al.* 2016: 20.

asantei. *Aenictus asantei* Campione, Novak & Gotwald, 1983: 873, 7 figs. (w.q.) GHANA.

Status as species: Bolton, 1995b: 58.

asiatica. *Aenictus aratus* var. *asiatica* Forel, 1911h: 453 (w.) SRI LANKA.

Subspecies of *aratus*: Chapman & Capco, 1951: 10.

Junior synonym of *aratus*: Wilson, 1964a: 446; Bolton, 1995b: 58.

Junior synonym of *aitkenii*: Shattuck, 2008c: 16.

ashaverus. *Aenictus gibbosus* r. *ashaverus* Forel, 1913k: 22 (m.) INDONESIA (Sumatra).

Subspecies of gibbosus: Chapman & Capco, 1951: 15; Wilson, 1964a: 482; Bolton, 1995b: 58.

asperivalvus. *Aenictus asperivalvus* Santschi, 1919b: 233 (m.) IVORY COAST.

Status as species: Wheeler, W.M. 1922a: 751; Bolton, 1995b: 58.

atripennis. *Aenictus clavatus* r. *atripennis* Forel, 1913k: 24 (m.) INDONESIA (Sumatra).

Subspecies of clavatus: Chapman & Capco, 1951: 14; Wilson, 1964a: 482; Bolton, 1995b: 58.

bakeri. *Aenictus bakeri* Menozzi, 1925c: 439, fig. 1 (m.) PHILIPPINES (Mindanao I.).

Status as species: Chapman & Capco, 1951: 14; Wilson, 1964a: 482; Baltazar, 1966: 232; Bolton, 1995b: 58.

baliensis. *Aenictus baliensis* Jaitrong & Yamane, 2013: 174, fig. 2A-C (w.) INDONESIA (Bali).

batesi. *Aenictus batesi* Forel, 1911e: 255 (w.) NIGERIA.

Status as species: Wheeler, W.M. 1922a: 751.

Junior synonym of *decolor*: Gotwald & Leroux, 1980: 600; Bolton, 1995b: 58.

bayoni. *Aenictus bayoni* Menozzi, 1933a: 94, fig. 1 (m.) UGANDA (Ssese Is, in Lake Victoria).

Status as species: Bolton, 1995b: 59.

bengalensis. *Typhlatta bengalensis* Mayr, 1879: 669 (w.) INDIA (West Bengal).

Combination in *Aenictus*: Dalla Torre, 1893: 7.

Status as species: Dalla Torre, 1893: 7; Forel, 1901a: 476; Chapman & Capco, 1951: 10.

Junior synonym of *pachycerus*: Bingham, 1903: 20; Emery, 1910b: 30; Wilson, 1964a: 471; Bolton, 1995b: 59; Tiwari, 1999: 17.

bidentatus. *Aenictus (Aenictus) bidentatus* Donisthorpe, 1942e: 701 (w.) GHANA.

[Note: type-locality incorrectly recorded as New Guinea by Chapman & Capco, 1951: 10.]

Junior synonym of *decolor*: Gotwald & Leroux, 1980: 600; Bolton, 1995b: 59.

binghamii. *Aenictus binghamiri* Forel, 1900b: 76 (w.) MYANMAR.

[Justified emendation of spelling to *binghamii*: Forel, 1901a: 474; Forel, 1901e: 382.]

[*Aenictus binghami* Emery, 1895k: 452. *Nomen nudum* (attributed to Forel).]

Status as species: Forel, 1901a: 474; Forel, 1901e: 382; Bingham, 1903: 18; Emery, 1910b: 29; Wheeler, W.M. 1927b: 42; Wheeler, W.M. 1930g: 199 (in key); Chapman & Capco, 1951: 12; Wilson, 1964a: 450; Terayama & Kubota, 1993: 68; Bolton, 1995b: 59; Wu, J. & Wang, 1995: 51; Zhou & Chen, 1999: 63 (in key); Mathew & Tiwari, 2000: 265; Zhou, 2001b: 61; Jaitrong & Nabhitabhata, 2005: 11; Wang, W. 2006: 637 (in key); Mohanraj, *et al.* 2010: 6; Jaitrong & Yamane, 2011: 25 (redescription); Jaitrong, *et al.* 2011: 318 (redescription); Bharti, Wachkoo & Kumar, 2012: 293 (in key); Guénard & Dunn, 2012: 22; Bharti, Guénard, *et al.* 2016: 20; Jaitrong, Guénard, *et al.* 2016: 24.

Senior synonym of *gatesi*: Wilson, 1964a: 450; Bolton, 1995b: 59; Zhou, 2001b: 61; Jaitrong & Yamane, 2011: 25; Jaitrong, *et al.* 2011: 318.

biroi. *Aenictus biroi* Forel, 1907a: 10 (w.) SRI LANKA.

Status as species: Emery, 1910b: 29; Chapman & Capco, 1951: 10; Wilson, 1964a: 451; Bolton, 1995b: 59; Jaitrong, *et al.* 2010: 37 (redescription); Jaitrong & Ruangsittichai, 2018: 113 (in key).

bobaiensis. *Aenictus bobaiensis* Zhou & Chen, 1999: 64, figs. 1, 2 (w.) CHINA (Guangxi).

Status as species: Zhou, 2001b: 63; Wang, W. 2006: 637 (in key); Guénard & Dunn, 2012: 22; Jaitrong & Wiwatwitaya, 2013: 99 (in key).

bodongjaya. *Aenictus bodongjaya* Jaitrong & Yamane, 2011: 30, figs. 51-53 (w.) INDONESIA (Sumatra).

boelianensis. *Aenictus martini* var. *boelianensis* Forel, 1913k: 20 (w.) INDONESIA (Sumatra).

Subspecies of *martini*: Chapman & Capco, 1951: 14.

Junior synonym of *gracilis*: Wilson, 1964a: 463; Terayama & Yamane, 1989: 599; Bolton, 1995b: 59; Jaitrong & Yamane, 2011: 16.

bottegoi. *Aenictus bottegoi* Emery, 1899a: 499, fig. (m.) ETHIOPIA.

Status as species: Emery, 1910b: 31; Wheeler, W.M. 1922a: 751; Santschi, 1933b: 100; Menozzi & Consani, 1952: 58; Bolton, 1995b: 59.

Current subspecies: nominal plus *falcifer*, *noctivagus*.

brazzai. *Aenictus eugenii* var. *brazzai* Santschi, 1910c: 355 (w.) CONGO.

Subspecies of *eugenii*: Wheeler, W.M. 1922a: 752.

Status as species: Santschi, 1924b: 204; Bolton, 1995b: 59.

breviceps. *Aenictus fergusoni* var. *breviceps* Forel, 1912d: 105 (w.) INDONESIA (Java).

Subspecies of *fergusoni*: Wheeler, W.M. 1930g: 199 (in key); Chapman & Capco, 1951: 12.

Junior synonym of *laeviceps*: Wilson, 1964a: 467; Terayama & Yamane, 1989: 599; Bolton, 1995b: 59; Zhou, 2001b: 60.

Status as species: Jaitrong & Yamane, 2011: 32 (redescription).

brevicornis. *Typhlatta brevicornis* Mayr, 1879: 669 (w.) INDIA (West Bengal).

[*Typhlatta brevicornis* Smith, F. 1873: ix. *Nomen nudum* (attributed to Mayr).]

Imai, *et al.* 1984: 8 (k.).

Combination in *Aenictus*: Dalla Torre, 1893: 7.

Status as species: Dalla Torre, 1893: 7; Forel, 1901a: 477; Rothney, 1903: 96; Bingham, 1903: 21; Forel, 1906b: 91; Emery, 1910b: 29; Menozzi, 1939a: 326; Chapman & Capco, 1951: 11; Wilson, 1964a: 451; Radchenko, 1993a: 76; Bolton, 1995b: 59; Tiwari, 1999: 17; Mathew & Tiwari, 2000: 265; Bharti, Wachkoo & Kumar, 2012: 293 (in key); Bharti, Guénard, *et al.* 2016: 20.

***brevinodus*.** *Aenictus brevinodus* Jaitrong & Yamane, 2011: 33, figs. 46-48 (w.) INDONESIA (Sulawesi).

***brevipodus*.** *Aenictus brevipodus* Jaitrong & Yamane, 2013: 176, fig. 3A-C (w.) VIETNAM.

***brunneus*.** *Aenictus soudanicus* var. *brunnea* Forel, 1913b: 313 (m.) DEMOCRATIC REPUBLIC OF CONGO.

Subspecies of *soudanicus*: Bolton, 1995b: 59.

***buttelreepeni*.** *Aenictus buttelreepeni* Forel, 1913k: 20, fig. F (m.) INDONESIA (Sumatra).

Status as species: Chapman & Capco, 1951: 14; Wilson, 1964a: 482; Bolton, 1995b: 59.

***buttgenbachi*.** *Aenictus buttgenbachi* Forel, 1913b: 313 (m.) DEMOCRATIC REPUBLIC OF CONGO.

Status as species: Santschi, 1914b: 68; Wheeler, W.M. 1922a: 751; Bolton, 1995b: 59.

***camposi*.** *Aenictus camposi* Wheeler, W.M. & Chapman, 1925: 48, pl. 1, figs. 3, 4 (w.) PHILIPPINES (Negros I.).

Status as species: Wheeler, W.M. 1930g: 208 (in key); Chapman & Capco, 1951: 11; Chapman, 1963: 262; Wilson, 1964a: 452; Baltazar, 1966: 231; Bolton, 1995b: 59; Wu, J. & Wang, 1995: 51; Zhou & Chen, 1999: 63 (in key); Zhou, 2001b: 62; Jaitrong & Nabhitabhata, 2005: 11; Wang, W. 2006: 637 (in key); Jaitrong, *et al.* 2010: 38 (redescription); Pfeiffer, *et al.* 2011: 32; Guénard & Dunn, 2012: 22; Jaitrong & Ruangsittichai, 2018: 113 (in key).

***caroli*.** *Aenictus eugenii* subsp. *caroli* Forel, 1910c: 248 (w.) ERITREA.

Subspecies of *eugenii*: Wheeler, W.M. 1922a: 752; Finzi, 1939a: 162; Bolton, 1995b: 59; Madl, 2019: 13.

***carolianus*.** *Aenictus carolianus* Zettel & Sorger, 2010b: 121, figs. 9-12, 13 (w.) PHILIPPINES (Cebu I.).

Status as species: Jaitrong & Wiwatwitaya, 2013: 98 (in key).

***certus*.** *Aenictus certus* Westwood, 1842: 79 (m.) (no state data, "Habitat ?").

[Note: type-locality perhaps India, after Bingham, 1903: 10.]

Status as species: Smith, F. 1859b: 9; Roger, 1863b: 41; Mayr, 1863: 394; Smith, F. 1871a: 336; Dalla Torre, 1893: 7; Bingham, 1903: 10; Emery, 1910b: 30; Bolton, 1995b: 59; Bharti, Guénard, *et al.* 2016: 20.

***ceylonensis*:** misspelling, see under *ceylonicus*.

***ceylonicus*.** *Typhlatta ceylonica* Mayr, 1866a: 505 (w.) SRI LANKA.

[Misspelled as *ceylonensis* by Wheeler, W.M. 1930a: 94, Chapman & Capco, 1951: 11; misspelled as *ceylonicsu* by Lin & Wu, 2003: 60.]

Wheeler, G.C. & Wheeler, J. 1984: 265 (l.).

Combination in *Eciton* (*Aenictus*): Karavaiev, 1926d: 422;

combination in *Aenictus*: Dalla Torre, 1893: 7; Wilson, 1964a: 452.

Status as species: Mayr, 1879: 668 (in key); Dalla Torre, 1893: 7; Forel, 1901a: 477; Bingham, 1903: 22; Forel, 1906b: 91; Emery, 1910b: 29; Wheeler, W.M. 1930a: 94; Menozzi, 1939a: 327; Chapman & Capco, 1951: 11; Wilson, 1964a: 452; Taylor & Brown, 1985: 52; Taylor, 1987a: 6; Wu, J. & Wang, 1992: 1303; Wang, M., 1992: 679; Xu, 1994a: 118; Bolton, 1995b: 59; Wu, J. & Wang, 1995: 50; Zhou & Chen, 1999: 63

(in key); Tiwari, 1999: 17; Zhou, 2001b: 59; Imai, *et al.* 2003: 209; Lin & Wu, 2003: 60; Jaitrong & Nabhitabhata, 2005: 11; Shattuck, 2008c: 16; Terayama, 2009: 124; Pfeiffer, *et al.* 2011: 32; Bharti, Wachkoo & Kumar, 2012: 293 (in key); Guénard & Dunn, 2012: 22; Jaitrong & Yamane, 2013: 220 (redescription); Bharti, Guénard, *et al.* 2016: 20.

Senior synonym of *latro*: Wilson, 1964a: 452; Bolton, 1995b: 59; Zhou, 2001b: 59; Shattuck, 2008c: 16; Jaitrong & Yamane, 2013: 220.

***changmaianus*.** *Aenictus changmaianus* Terayama & Kubota, 1993: 68, figs. 2-4 (w.) THAILAND.

Status as species: Jaitrong & Hashimoto, 2012: 31 (redescription); Wong & Guénard, 2016b: 37 (in key).

***chapmani*.** *Aenictus chapmani* Wilson, 1964a: 456, figs. 45, 46 (w.) NEW GUINEA (Papua New Guinea).

Status as species: Bolton, 1995b: 59; Pfeiffer, *et al.* 2011: 32.

***chevalieri*.** *Aenictus humeralis* var. *chevalieri* Santschi, 1910g: 754 (m.) SENEGAL.

Subspecies of *humeralis*: Wheeler, W.M. 1922a: 753; Bolton, 1995b: 59.

***clavatus*.** *Aenictus clavatus* Forel, 1901a: 471 (m.) INDIA (Maharashtra, Gujarat, "Inde septentrionale").

Status as species: Bingham, 1903: 12; Emery, 1910b: 30; Chapman & Capco, 1951: 14; Wilson, 1964a: 482; Bolton, 1995b: 59; Tiwari, 1999: 18; Bharti, Guénard, *et al.* 2016: 20.

Current subspecies: nominal plus *atripennis*, *kanariensis*, *sundaicus*.

***clavitibia*.** *Aenictus clavitibia* Forel, 1901a: 472 (m.) INDIA (West Bengal).

Status as species: Bingham, 1903: 14; Emery, 1910b: 30; Chapman & Capco, 1951: 14; Wilson, 1964a: 482; Bolton, 1995b: 59; Bharti, Guénard, *et al.* 2016: 20.

Current subspecies: nominal plus *facetus*.

***concavus*.** *Aenictus concavus* Jaitrong & Yamane, 2013: 178, fig. 4A-C (w.) THAILAND, VIETNAM.

***congolensis*.** *Aenictus rixator* var. *congolensis* Santschi, 1911g: 207 (w.) CONGO.

Santschi, 1917a: 277 (q.).

Status as species: Santschi, 1917a: 277; Wheeler, W.M. 1922a: 751; Bolton, 1995b: 59.

***continuus*.** *Aenictus bengalensis* var. *continuus* Forel, 1901a: 476 (w.) SRI LANKA.

Subspecies of *bengalensis*: Chapman & Capco, 1951: 10.

Subspecies of *pachycerus*: Emery, 1910b: 30.

Junior synonym of *pachycerus*: Wilson, 1964a: 471; Bolton, 1995b: 59.

***cornutus*.** *Aenictus cornutus* Forel, 1900b: 75 (w.) BORNEO (East Malaysia: Sarawak).

Status as species: Emery, 1910b: 29; Wheeler, W.M. 1919e: 62; Chapman & Capco, 1951: 15; Wilson, 1964a: 457; Terayama & Yamane, 1989: 597; Bolton, 1995b: 59; Jaitrong & Yamane, 2011: 11 (redescription); Pfeiffer, *et al.* 2011: 32.

***crucifer*.** *Aenictus crucifer* Santschi, 1914b: 68, fig 5 (m.) KENYA.

Status as species: Wheeler, W.M. 1922a: 751; Santschi, 1924b: 204; Bolton, 1995b: 59; Hita Garcia, *et al.* 2013: 201.

Current subspecies: nominal plus *tuberculatus*.

***currax*.** *Aenictus currax* Emery, 1900c: 310, pl. 8, fig. 1 (w.) NEW GUINEA (Papua New Guinea).

Status as species: Emery, 1910b: 29; Forel, 1911e: 255; Chapman & Capco, 1951: 11; Wilson, 1964a: 459; Bolton, 1995b: 59; Jaitrong & Yamane, 2011: 13 (redescription).

cylindripetiolus. *Aenictus cylindripetiolus* Jaitrong & Yamane, 2013: 180, fig. 5A-G (w.q.) THAILAND.

decolor. *Typhlatta decolor* Mayr, 1879: 668 (diagnosis in key) (w.) EAST AFRICA (no state data, “Ost-Afrika”).

Gotwald & Leroux, 1980: 602 (q.).

Combination in *Aenictus*: Dalla Torre, 1893: 7.

Status as species: Dalla Torre, 1893: 7; Emery, 1895j: 746; Emery, 1910b: 31; Arnold, 1915: 143; Wheeler, W.M. 1922a: 751; Gotwald & Leroux, 1980: 600; Bolton, 1995b: 59; Hita Garcia, *et al.* 2013: 201.

Senior synonym of batesi: Gotwald & Leroux, 1980: 600; Bolton, 1995b: 59.

Senior synonym of bidentatus: Gotwald & Leroux, 1980: 600; Bolton, 1995b: 59.

dentatus. *Aenictus aitkeni* var. *dentata* Forel, 1911d: 383 (w.) WEST MALAYSIA.

Subspecies of aitkenii: Forel, 1913k: 20; Crawley, 1924: 389; Chapman & Capco, 1951: 10.

Status as species: Wilson, 1964a: 460; Terayama & Yamane, 1989: 598; Terayama & Kubota, 1993: 70; Xu, 1994a: 119; Bolton, 1995b: 59; Zhou & Chen, 1999: 63 (in key); Zhou, 2001b: 61; Jaitrong & Nabhitabhata, 2005: 11; Wang, W. 2006: 637 (in key); Pfeiffer, *et al.* 2011: 32; Bharti, Wachkoo & Kumar, 2012: 294 (in key); Guénard & Dunn, 2012: 22; Jaitrong, Yamane & Tasen, 2012: 134 (redescription); Jaitrong & Wiwatwitaya, 2013: 99 (in key); Bharti, Guénard, *et al.* 2016: 21.

deuqueti. *Aenictus deuqueti* Crawley, 1923b: 177 (w.) AUSTRALIA (New South Wales).

Junior synonym of *ceylonicus*: Wilson, 1964a: 452; Zhou, 2001b: 59.

Junior synonym of *turneri*: Brown, 1952b: 123; Taylor & Brown, 1985: 53; Bolton, 1995b: 59; Shattuck, 2008c: 14.

diclops. *Aenictus diclops* Shattuck, 2008c: 8, figs. 9-11, 26 (w.) AUSTRALIA (Queensland).

Status as species: Jaitrong & Yamane, 2011: 15 (redescription).

dlusskyi. *Aenictus dlusskyi* Arnol'di, 1968: 1800, fig. 1 (w.q.) ARMENIA.

Status as species: Dlussky, Soyunov & Zabelin, 1990: 180 (in key); Arakelian, 1994: 14; Bolton, 1995b: 59; Aktaç, Radchenko & Kiran, 2004: 362; Paknia, *et al.* 2008: 153; Borowiec, L. 2014: 7.

doryloides. *Aenictus doryloides* Wilson, 1964a: 460, figs. 54, 55 (w.) INDIA (Himachal Pradesh).

Status as species: Bolton, 1995b: 59; Bharti, Wachkoo & Kumar, 2012: 293 (in key); Jaitrong & Yamane, 2013: 227 (redescription); Bharti, Guénard, *et al.* 2016: 21.

doydeei. *Aenictus doydeei* Jaitrong & Yamane, in Jaitrong, *et al.* 2011: 319, figs. 7-9 (w.) LAOS, THAILAND.

Status as species: Jaitrong & Yamane, 2012: 53 (redescription); Jaitrong, Guénard, *et al.* 2016: 24.

duengkaei. *Aenictus duengkaei* Jaitrong & Yamane, 2012: 55, figs. 2, 7A (w.) THAILAND.

eguchii. *Aenictus eguchii* Jaitrong & Yamane, 2013: 183, fig. 6A-C (w.) VIETNAM.

elongatus. *Eciton (Aenictus) fergusoni* subsp. *elongatus* Karavaiev, 1926d: 424, fig. 3 (w.) SRI LANKA.

Status as species: Wheeler, W.M. 1930g: 199 (in key).

Subspecies of *fergusoni*: Chapman & Capco, 1951: 13.

Junior synonym of *gracilis*: Wilson, 1964a: 463; Terayama & Yamane, 1989: 599; Bolton, 1995b: 59.

eugenii. *Aenictus eugenii* Emery, 1895h: 17, pl. 2, figs. 1-4 (w.) SOUTH AFRICA.

[Misspelled as *eugeniae* by Arnold, 1915: 139, and others.]

Gotwald & Cunningham-Van Someren, 1976: 183 (q.).

Status as species: Emery, 1895j: 747; Wasmann, 1904b: 676; Emery, 1910b: 31; Forel, 1911e: 255; Arnold, 1915: 139 (redescription); Wheeler, W.M. 1922a: 752; Prins, 1963: 97; Gotwald & Cunningham-Van Someren, 1976: 183; Bolton, 1995b: 59; Hita Garcia, *et al.* 2013: 201.

Senior synonym of kenyensis: Gotwald & Cunningham-Van Someren, 1976: 183; Bolton, 1995b: 59.

Current subspecies: nominal plus *caroli*, *henrii*.

exiguus. *Aenictus exiguus* Clark, 1934b: 21, pl. 2, fig. 1 (w.) AUSTRALIA (Queensland).

Junior synonym of *ceylonicus*: Wilson, 1964a: 452; Bolton, 1995b: 59; Zhou, 2001b: 59.

Junior synonym of *turneri*: Brown, 1958a: 5; Taylor & Brown, 1985: 53; Shattuck, 2008c: 14.

exilis. *Aenictus exilis* Wilson, 1964a: 462, fig. 33 (w.) NEW GUINEA (Papua New Guinea).

Status as species: Bolton, 1995b: 59.

facetus. *Aenictus clavitibia* subsp. *facetus* Forel, 1911b: 196 (m.) INDONESIA (Java).

Subspecies of clavitibia: Forel, 1912d: 104; Chapman & Capco, 1951: 15; Wilson, 1964a: 482; Bolton, 1995b: 59.

falcifer. *Aenictus alluaudi* var. *falcifer* Santschi, 1924b: 203, fig. 6 (m.) DEMOCRATIC REPUBLIC OF CONGO.

Subspecies of alluaudi: Bolton, 1995b: 59.

feae. *Aenictus feae* Emery, 1889b: 486, pl. 10, figs. 4-9 (m.) MYANMAR.

Status as species: Dalla Torre, 1893: 7; Emery, 1895k: 452; Forel, 1901a: 469; Bingham, 1903: 14; Emery, 1910b: 30; Chapman & Capco, 1951: 15; Wilson, 1964a: 482; Bolton, 1995b: 59; Guénard & Dunn, 2012: 22.

fergusoni. *Aenictus fergusoni* Forel, 1901a: 473 (w.) INDIA (Kerala).

Status as species: Bingham, 1903: 18; Emery, 1910b: 29; Karavaiev, 1926d: 424; Karavaiev, 1927e: 7; Wheeler, W.M. 1930g: 199 (in key); Wheeler, W.M. 1930h: 57; Chapman & Capco, 1951: 12; Wilson, 1964a: 462; Wang, M., 1992: 679; Xu, 1994a: 119; Bolton, 1995b: 59; Tang, J., Li, *et al.* 1995: 42; Tiwari, 1999: 17; Mathew & Tiwari, 2000: 266; Jaitrong & Nabhitabhata, 2005: 11; Wang, W. 2006: 637 (in key); Mohanraj, *et al.* 2010: 6; Bharti, Wachkoo & Kumar, 2012: 293 (in key); Guénard & Dunn, 2012: 22; Bharti, Guénard, *et al.* 2016: 21.

Senior synonym of karawaiwei: Wilson, 1964a: 462; Bolton, 1995b: 59; Tang, J., Li, *et al.* 1995: 42.

Senior synonym of montanus: Wilson, 1964a: 462; Bolton, 1995b: 59; Tang, J., Li, *et al.* 1995: 42.

Senior synonym of piltzi: Wilson, 1964a: 462; Bolton, 1995b: 59; Tang, J., Li, *et al.* 1995: 42.

foreli. *Aenictus foreli* Santschi, 1919b: 234 (m.) IVORY COAST.

[Also described as new by Santschi, 1920d: 369.]

Status as species: Wheeler, W.M. 1922a: 752; Bolton, 1995b: 59.

formosensis. *Aenictus ceylonicus* var. *formosensis* Forel, 1913f: 188 (w.) TAIWAN.

Subspecies of ceylonicus: Wheeler, W.M. 1929g: 58; Wheeler, W.M. 1930a: 94; Chapman & Capco, 1951: 11.

Junior synonym of *ceylonicus*: Wilson, 1964a: 452; Bolton, 1995b: 59; Zhou, 2001b: 59; Shattuck, 2008c: 16; Terayama, 2009: 124.

Status as species: Jaitrong & Yamane, 2013: 185 (redescription); Staab, 2015: 141 (in key).

fraterculus. *Aenictus (Aenictus) aratus* subsp. *nesiotis* var. *fraterculus* Wheeler, W.M. & Chapman, in Wheeler, W.M. 1930g: 209 (w.) PHILIPPINES (Negros I.); unavailable (infrasubspecific) name.

As unavailable (infrasubspecific) name: Chapman & Capco, 1951: 10.

Declared as unavailable (infrasubspecific) name: Bolton, 1995b: 59.

Material referred to *aratus* by Wilson, 1964a: 446; Bolton, 1995b: 59.

fuchuanensis. *Aenictus fuchuanensis* Zhou, 2001b: 59, 231, figs. 74, 75 (w.) CHINA (Guangxi).

[Misspelled as *fuhuanensis* by Jaitrong, *et al.* 2011: 321.]

Status as species: Wang, W. 2006: 637 (in key); Guénard & Dunn, 2012: 22; Jaitrong & Yamane, 2013: 187 (redescription); Staab, 2015: 141 (in key); Jaitrong, Guénard, *et al.* 2016: 24.

fulvus. *Aenictus fulvus* Jaitrong & Yamane, 2011: 34, figs. 28-30 (w.) THAILAND, WEST MALAYSIA, BORNEO (Brunei; East Malaysia: Sabah, Sarawak; Indonesia: Kalimantan).

fumatus. *Aenictus latiscapus* var. *fumatus* Wheeler, W.M. 1927d: 1 (m.) CHINA (Fujian).

Subspecies of *latiscapus*: Wheeler, W.M. 1930h: 57; Chapman & Capco, 1951: 16; Wilson, 1964a: 482; Xu, 1994a: 117; Bolton, 1995b: 59; Guénard & Dunn, 2012: 23.

furculatus. *Aenictus forcarius* Santschi, 1919b: 233 (m.) SENEGAL.

[Justified emendation of spelling to *furculatus*: Santschi, 1919h: 91 (footnote).]

[Also described as new by Santschi, 1920d: 372.]

Status as species: Bolton, 1995b: 59.

Current subspecies: nominal plus *andrieui*.

furibundus. *Aenictus furibundus* Arnold, 1959: 335, figs. 20, 20a,b (w.) ZIMBABWE.

Status as species: Bolton, 1995b: 59.

fuscipennis. *Aenictus fuscipennis* Forel, 1913k: 24 (m.) INDONESIA (Sumatra).

Status as species: Chapman & Capco, 1951: 15; Wilson, 1964a: 482; Bolton, 1995b: 59.

fuscovarius. *Aenictus fuscovarius* Gerstäcker, 1859: 262 (m.) (no state data).

[Also described as new by Gerstäcker, 1862: 501; type-locality Mozambique from this reference.]

Status as species: Roger, 1863b: 41; Mayr, 1863: 394; Dalla Torre, 1893: 7; Emery, 1895j: 747; Emery 1897e: 597; Mayr, 1904b: 2; Mayr, 1907a: 387; Emery, 1910b: 31; Forel, 1910c: 249; Santschi, 1910f: 233; Forel, 1913h: 350; Santschi, 1914b: 67; Wheeler, W.M. 1922a: 752; Santschi, 1924b: 202; Menozzi, 1926a: 37; Menozzi, 1927f: 356; Menozzi, 1930b: 78; Finzi, 1939a: 162; Bolton, 1995b: 59; Hita Garcia, *et al.* 2013: 201; Borowiec, L. 2014: 7 (see note in bibliography).

Current subspecies: nominal plus *laetior*, *magrettii*, *sagittarius*.

gatesi. *Aenictus binghami* var. *gatesi* Wheeler, W.M. 1927b: 42 (w.) MYANMAR.

Subspecies of *binghami*: Wheeler, W.M. 1930g: 199 (in key) Chapman & Capco, 1951: 12.

Junior synonym of *binghami*: Wilson, 1964a: 450; Bolton, 1995b: 59; Zhou, 2001b: 61; Jaitrong & Yamane, 2011: 25; Jaitrong, *et al.* 2011: 318.

gibbosus. *Aenictus gibbosus* Emery, in Dalla Torre, 1893: 7 (m.) INDONESIA (Sumatra).

Status as species: Emery, 1910b: 30; Chapman & Capco, 1951: 15; Wilson, 1964a: 482; Bolton, 1995b: 59.

Current subspecies: nominal plus *ashaverus*.

***glabratus*.** *Aenictus glabratus* Jaitrong & Nur-Zati, 2010: 450, figs. 1-3 (w.) WEST MALAYSIA.

***glabrinotum*.** *Aenictus glabrinotum* Jaitrong & Yamane, 2011: 16, figs. 5-7 (w.) BORNEO (East Malaysia: Sabah, Sarawak; Indonesia: Kalimantan).

***gleadowii*.** *Aenictus gleadowii* Forel, 1901a: 469 (m.) INDIA (Karnataka).

Status as species: Bingham, 1903: 8; Emery, 1910b: 30; Chapman & Capco, 1951: 15; Wilson, 1964a: 482; Bolton, 1995b: 59; Tiwari, 1999: 18; Bharti, Guénard, *et al.* 2016: 21.

***gonioccipus*.** *Aenictus gonioccipus* Jaitrong & Yamane, 2013: 190, fig. 9A-C (w.) INDONESIA (Sulawesi).

***gracilis*.** *Aenictus gracilis* Emery, 1893e: 187, pl. 8, fig. 1 (w.) BORNEO (East Malaysia: Sarawak).

Wheeler, G.C. & Wheeler, J. 1990a: 460 (l.).

Status as species: Emery, 1910b: 30; Wheeler, W.M. 1919e: 62; Wheeler, W.M. 1930g: 199 (in key); Chapman & Capco, 1951: 13; Wilson, 1964a: 463; Terayama & Yamane, 1989: 599; Bolton, 1995b: 59; Mohanraj, *et al.* 2010: 6; Jaitrong & Yamane, 2011: 16 (redescription); Pfeiffer, *et al.* 2011: 32; Bharti, Wachkoo & Kumar, 2012: 293 (in key).

Senior synonym of *boelianensis*: Wilson, 1964a: 463; Terayama & Yamane, 1989: 599; Bolton, 1995b: 59; Jaitrong & Yamane, 2011: 16.

Senior synonym of *elongatus*: Wilson, 1964a: 463; Terayama & Yamane, 1989: 599; Bolton, 1995b: 59.

Senior synonym of *martini*: Wilson, 1964a: 463; Terayama & Yamane, 1989: 599; Bolton, 1995b: 59; Jaitrong & Yamane, 2011: 16.

***grandis*.** *Aenictus grandis* Bingham, 1903: 11, fig. 9 (m.) MYANMAR.

Status as species: Emery, 1910b: 30; Chapman & Capco, 1951: 15; Collingwood, 1962: 224; Wilson, 1964a: 482; Xu, 1994a: 116; Bolton, 1995b: 59; Guénard & Dunn, 2012: 23.

***greeni*.** *Aenictus greeni* Bingham, 1903: 11 (m.) SRI LANKA.

Status as species: Emery, 1910b: 30; Chapman & Capco, 1951: 15; Wilson, 1964a: 482.

Junior synonym of *porizonoides*: Donisthorpe, 1932b: 576; Bolton, 1995b: 59.

***guineensis*.** *Aenictus rotundatus* st. *guineensis* Santschi, 1924b: 204, fig. 7b, 7b' (w.) GUINEA.

Subspecies of *rotundatus*: Bolton, 1995b: 59; Hita Garcia, *et al.* 2013: 201.

***gutianshanensis*.** *Aenictus gutianshanensis* Staab, 2014: 67, figs. 1-5 (w.) CHINA (Zhejiang).

Status as species: Jaitrong & Ruangsittichai, 2018: 113 (in key).

***hamifer*.** *Aenictus hamifer* Emery, 1896i: 153, fig. (m.) KENYA.

Status as species: Emery, 1910b: 31; Forel, 1910c: 250; Santschi, 1910f: 233; Santschi, 1910g: 756; Forel, 1912b: 81; Wheeler, W.M. 1922a: 753; Viehmeyer, 1923: 85; Menozzi, 1927f: 356; Menozzi, 1930b: 78; Santschi, 1933b: 99; Santschi, 1935b: 265; Finzi, 1939a: 162; Menozzi & Consani, 1952: 58; Bolton, 1995b: 59; Borowiec, L. 2014: 7 (see note in bibliography); Madl, 2019: 13.

Current subspecies: nominal plus *spinosior*.

***henanensis*.** *Aenictus henanensis* Li & Wang, 2005: 157 (w.) CHINA (Henan).

Status as species: Wang, W. 2006: 637 (in key); Guénard & Dunn, 2012: 23; Staab, 2015: 141 (in key).

***henrii*.** *Aenictus eugenii* var. *henrii* Santschi, 1924b: 204 (w.) DEMOCRATIC REPUBLIC OF CONGO.

Subspecies of *eugenii*: Bolton, 1995b: 59.

***hilli*.** *Aenictus hilli* Clark, 1928a: 38, pl. 1, figs. 32-36 (m.) AUSTRALIA (Queensland).

Status as species: Wilson, 1964a: 482; Taylor & Brown, 1985: 53; Taylor, 1987a: 6; Bolton, 1995b: 59; Shattuck, 2008c: 8.

***hodgsoni*.** *Aenictus fergusoni* var. *hodgsoni* Forel, 1901a: 474 (w.) MYANMAR.

[Misspelled as *hogsoni* by Emery, 1910b: 30.]

Subspecies of *fergusoni*: Bingham, 1903: 18; Forel, 1903d: 401; Emery, 1910b: 30; Forel, 1913k: 20; Karavaiev, 1926d: 424; Wheeler, W.M. 1927d: 1; Wheeler, W.M. 1930g: 199 (in key); Chapman & Capco, 1951: 13.

Junior synonym of *fergusoni*: Wilson, 1964a: 462; Bolton, 1995b: 59; Tang, J., Li, et al. 1995: 42.

Status as species: Jaitrong, et al. 2011: 321 (redescription); Jaitrong & Yamane, 2011: 35 (redescription); Guénard & Dunn, 2012: 23; Liu, C. Guénard, et al. 2015: 25; Bharti, Guénard, et al. 2016: 21; Jaitrong, Guénard, et al. 2016: 24.

***hoelldobleri*.** *Aenictus hoelldobleri* Staab, 2015: 142, figs. 3D, 4C, 5A-D (w.) CHINA (Jiangxi, Zhejiang).

***hottai*.** *Aenictus hottai* Terayama & Yamane, 1989: 598, figs. 1, 2 (w.) INDONESIA (Sumatra).

Status as species: Bolton, 1995b: 59; Jaitrong & Nabhitabhata, 2005: 11; Wiwatwitaya & Jaitrong, 2011: 559 (redescription).

***humeralis*.** *Aenictus humeralis* Santschi, 1910g: 752, fig. 9 (m.) NIGER.

Status as species: Wheeler, W.M. 1922a: 753; Santschi, 1930a: 56; Bolton, 1995b: 59.

Current subspecies: nominal plus *chevalieri*, *viridans*.

***huonicus*.** *Aenictus huonicus* Wilson, 1964a: 465, figs. 24, 25 (w.) NEW GUINEA (Papua New Guinea).

Status as species: Bolton, 1995b: 59; Jaitrong & Yamane, 2011: 18 (redescription).

***icarus*.** *Aenictus icarus* Forel, 1911b: 197 (m.) INDONESIA (Java).

Status as species: Chapman & Capco, 1951: 15; Wilson, 1964a: 482; Bolton, 1995b: 59.

Current subspecies: nominal plus *incautus*.

***idoneus*.** *Aenictus idoneus* Menozzi, 1928b: 1, figs. 1, 2 (m.) INDONESIA (Sumatra).

Status as species: Chapman & Capco, 1951: 15; Wilson, 1964a: 482; Bolton, 1995b: 59.

***impressus*.** *Aenictus bengalensis* r. *impressus* Forel, in Karavaiev, 1927e: 7 (w.) (no state data).

[Note: type-locality Australia, after Shattuck, 2008c: 4.]

Status as species: Karavaiev, 1926d: 424.

Subspecies of *pachycerus*: Karavaiev, 1927e: 6; Chapman & Capco, 1951: 11; Bolton, 1995b: 59.

Junior synonym of *aratus*: Shattuck, 2008c: 4.

***incanta*,** misspelling, see under *incautus*.

***incautus*.** *Aenictus icarus* var. *incauta* Forel, 1911b: 198 (m.) INDONESIA (Java).

[Misspelled as *incanta* by Chapman & Capco, 1951: 15.]

Subspecies of *icarus*: Chapman & Capco, 1951: 15; Wilson, 1964a: 482; Bolton, 1995b: 59.

***inconspicuus*.** *Aenictus inconspicuus* Westwood, 1845: 85 (m.) SOUTH AFRICA (“Habitat in Africa Australi”).

[Also described as new by Westwood, 1847a: 238.]

Status as species: Smith, F. 1859b: 10; Roger, 1863b: 41; Mayr, 1863: 394; André, 1884b: 539; Dalla Torre, 1893: 8; Emery, 1895j: 747; Emery, 1910b: 31; Arnold, 1915: 141; Wheeler, W.M. 1922a: 753; Bolton, 1995b: 59.

indicus. *Aenictus indicus* Bharti, Wachkoo & Kumar, 2012: 292, figs. 1-4 (w.) INDIA (Tamil Nadu).

Status as species: Bharti, Guénard, *et al.* 2016: 21.

inflatus. *Aenictus inflatus* Yamane & Hashimoto, 1999: 428, fig. 1 (w.) BORNEO (East Malaysia: Sarawak).

Status as species: Pfeiffer, *et al.* 2011: 32.

itoi. *Aenictus itoi* Jaitrong & Yamane, 2013: 192, fig. 21A-C (w.) INDONESIA (Sumatra).

jacobsoni. *Aenictus jacobsoni* Forel, 1909d: 222 (m.) INDONESIA (Java).

Status as species: Forel, 1911b: 194; Forel, 1912n: 53; Menozzi, 1925b: 368; Chapman & Capco, 1951: 15; Wilson, 1964a: 482; Bolton, 1995b: 59.

jarujini. *Aenictus jarujini* Jaitrong & Yamane, 2010: 329, figs. 1, 2 (w.) THAILAND.

javanus. *Aenictus javanus* Emery, 1896f: 245, figs. (m.) INDONESIA (Java) (attributed to Ritsema).

Forel, 1909d: 222 (w.).

Status as species: Forel, 1909d: 222; Emery, 1910b: 30; Forel, 1911b: 194; Chapman & Capco, 1951: 16; Wilson, 1964a: 467; Bolton, 1995b: 59; Jaitrong & Nabhitabhata, 2005: 12; Pfeiffer, *et al.* 2011: 32; Guénard & Dunn, 2012: 23; Jaitrong & Yamane, 2012: 57 (redescription).

jawadwipa. *Aenictus jawadwipa* Jaitrong & Yamane, 2013: 193, fig. 23A-C (w.) INDONESIA (Java); BORNEO (East Malaysia: Sarawak, Sabah).

kanariensis. *Aenictus clavatus* var. *kanariensis* Forel, 1901a: 467 (diagnosis in key) (m.) INDIA (Karnataka).

[Misspelled as *kanarensis* by Bingham, 1903: 13, Chapman & Capco, 1951: 14.]

Subspecies of clavatus: Bingham, 1903: 13; Emery, 1910b: 30; Chapman & Capco, 1951: 14; Wilson, 1964a: 482; Bolton, 1995b: 59; Tiwari, 1999: 18; Bharti, Guénard, *et al.* 2016: 20.

karawaiewi. *Aenictus fergusoni* var. *karawaiewi* Wheeler, W.M. & Chapman, in Wheeler, W.M. 1930g: 199 (diagnosis in key) (w.) no locality given.

Junior synonym of *fergusoni*: Wilson, 1964a: 462; Bolton, 1995b: 59; Tang, J., Li, *et al.* 1995: 42.

kenyensis. *Aenictus eugeniae* var. *kenyensis* Santschi, 1933b: 100 (w.) KENYA.

Junior synonym of *eugenii*: Gotwald & Cunningham-Van Someren, 1976: 183; Bolton, 1995b: 60.

khaoyaiensis. *Aenictus khaoyaiensis* Jaitrong & Yamane, 2013: 194, fig. 10A-C (w.) THAILAND.

kutai. *Aenictus kutai* Jaitrong & Wiwatwitaya, 2013: 99, fig. 1A-C (w.) BORNEO (Indonesia: Kalimantan).

laetior. *Aenictus fuscovarius* var. *laetior* Forel, 1910c: 249 (m.) ERITREA.

Subspecies of fuscovarius: Bolton, 1995b: 60; Madl, 2019: 13.

laeviceps. *Typhlatta laeviceps* Smith, F. 1857a: 79 (w.) BORNEO (East Malaysia: Sarawak).

[Misspelled as *leviceps* by Roger, 1863b: 36, Dalla Torre, 1893: 8, Emery, 1910b: 30, and others.]

Wheeler, W.M. 1930g: 200 (q.); Wheeler, G.C. & Wheeler, J. 1984: 265 (l.).
Combination in *Aenictus*: Forel, 1890b: ciii.

Status as species: Smith, F. 1862a: 49; Roger, 1863b: 36; Mayr, 1863: 457; Smith, F. 1871a: 333; Mayr, 1872: 151; Mayr, 1879: 668 (in key); Emery, 1887b: 449; Emery, 1889b: 487; Dalla Torre, 1893: 8; Emery, 1895k: 452; Forel, 1901a: 475; Emery, 1901g: 566; Bingham, 1903: 18; Emery, 1910b: 30; Forel, 1911d: 382; Wheeler, W.M. 1919e: 61; Wheeler, W.M. & Chapman, 1925: 47; Wheeler, W.M. 1930g: 199 (in key); Donisthorpe, 1932c: 451; Chapman & Capco, 1951: 13; Chapman, 1963: 263; Wilson, 1964a: 467; Baltazar, 1966: 231; Terayama & Yamane, 1989: 599; Radchenko, 1993a: 76; Xu, 1994a: 119; Bolton, 1995b: 60; Wu, J. & Wang, 1995: 51; Zhou & Chen, 1999: 63 (in key); Mathew & Tiwari, 2000: 266; Zhou, 2001b: 60; Zhang, W. & Zheng, 2002: 218; Jaitrong & Nabitabhata, 2005: 12; Wang, W. 2006: 637 (in key); Jaitrong & Yamane, 2011: 36 (redescription); Pfeiffer, *et al.* 2011: 32; Bharti, Wachkoo & Kumar, 2012: 293 (in key); Guénard & Dunn, 2012: 23; Bharti, Guénard, *et al.* 2016: 21.

Senior synonym of *smythiesii*: Wilson, 1964a: 467; Terayama & Yamane, 1989: 599; Bolton, 1995b: 60; Zhou, 2001b: 60.

Senior synonym of *sundaica*: Wilson, 1964a: 467; Terayama & Yamane, 1989: 599; Bolton, 1995b: 60; Zhou, 2001b: 60; Jaitrong & Yamane, 2011: 36.

***latifemoratus*:** *Aenictus latifemoratus* Terayama & Yamane, 1989: 600, figs. 3-6 (w.) INDONESIA (Sumatra).

Status as species: Bolton, 1995b: 60; Jaitrong & Yamane, 2010: 331 (redescription); Pfeiffer, *et al.* 2011: 32.

***laticapus*:** *Aenictus laticapus* Forel, 1901a: 471 (m.) INDIA (Maharashtra).

Status as species: Bingham, 1903: 15; Emery, 1910b: 31; Chapman & Capco, 1951: 16; Wilson, 1964a: 482; Bolton, 1995b: 60; Guénard & Dunn, 2012: 23; Bharti, Guénard, *et al.* 2016: 21.

Current subspecies: nominal plus *fumatus*, *sauteri*.

***latro*:** *Aenictus ceylonicus* var. *latro* Forel, 1901a: 477 (w.) INDIA (Maharashtra).

Subspecies of *ceylonicus*: Bingham, 1903: 22; Emery, 1910b: 29; Karavaiev, 1926d: 422; Chapman & Capco, 1951: 11.

Junior synonym of *ceylonicus*: Wilson, 1964a: 452; Bolton, 1995b: 60; Zhou, 2001b: 59; Shattuck, 2008c: 16; Jaitrong & Yamane, 2013: 220.

***leliepvrei*:** *Aenictus leliepvrei* Bernard, 1953a: 134, fig. 1 (m.) ALGERIA.

Status as species: Bolton, 1995b: 60.

***leptotyphlatta*:** *Aenictus leptotyphlatta* Jaitrong & Eguchi, 2010: 14, figs. 1, 2 (w.) THAILAND.
leviceps, misspelling, see under *laeviceps*.

***levior*:** *Eciton (Aenictus) impressus* var. *levior* Karavaiev, 1926d: 425 (w.) INDONESIA (Buru I.).

As unavailable (infrasubspecific) name: Karavaiev, 1927e: 6; Chapman & Capco, 1951: 11.

Subspecies of *impressus*: Chapman & Capco, 1951: 13.

Junior synonym of *aratus*: Wilson, 1964a: 446; Bolton, 1995b: 60.

Status as species: Shattuck, 2008c: 17; Pfeiffer, *et al.* 2011: 32; Jaitrong & Wiwatwitaya, 2013: 99 (in key).

***lifuiae*:** *Aenictus lifuiae* Terayama, 1984: 13, figs. 1-13 (w.m.) TAIWAN.

Status as species: Morisita, *et al.* 1989: 34; Xu, 1994a: 120; Bolton, 1995b: 60; Imai, *et al.* 2003: 209; Lin & Wu, 2003: 60; Wang, W. 2006: 637 (in key); Terayama, 2009: 124; Jaitrong & Yamane, 2013: 196 (redescription); Staab, 2015: 141 (in key).

longi. *Aenictus longi* Forel, 1901a: 470 (m.) INDIA (Meghalaya).

Status as species: Bingham, 1903: 13; Emery, 1910b: 31; Chapman & Capco, 1951: 16; Wilson, 1964a: 483; Bolton, 1995b: 60; Mathew & Tiwari, 2000: 266; Bharti, Guénard, *et al.* 2016: 21.

Current subspecies: nominal plus *taivanae*.

longicephalus. *Aenictus longicephalus* Jaitrong & Yamane, 2013: 199, fig. 12A-C (w.) INDONESIA (Lombok).

longinodus. *Aenictus longinodus* Jaitrong & Yamane, 2012: 59, figs. 4, 7B (w.) THAILAND.

luteus. *Aenictus luteus* Emery, 1892d: 568, pl. 15, figs. 11, 12 (m.) SIERRA LEONE.

[Note: in the original description Emery says, “deux exemplaires de Sierra-Leone”, but Emery, 1895j: 747, gives the type-locality as Ghana (Goldküste).]

Status as species: Dalla Torre, 1893: 8; Emery, 1895j: 747; Emery, 1910b: 32; Santschi, 1920d: 373; Wheeler, W.M. 1922a: 753; Bolton, 1995b: 60.

Current subspecies: nominal plus *moestus*.

luzonensis, misspelling, see under *luzoni*.

luzoni. *Aenictus luzoni* Wheeler, W.M. & Chapman, 1925: 48, pl. 1, figs. 1, 2 (w.) PHILIPPINES (Luzon I.).

[Misspelled as *luzonensis* by Chapman & Capco, 1951: 13.]

Status as species: Wheeler, W.M. 1930g: 206; Chapman & Capco, 1951: 13; Chapman, 1963: 263; Wilson, 1964a: 470; Baltazar, 1966: 231; Bolton, 1995b: 60; Jaitrong & Yamane, 2011: 40 (redescription).

magrettii. *Aenictus magrettii* Emery, 1892a: 110, figs. a, b (m.) SOMALIA (date of publication 27.i.1892).

[Also described as new by Emery, 1892d: 569, pl. 15, figs. 13, 14 (m.) SUDAN (date of publication 13.iv.1892).]

Status as species: Dalla Torre, 1893: 8; Wheeler, W.M. 1922a: 752.

Subspecies of fuscovarius: Emery, 1895j: 747; Mayr, 1904b: 2; Mayr, 1907a: 387; Emery, 1910b: 31; Santschi, 1910g: 756; Santschi, 1914b: 67; Viehmeyer, 1923: 85; Bolton, 1995b: 60; Hita Garcia, *et al.* 2013: 201; Madl, 2019: 13.

maneerati. *Aenictus maneerati* Jaitrong & Yamane, 2013: 201, fig. 13A-D (w.) THAILAND, VIETNAM.

Status as species: Liu, C., Guénard, *et al.* 2015: 25; Staab, 2015: 141 (in key).

mariae. *Aenictus mariae* Emery, 1895h: 18, pl. 2, figs. 5-7 (w.) SOUTH AFRICA.

Status as species: Emery, 1895j: 747; Emery, 1910b: 31; Forel, 1913j: 212; Arnold, 1915: 140 (redescription); Wheeler, W.M. 1922a: 753; Bolton, 1995b: 60.

Current subspecies: nominal plus *natalensis*.

maroccanus Santschi, 1926; see under *NEIVAMYRMEX*.

martini. *Aenictus martini* Forel, 1901a: 473 (w.) WEST MALAYSIA, MYANMAR.

Wheeler, W.M. 1930g: 203 (q.); Chapman, 1963: 251 (m.); Wheeler, G.C. 1943: 326 (l.).

Status as species: Bingham, 1903: 17; Emery, 1910b: 30; Forel, 1911d: 382; Forel, 1911e: 255; Forel, 1913k: 20; Wheeler, W.M. & Chapman, 1925: 47; Wheeler, W.M. 1930g: 198 (in key); Chapman & Capco, 1951: 13; Chapman, 1963: 251; Baltazar, 1966: 232.

Junior synonym of *gracilis*: Wilson, 1964a: 463; Bolton, 1995b: 60; Terayama & Yamane, 1989: 599; Jaitrong & Yamane, 2011: 16.

mauritanicus. *Aenictus mauritanicus* Santschi, 1910g: 756, fig. 11 (m.) (no state data; "Côte atlantique du Sahara", probably MOROCCO).

Status as species: Bolton, 1995b: 60.

maxillosus. *Aenictus sumatrensis* var. *maxillosa* Forel, 1913k: 24 (m.) INDONESIA (Sumatra).

Subspecies of sumatrensis: Chapman & Capco, 1951: 17; Wilson, 1964a: 483; Bolton, 1995b: 60.

mentu. *Aenictus mentu* Weber, 1942a: 40, fig. 2 (w.) SOUTH SUDAN.

Status as species: Weber, 1943c: 292; Bolton, 1995b: 60.

merwei. *Aenictus rotundatus* var. *merwei* Santschi, 1932a: 382 (w.) SOUTH AFRICA.

Subspecies of rotundatus: Weber, 1943c: 293; Bolton, 1995b: 60.

minimus. *Aenictus minimus* Jaitrong & Hashimoto, 2012: 34, figs. 3A-E, 7 (w.) VIETNAM.

Status as species: Wong & Guénard, 2016b: 37 (in key).

minipetiolius. *Aenictus minipetiolius* Jaitrong & Yamane, 2013: 203, fig. 14A-C (w.) INDONESIA (Lombok).

minutulus. *Aenictus minutulus* Terayama & Yamane, 1989: 601, figs. 7-10 (w.) INDONESIA (Sumatra: Mentawai Is.).

Status as species: Bolton, 1995b: 60; Pfeiffer, *et al.* 2011: 32; Jaitrong & Hashimoto, 2012: 36 (redescription); Wong & Guénard, 2016b: 37 (in key).

mocsaryi. *Aenictus mocsaryi* Emery, 1901h: 152, fig. (m.) NEW GUINEA (Papua New Guinea).

[Misspelled as *moczaryi* by Chapman & Capco, 1951: 16.]

Status as species: Emery, 1910b: 31; Chapman & Capco, 1951: 16; Wilson, 1964a: 483; Bolton, 1995b: 60.

moebii. *Aenictus moebii* Emery, 1895j: 747, fig. NN (m.) TOGO.

Status as species: Emery, 1910b: 32; Santschi, 1910g: 754; Santschi, 1920d: 369; Wheeler, W.M. 1922a: 754; Bolton, 1995b: 60.

Current subspecies: nominal plus *pudicus*, *sankesianus*.

moestus. *Aenictus luteus* var. *moestus* Santschi, 1930a: 56, figs. 18, 19 (m.) SUDAN.

Subspecies of luteus: Bolton, 1995b: 60.

montanus. *Aenictus fergusoni* var. *montanus* Forel, 1901a: 474 (w.) INDIA (West Bengal).

Subspecies of fergusoni: Bingham, 1903: 18; Forel, 1906b: 90; Emery, 1910b: 30; Wheeler, W.M. 1930g: 199 (in key); Menozzi, 1939a: 327; Chapman & Capco, 1951: 13. Junior synonym of *fergusoni*: Wilson, 1964a: 462; Bolton, 1995b: 60; Tang, J., Li, *et al.* 1995: 42.

montivagus. *Aenictus montivagus* Jaitrong & Yamane, 2011: 41, figs. 54-56 (w.) BORNEO (East Malaysia: Sabah).

mutatus. *Aenictus moebii* st. *mutatus* Santschi, 1913c: 304, fig. 2 (m.) IVORY COAST.

Subspecies of moebii: Wheeler, W.M. 1922a: 754.

Status as species: Santschi, 1920d: 370; Santschi, 1924b: 204; Bolton, 1995b: 60.

natalensis. *Aenictus mariae* var. *natalensis* Forel, in Emery, 1901d: 49 (w.) SOUTH AFRICA.

Subspecies of mariae: Emery, 1910b: 31; Santschi, 1914e: 14; Arnold, 1915: 141; Wheeler, W.M. 1922a: 753; Bolton, 1995b: 60.

nesiotis. *Aenictus (Aenictus) aratus* subsp. *nesiotis* Wheeler, W.M. & Chapman, in Wheeler, W.M. 1930g: 208, fig. 7a-d (w.) PHILIPPINES (Negros I.).

[Misspelled as *nesiotus* by Chapman & Capco, 1951: 10.]

Subspecies of aratus: Chapman & Capco, 1951: 10; Chapman, 1963: 262; Baltazar, 1966: 230.

Junior synonym of *aratus*: Wilson, 1964a: 446; Bolton, 1995b: 60.

Status as species: Shattuck, 2008c: 11 (redescription); Jaitrong & Wiwatwitaya, 2013: 99 (in key).

***nganduensis*.** *Aenictus nganduensis* Wilson, 1964a: 470, figs. 47, 48 (w.) NEW GUINEA (Papua New Guinea).

Status as species: Bolton, 1995b: 60.

***nishimurai*.** *Aenictus nishimurai* Terayama & Kubota, 1993: 70, figs. 9, 10 (w.) THAILAND.

Status as species: Jaitrong, *et al.* 2011: 321 (redescription); Jaitrong & Yamane, 2012: 61 (redescription); Jaitrong, Guénard, *et al.* 2016: 24.

***noctivagus*.** *Aenictus bottegoi* st. *noctivagus* Santschi, 1913c: 303, fig. 1 (m.) ETHIOPIA.

Subspecies of *bottegoi*: Wheeler, W.M. 1922a: 751; Bolton, 1995b: 60.

***nuchiti*.** *Aenictus nuchiti* Jaitrong & Ruangsittichai, 2018: 106, figs. 1, 2, 4 (w.q.) THAILAND.

***obscurus*.** *Enictus obscurus* Smith, F. 1865: 79 (m.) NEW GUINEA (no state data).

Status as species: Smith, F. 1871a: 336; Dalla Torre, 1893: 8; Emery, 1910b: 31; Chapman & Capco, 1951: 16; Wilson, 1964a: 483; Bolton, 1995b: 60.

***orientalis*.** *Eciton (Aenictus) ceylonicus* subsp. *orientalis* Karavaiev, 1926d: 423, fig. 2 (w.) INDONESIA (Aru Is.).

Subspecies of *ceylonicus*: Chapman & Capco, 1951: 11.

Junior synonym of *ceylonicus*: Wilson, 1964a: 452; Bolton, 1995b: 60; Zhou, 2001b: 59.

Status as species: Shattuck, 2008c: 18.

Senior synonym of *papuanus*: Shattuck, 2008c: 18.

Senior synonym of *similis*: Shattuck, 2008c: 18.

***pachycerus*.** *Eciton pachycerus* Smith, F. 1858b: 153 (w.) "Hab. South America?"

[Note: type-locality India, after Bingham, 1903: 21.]

Bharti, 2003a: 715 (q.).

Combination in *Aenictus*: Dalla Torre, 1893: 8.

Status as species: Mayr, 1863: 409; Roger, 1863b: 36; Dalla Torre, 1893: 8; Forel, 1895b: 121; Rothney, 1903: 96; Bingham, 1903: 20; Forel, 1906b: 90; Emery, 1910b: 30; Menozzi, 1939a: 327; Chapman & Capco, 1951: 11; Wilson, 1964a: 471; Bolton, 1995b: 60; Tiwari, 1999: 17; Bharti, 2003a: 714; Bharti, Wachkoo & Kumar, 2012: 294 (in key); Bharti, Guénard, *et al.* 2016: 21.

Senior synonym of *bengalensis*: Bingham, 1903: 20; Emery, 1910b: 30; Wilson, 1964a: 471; Bolton, 1995b: 60; Tiwari, 1999: 17.

Senior synonym of *continuus*: Wilson, 1964a: 471; Bolton, 1995b: 60.

***pangantihoni*.** *Aenictus pangantihoni* Zettel & Sorger, 2010b: 120, figs. 5-8, 13 (w.) PHILIPPINES (Camiguin I.).

Status as species: Jaitrong & Yamane, 2012: 68 (redescription).

***papuanus*.** *Aenictus papuanus* Donisthorpe, 1941c: 129 (w.) NEW GUINEA (Papua New Guinea).

Status as species: Chapman & Capco, 1951: 11; Chapman, 1963: 253.

Junior synonym of *ceylonicus*: Wilson, 1964a: 452; Bolton, 1995b: 60; Zhou, 2001b: 59.

Junior synonym of *orientalis*: Shattuck, 2008c: 18.

***paradentatus*.** *Aenictus paradentatus* Jaitrong & Yamane, in Jaitrong, Yamane & Tasen, 2012: 136, figs. 6-12 (w.) THAILAND, VIETNAM, LAOS.

Status as species: Jaitrong & Wiwatwitaya, 2013: 98 (in key); Liu, C., Guénard, *et al.* 2015: 28; Jaitrong, Guénard, *et al.* 2016: 26.

***parahuonicus*.** *Aenictus parahuonicus* Jaitrong & Yamane, 2011: 19, figs. 17-19 (w.) THAILAND, VIETNAM, LAOS.

Status as species: Jaitrong, Guénard, *et al.* 2016: 26.

***peguensis*.** *Aenictus peguensis* Emery, 1895k: 452 (w.) MYANMAR.

Subspecies of *ceylonicus*: Forel, 1901a: 477; Emery, 1910b: 29; Chapman & Capco, 1951: 11.

Status as species: Bingham, 1903: 22; Wilson, 1964a: 471; Bolton, 1995b: 60; Bharti, Wachkoo & Kumar, 2012: 294 (in key); Jaitrong & Hashimoto, 2012: 38 (redescription); Bharti, Guénard, *et al.* 2016: 21; Wong & Guénard, 2016b: 37 (in key).

***pfeifferi*.** *Aenictus pfeifferi* Zettel & Sorger, 2010b: 116, figs. 1-4, 13 (w.) BORNEO (East Malaysia: Sarawak).

Status as species: Jaitrong & Yamane, 2011: 21 (redescription); Pfeiffer, *et al.* 2011: 32.

***pharao*.** *Aenictus pharao* Santschi, 1924b: 201, fig. 4 (m.) SUDAN.

Status as species: Bolton, 1995b: 60.

***philiporum*.** *Aenictus philiporum* Wilson, 1964a: 473, fig. 74 (w.) AUSTRALIA (Queensland), NEW GUINEA (Papua New Guinea).

Status as species: Taylor & Brown, 1985: 53; Taylor, 1987a: 6; Bolton, 1995b: 60; Shattuck, 2008c: 13 (redescription).

***philippinensis*.** *Aenictus (Aenictus) philippinensis* Chapman, 1963: 247, fig. 1 (w.) PHILIPPINES (Negros I.).

[Note: fig. 2, not fig. 1 as published.]

Status as species: Wilson, 1964a: 473; Bolton, 1995b: 60; Jaitrong & Yamane, 2012: 70 (redescription).

***piercei*.** *Aenictus (Aenictus) piercei* Wheeler, W.M. & Chapman, in Wheeler, W.M. 1930g: 209, fig. 7e-g (w.) PHILIPPINES (Negros I.).

Status as species: Chapman & Capco, 1951: 11; Chapman, 1963: 262; Wilson, 1964a: 474; Baltazar, 1966: 231; Bolton, 1995b: 60; Bharti, Wachkoo & Kumar, 2012: 293 (in key); Guénard & Dunn, 2012: 23; Jaitrong & Yamane, 2012: 63 (redescription); Bharti, Guénard, *et al.* 2016: 21.

***pilosus*.** *Aenictus pilosus* Jaitrong & Yamane, 2013: 205, fig. 15A-C (w.) PHILIPPINES (Luzon I., Mindanao I.).

***piltzi*.** *Aenictus fergusoni* var. *piltzi* Forel, 1901a: 474 (w.) INDIA (Karnataka).

Subspecies of *fergusoni*: Bingham, 1903: 18; Emery, 1910b: 30; Wheeler, W.M. 1930g: 199 (in key); Chapman & Capco, 1951: 13.

Junior synonym of *fergusoni*: Wilson, 1964a: 462; Bolton, 1995b: 60; Tang, J., Li, *et al.* 1995: 42.

***pinkaewi*.** *Aenictus pinkaewi* Jaitrong & Yamane, 2013: 207, fig. 16A-C (w.) THAILAND.

***porizonoides*.** *Enictus porizonoides* Walker, 1860: 306 (m.) SRI LANKA.

[Misspelled as *porozonoides* by Smith, F. 1871a: 336.]

Status as species: Mayr, 1863: 394; Smith, F. 1871a: 336; Donisthorpe, 1932b: 576; Bolton, 1995b: 60; Bharti, Guénard, *et al.* 2016: 21.

Senior synonym of *greeni*: Donisthorpe, 1932b: 576; Bolton, 1995b: 60.

***powersi*.** *Aenictus (Aenictus) powersi* Wheeler, W.M. & Chapman, in Wheeler, W.M. 1930g: 210, fig. 6e-h (w.) PHILIPPINES (Negros I.).

Status as species: Chapman & Capco, 1951: 12; Chapman, 1963: 262; Wilson, 1964a: 475; Baltazar, 1966: 231; Bolton, 1995b: 60; Jaitrong & Wiwatwitaya, 2013: 98 (in key).

prolixus. *Aenictus prolixus* Shattuck, 2008c: 14, figs. 7, 8, 18-20, 29 (w.) AUSTRALIA (Northern Territory, Queensland).

pubescens. *Aenictus pubescens* Smith, F. 1859b: 10, pl. 2, fig. 17 (m.) INDIA (no state data, "Northern India").

Status as species: Roger, 1863b: 41; Mayr, 1863: 394; Smith, F. 1871a: 336; Dalla Torre, 1893: 8; Forel, 1901a: 469; Bingham, 1903: 10; Emery, 1910b: 31; Chapman & Capco, 1951: 16; Wilson, 1964a: 483; Bolton, 1995b: 60; Bharti, Guénard, *et al.* 2016: 21.

pudicus. *Aenictus mutatus* st. *pudicus* Santschi, 1919b: 234 (m.) IVORY COAST.

Subspecies of *mutatus*: Bolton, 1995b: 60 (error).

Subspecies of moebii: Wheeler, W.M. 1922a: 754.

punctatus. *Aenictus punctatus* Jaitrong & Yamane, 2012: 72, figs. 10, 12 (w.) BORNEO (Brunei; East Malaysia: Sabah, Sarawak; Indonesia: Kalimantan).

punctiventris. *Aenictus punctiventris* Emery, 1901d: 47 (m.) BORNEO (Indonesia: Kalimantan, Laut I.).

Status as species: Emery, 1910b: 31; Forel, 1913f: 189; Wheeler, W.M. 1919e: 62; Wheeler, W.M. 1929g: 58; Chapman & Capco, 1951: 16; Wilson, 1964a: 483; Xu, 1994a: 117; Bolton, 1995b: 60; Lin & Wu, 2003: 60; Terayama, 2009: 124; Pfeiffer, *et al.* 2011: 32.

Current subspecies: nominal plus *scutellaris*.

punensis. *Aenictus punensis* Forel, 1901a: 476 (w.) INDIA (Maharashtra).

Status as species: Bingham, 1903: 21; Emery, 1910b: 30; Chapman & Capco, 1951: 12; Wilson, 1964a: 476; Bolton, 1995b: 60; Tang, J., Li, *et al.* 1995: 43; Wang, W. 2006: 637 (in key); Bharti, Wachkoo & Kumar, 2012: 294 (in key); Guénard & Dunn, 2012: 23; Bharti, Guénard, *et al.* 2016: 21.

rabori. *Aenictus (Aenictus) rabori* Chapman, 1963: 249, fig. 2 (w.) PHILIPPINES (Negros I.).

[Note: fig. 1, not fig. 2 as published.]

Status as species: Wilson, 1964a: 476; Bolton, 1995b: 60; Jaitrong & Yamane, 2012: 74 (redescription).

raptor. *Aenictus raptor* Forel, 1913b: 314 (m.) DEMOCRATIC REPUBLIC OF CONGO.

Status as species: Wheeler, W.M. 1922a: 754; Bolton, 1995b: 60.

reyesi. *Aenictus (Aenictus) reyesi* Chapman, 1963: 250, fig. 3 (w.) PHILIPPINES (Negros I.).

Status as species: Wilson, 1964a: 477; Bolton, 1995b: 60; Jaitrong & Wiwatwitaya, 2013: 98 (in key).

rhodiensis. *Aenictus rhodiensis* Menozzi, 1936d: 266, fig. I (w.) GREECE (Rhodes I.).

Status as species: Agosti & Collingwood, 1987a: 52; Agosti & Collingwood, 1987b: 264; Kugler, J. 1988: 256; Bolton, 1995b: 60; Aktaç, Radchenko & Kiran, 2004: 362; Petrov, 2006: 82 (in key); Legakis, 2011: 3; Borowiec, L. & Salata, 2012: 462; Kiran & Karaman, 2012: 3; Sharaf, Aldawood & El Hawagry, 2012b: 47 (in key); Borowiec, L. 2014: 7; Lebas, *et al.* 2016: 124; Jaitrong & Ruangsittichai, 2018: 113 (in key); Borowiec, L. & Salata, 2018: 3; Salata & Borowiec, 2018c: 42.

rixator. *Aenictus rixator* Forel, in Emery, 1901d: 48 (w.) SOUTH AFRICA.

Status as species: Emery, 1910b: 31; Arnold, 1915: 137; Wheeler, W.M. 1922a: 754; Bolton, 1995b: 60.

rotundatus. *Aenictus rotundatus* Mayr, 1901b: 1 (w.) SOUTH AFRICA.

Status as species: Emery, 1910b: 31; Forel, 1913a: 112; Arnold, 1915: 138 (redescription); Wheeler, W.M. 1922a: 754; Weber, 1943c: 293; Bolton, 1995b: 60.

Current subspecies: nominal plus *guineensis*, *merwei*.

***rotundicollis*.** *Aenictus rotundicollis* Jaitrong & Yamane, 2011: 41, figs. 41-43 (w.) BORNEO (East Malaysia: Sarawak, Sabah; Brunei).

***rougieri*.** *Aenictus rougieri* André, 1893a: cxci (m.) TUNISIA.

Status as species: Emery, 1895j: 747; Emery, 1910b: 32; Bolton, 1995b: 60.

***sagei*.** *Aenictus wroughtonii* var. *sagei* Forel, 1901a: 469 (w.) INDIA (Himachal Pradesh).

Subspecies of *wroughtonii*: Bingham, 1903: 17; Forel, 1906b: 90; Emery, 1910b: 30; Wheeler, W.M. 1927h: 83; Menozzi, 1939a: 327; Chapman & Capco, 1951: 12; Pisarski, 1967: 377 (redescription).

Status as species: Wilson, 1964a: 477; Dlussky, Soyunov & Zabelin, 1990: 180 (in key); Bolton, 1995b: 60; Jaitrong, *et al.* 2010: 40 (redescription); Bharti, Wachkoo & Kumar, 2012: 294 (in key); Sharaf, Aldawood & El Hawagry, 2012b: 47 (in key); Bharti, Guénard, *et al.* 2016: 21; Jaitrong & Ruangsittichai, 2018: 113 (in key).

***sagittarius*.** *Aenictus fuscovarius* st. *sagittarius* Santschi, 1938a: 30, fig. 2 (m.) EGYPT.

Subspecies of *fuscovarius*: Bolton, 1995b: 60.

***samungi*.** *Aenictus samungi* Jaitrong & Ruangsittichai, 2018: 109, figs. 3, 5 (w.q.) THAILAND.

***sankisianus*.** *Aenictus moebii* r. *sankisianus* Forel, 1913b: 312 (m.) DEMOCRATIC REPUBLIC OF CONGO.

Subspecies of *moebii*: Wheeler, W.M. 1922a: 754; Bolton, 1995b: 60.

***satoi*.** *Aenictus latiscapus* st. *sauteri* var. *satoi* Santschi, 1937h: 367 (m.) TAIWAN; unavailable (infrasubspecific) name.

[Misspelled as *sitoi* by Chapman & Capco, 1951: 16.]

As unavailable (infrasubspecific) name: Chapman & Capco, 1951: 16; Wilson, 1964a: 483; Xu, 1994a: 117.

[*A. latiscapus satoi*: Lin & Wu, 2003: 60 (error).]

Declared as unavailable (infrasubspecific) name: Bolton, 1995b: 60; Terayama, 2009: 124.

***sauteri*.** *Aenictus latiscapus* r. *sauteri* Forel, 1913f: 188 (m.) TAIWAN.

[Misspelled as *sateri* by Lin & Wu, 2003: 60.]

Subspecies of *latiscapus*: Santschi, 1928h: 121; Wheeler, W.M. 1929g: 58; Santschi, 1937h: 367; Chapman & Capco, 1951: 16; Wilson, 1964a: 482; Xu, 1994a: 117; Bolton, 1995b: 60; Lin & Wu, 2003: 60; Terayama, 2009: 124.

***schneirlai*.** *Aenictus schneirlai* Wilson, 1964a: 479, figs. 49, 50 (w.) NEW GUINEA (Papua New Guinea).

Status as species: Bolton, 1995b: 60.

***scutellaris*.** *Aenictus punctiventris* var. *scutellaris* Forel, 1912n: 53 (m.) INDONESIA (Sumatra).

Subspecies of *punctiventris*: Chapman & Capco, 1951: 16; Wilson, 1964a: 483; Bolton, 1995b: 60.

***seletarius*.** *Aenictus seletarius* Wong & Guénard, 2016b: 37, figs. 2-6 (w.) SINGAPORE.

***shilintongae*.** *Aenictus shilintongae* Jaitrong & Schultz, 2016: 69, fig. 1 (w.) CHINA (Zhejiang).

***shillongensis*.** *Aenictus shillongensis* Mathew & Tiwari, 2000: 266, fig. 9 (w.) INDIA (Meghalaya).

Status as species: Bharti, Wachkoo & Kumar, 2012: 293 (in key); Bharti, Guénard, *et al.* 2016: 21.

shuckardi. *Aenictus shuckardi* Forel, 1901a: 471 (m.) INDIA (West Bengal).

[Misspelled as *schuckardi* by Wilson, 1964a: 483.]

Status as species: Bingham, 1903: 12; Forel, 1904d: 169; Emery, 1910b: 31; Chapman & Capco, 1951: 17; Wilson, 1964a: 483; Xu, 1994a: 117; Bolton, 1995b: 60; Guénard & Dunn, 2012: 23; Bharti, Guénard, *et al.* 2016: 21.

siamensis. *Aenictus siamensis* Jaitrong & Yamane, 2011: 42, figs. 35-37 (w.) THAILAND.

silvestrii. *Aenictus (Paraenictus) silvestrii* Wheeler, W.M. 1929g: 28, fig. 1 (w.) WEST MALAYSIA (Penang I.).

Status as species: Chapman & Capco, 1951: 12; Wilson, 1964a: 479; Bolton, 1995b: 60; Jaitrong & Yamane, 2010: 331 (redescription); Pfeiffer, *et al.* 2011: 32.

similis. *Aenictus similis* Donisthorpe, 1948g: 131 (w.) NEW GUINEA (Indonesia).

Status as species: Chapman & Capco, 1951: 12.

Junior synonym of *ceylonicus*: Wilson, 1964a: 452; Bolton, 1995b: 60; Zhou, 2001b: 59.

Junior synonym of *orientalis*: Shattuck, 2008c: 18.

sirenicus. *Aenictus sirenicus* Yamane & Wang, 2015: 53, figs. 1, 2 (w.) BORNEO (East Malaysia: Sabah).

sitoi, misspelling, see under *satoi*.

smythiesii. *Aenictus laeviceps* var. *smythiesii* Forel, 1901a: 465 (diagnosis in key) (w.) INDIA (Assam), WEST MALAYSIA.

Subspecies of *laeviceps*: Emery, 1910b: 30; Viehmeyer, 1916a: 110; Wheeler, W.M. 1930g: 199 (in key); Menozzi, 1932d: 1; Chapman & Capco, 1951: 13.

Junior synonym of *laeviceps*: Wilson, 1964a: 467; Terayama & Yamane, 1989: 599; Bolton, 1995b: 60; Zhou, 2001b: 60.

sonchaengi. *Aenictus sonchaengi* Jaitrong & Yamane, 2011: 43, figs. 38-40 (w.) THAILAND, BORNEO (East Malaysia: Sarawak; Brunei).

soudanicus. *Aenictus soudanicus* Santschi, 1910g: 758, fig. 12 (m.) SUDAN.

Status as species: Santschi, 1913c: 304; Wheeler, W.M. 1922a: 754; Wheeler, W.M. 1925b: 1; Santschi, 1930a: 57; Bolton, 1995b: 60.

Current subspecies: nominal plus *brunneus*.

spathifer. *Aenictus spathifer* Santschi, 1928h: 119, fig. 1 (m.) INDONESIA (Sumatra).

Status as species: Chapman & Capco, 1951: 17; Wilson, 1964a: 483; Bolton, 1995b: 60.

spinosior. *Aenictus hamifer* r. *spinosior* Stitz, 1917: 335, fig. 1 (m.) ALGERIA.

Subspecies of hamifer: Bolton, 1995b: 60

steindachneri. *Aenictus steindachneri* Mayr, 1901b: 2 (w.) SOUTH AFRICA.

Status as species: Emery, 1904a: 111; Emery, 1910b: 31; Santschi, 1914b: 69; Arnold, 1915: 139; Wheeler, W.M. 1922a: 754; Bolton, 1995b: 60; Hita Garcia, *et al.* 2013: 201.

stenocephalus. *Aenictus stenocephalus* Jaitrong & Yamane, in Jaitrong, *et al.* 2010: 41, figs. 13-15 (w.) THAILAND.

Status as species: Jaitrong & Ruangsittichai, 2018: 113 (in key).

subterraneus. *Aenictus subterraneus* Jaitrong & Hashimoto, 2012: 40, figs. 6A-E, 7 (w.) BORNEO (East Malaysia: Sabah).

Status as species: Wong & Guénard, 2016b: 37 (in key).

sulawesiensis. *Aenictus sulawesiensis* Jaitrong & Wiwatwitaya, 2013: 100, fig. 2A-C (w.) INDONESIA (Sulawesi).

sumatrensis. *Aenictus sumatrensis* Forel, 1913k: 23 (m.) INDONESIA (Sumatra).

Status as species: Chapman & Capco, 1951: 17; Wilson, 1964a: 483; Bolton, 1995b: 60.

Current subspecies: nominal plus *maxillosus*.

sundaicus. *Aenictus clavatus* subsp. *sundaicus* Forel, 1909d: 223 (m.) INDONESIA (Java).

Subspecies of clavatus: Forel, 1912d: 104; Chapman & Capco, 1951: 14; Wilson, 1964a: 482; Bolton, 1995b: 60; Zhou, 2001b: 60.

sundaica. *Eciton (Aenictus) fergusoni* var. *sundaica* Karavaiev, 1927e: 7 (w.) INDONESIA (Java: Panaitan (= Prinsen) I.).

[Unresolved junior secondary homonym of *sundaicus* Forel, 1909d: 223 (Bolton, 1995b: 60).]

Junior synonym of *laeviceps*: Wilson, 1964a: 467; Terayama & Yamane, 1989: 599; Bolton, 1995b: 60; Zhou, 2001b: 60; Jaitrong & Yamane, 2011: 36.

sundalandensis. *Aenictus sundalandensis* Jaitrong & Yamane, 2013: 209, fig. 22A-C (w.) INDONESIA (Java, Sumatra: Riau Is), BORNEO (East Malaysia: Sabah; Indonesia: Kalimantan).

taivanae. *Aenictus longi* r. *taivanae* Forel, 1913f: 189 (m.) TAIWAN.

Subspecies of longi: Emery, 1923: 60; Wheeler, W.M. 1929g: 58; Chapman & Capco, 1951: 16; Wilson, 1964a: 483; Xu, 1994a: 117; Bolton, 1995b: 60; Lin & Wu, 2003: 60; Terayama, 2009: 124.

thailandianus. *Aenictus thailandianus* Terayama & Kubota, 1993: 71, figs. 11-13 (w.) THAILAND.

Status as species: Jaitrong & Yamane, 2013: 210 (redescription); Liu, C., Guénard, et al. 2015: 29; Staab, 2015: 141 (in key).

togoensis. *Aenictus togoensis* Santschi, 1915c: 248 (m.) TOGO.

Status as species: Santschi, 1920d: 375; Wheeler, W.M. 1922a: 754; Bolton, 1995b: 60.

tricarinata. *Typhlatta tricarinata* Smith, F. 1873: ix. *Nomen nudum* (attributed to Mayr).

trigonus. *Aenictus trigonus* Forel, 1911b: 195 (m.) INDONESIA (Java).

Status as species: Chapman & Capco, 1951: 17; Wilson, 1964a: 483; Bolton, 1995b: 60.

tuberculatus. *Aenictus tuberculatus* Arnold, 1915: 142 (m.) ZIMBABWE.

Status as species: Wheeler, W.M. 1922a: 755.

Subspecies of crucifer: Santschi, 1924b: 204; Bolton, 1995b: 60.

turneri. *Aenictus turneri* Forel, 1900b: 75 (w.) AUSTRALIA (Queensland).

Wheeler, G.C. & Wheeler, J. 1964c: 131 (l.).

Junior synonym of *ceylonicus*: Wilson, 1964a: 452; Taylor & Brown, 1985: 52; Taylor, 1987a: 6; Bolton, 1995b: 61; Zhou, 2001b: 59.

Status as species: Emery, 1910b: 30; Brown, 1952b: 123; Brown, 1958a: 5; Shattuck, 2008c: 14 (redescription).

Senior synonym of deuqueti: Brown, 1952b: 123; Taylor & Brown, 1985: 53; Shattuck, 2008c: 14.

Senior synonym of exiguus: Brown, 1958a: 5; Taylor & Brown, 1985: 53; Shattuck, 2008c: 14.

unicolor. *Aenictus unicolor* Radoszkovsky, 1881: 198. *Nomen nudum* (attributed to Smith, F.).

vagans. *Aenictus vagans* Santschi, 1924b: 200, fig. 3 (m.) NIGER.

Status as species: Menozzi, 1933a: 94; Bolton, 1995b: 61.

vaucheri. *Aenictus vaucheri* Emery, 1915a: 252, pl. 4, figs. 1, 2 (q.) MOROCCO.

Santschi, 1936c: 198 (w.).

Status as species: Santschi, 1936c: 198; Cagniant, 1970a: 413; Bolton, 1995b: 61; Cagniant, 2006a: 195; Borowiec, L. 2014: 7.

- vieti*. *Aenictus vieti* Jaitrong & Yamane, in Jaitrong, *et al.* 2010: 44, figs. 11, 12, 15 (w.) VIETNAM, TAIWAN.
Status as species: Jaitrong & Ruangsittichai, 2018: 113 (in key).
- villiersi*. *Aenictus villiersi* Bernard, 1953b: 221, fig. 7Ev,Fv (w.) GUINEA.
Status as species: Bolton, 1995b: 61.
- viridans*. *Aenictus humeralis* var. *viridans* Santschi, 1915c: 248 (m.) BENIN.
Subspecies of humeralis: Wheeler, W.M. 1922a: 753; Bolton, 1995b: 61.
- watanasiti*. *Aenictus watanasiti* Jaitrong & Yamane, 2013: 213, fig. 18A-D (w.) THAILAND, VIETNAM.
Status as species: Staab, 2015: 141 (in key).
- wayani*. *Aenictus wayani* Jaitrong & Yamane, 2011: 22, figs. 20-22 (w.) INDONESIA (Sulawesi).
- weissi*. *Aenictus weissi* Santschi, 1910c: 354, fig. 2 (w.) CONGO.
Santschi, 1920b: 9 (q.).
Status as species: Forel, 1913j: 212; Santschi, 1920b: 9; Wheeler, W.M. 1922a: 755; Menozzi, 1942: 165; Eidmann, 1944: 429; Bolton, 1995b: 61.
- westwoodi*. *Aenictus ambiguus* var. *westwoodi* Forel, 1901a: 469 (m.) INDIA (no state data, "Inde septentrionale").
Subspecies of ambiguus: Chapman & Capco, 1951: 14; Wilson, 1964a: 481.
Status as species: Bingham, 1903: 10; Emery, 1910b: 31; Xu, 1994a: 117; Bolton, 1995b: 61; Guénard & Dunn, 2012: 23; Bharti, Guénard, *et al.* 2016: 21.
- wilaiae*. *Aenictus wilaiae* Jaitrong & Yamane, 2013: 215, fig. 19A-C (w.) THAILAND.
- wilsoni*. *Aenictus wilsoni* Bharti, Wachkoo & Kumar, 2012: 292, figs. 5-8 (w.) INDIA (Himachal Pradesh).
Status as species: Bharti, Guénard, *et al.* 2016: 21.
- wiatwitayai*. *Aenictus wiwatwitayai* Jaitrong & Yamane, 2013: 218, fig. 20A-C (w.) THAILAND, VIETNAM.
- wroughtonii*. *Aenictus wroughtonii* Forel, 1890b: ciii (w.m.) INDIA (Maharashtra).
Status as species: Dalla Torre, 1893: 8; Forel, 1901a: 469; Bingham, 1903: 16; Emery, 1910b: 30; Chapman & Capco, 1951: 12; Collingwood, 1962: 224; Wilson, 1964a: 480; Bolton, 1995b: 61; Tiwari, 1999: 18; Jaitrong, *et al.* 2010: 45 (redescription); Bharti, Wachkoo & Kumar, 2012: 294 (in key); Sharaf, Aldawood & El Hawagry, 2012b: 47 (in key); Bharti, Guénard, *et al.* 2016: 21; Jaitrong & Ruangsittichai, 2018: 113 (in key).
- wudangshanensis*. *Aenictus wudangshanensis* Wang, W. 2006: 637, figs. 1, 2 (w.) CHINA (Hubei).
Status as species: Guénard & Dunn, 2012: 23; Staab, 2015: 141 (in key).
- yamanei*. *Aenictus yamanei* Wiwatwitaya & Jaitrong, 2011: 562, figs. 2A-D, 3 (w.) BORNEO (East Malaysia: Sarawak), WEST MALAYSIA.
- yangi*. *Aenictus yangi* Liu, C., Hita Garcia, *et al.* 2015: 40, figs. 3A, 4A-D (w.) CHINA (Yunnan).
Status as species: Staab, 2015: 141 (in key).
- zhengi*. *Aenictus zhengi* Zhang, W. 1994: 101 (w.) CHINA (Sichuan).
Status as species: Zhang, W. & Zheng, 2002: 218; Wang, W. 2006: 637 (in key); Guénard & Dunn, 2012: 23.