

PAPYRIUS

clitellarius. *Iridomyrmex nitidus* subsp. *clitellarius* Viehmeyer, 1925a: 32 (w.) AUSTRALIA (New South Wales).

Combination in *Papyrius*: Shattuck, 1992a: 17.

Subspecies of nitidus: Taylor & Brown, 1985: 101; Taylor, 1987a: 32; Shattuck, 1994: 134; Bolton, 1995b: 311.

flavus. *Iridomyrmex flavus* Mayr, 1865: 60, pl. 3, fig. 17 (w.) AUSTRALIA (New South Wales).

Combination in *Hypoclinea*: Mayr, 1876: 81;

combination in *Papyrius*: Shattuck, 1992a: 17.

Status as species: Mayr, 1870b: 958 (in key); Mayr, 1876: 79 (in key); Dalla Torre, 1893: 169; André, 1896b: 260 (in key); Emery, 1913a: 24; Taylor & Brown, 1985: 99; Taylor, 1987a: 31; Shattuck, 1994: 134; Bolton, 1995b: 311.

nitidus. *Iridomyrmex nitida* Mayr, 1862: 702 (w.) AUSTRALIA (no state data).

Forel, 1901b: 20 (q.m.); Wheeler, G.C. & Wheeler, J. 1951: 186 (l.); Crozier, 1969: 250 (k.).

Combination in *Hypoclinea*: Mayr, 1876: 79;

combination in *Papyrius*: Shattuck, 1992a: 17.

Status as species: Roger, 1863b: 13; Mayr, 1863: 424; Mayr, 1876: 79 (in key); Dalla Torre, 1893: 169; André, 1896b: 260 (in key); Emery, 1897d: 572; Forel, 1902h: 469; Forel, 1907h: 288; Wheeler, W.M. 1909a: 28 (redescription); Stitz, 1911a: 368; Emery, 1913a: 25; Emery, 1914b: 180; Crawley, 1915a: 135; Viehmeyer, 1925a: 32; Donisthorpe, 1948b: 309; Wheeler, G.C. & Wheeler, J. 1974b: 400; Taylor & Brown, 1985: 101; Taylor, 1987a: 32; Shattuck, 1994: 134; Bolton, 1995b: 311; Heterick, 2009: 58.

Senior synonym of tuberculatus: Mayr, 1870b: 955; Mayr, 1876: 81; Dalla Torre, 1893: 169; Emery, 1913a: 25; Taylor & Brown, 1985: 101; Taylor, 1987a: 32; Shattuck, 1994: 134; Bolton, 1995b: 311.

Current subspecies: nominal plus *clitellarius*, *oceanicus*, *queenslandensis*.

oceanicus. *Iridomyrmex nitidus* r. *oceanicus* Forel, 1901b: 20 (w.q.m.) NEW GUINEA (Papua New Guinea: Bismarck Archipelago).

Combination in *Papyrius*: Shattuck, 1992a: 17.

Subspecies of nitidus: Dahl, 1901: 13 (in key); Stitz, 1911a: 368; Emery, 1913a: 25; Viehmeyer, 1914c: 529; Shattuck, 1994: 134; Bolton, 1995b: 311.

queenslandensis. *Iridomyrmex nitida* var. *queenslandensis* Forel, 1901b: 21 (w.m.) AUSTRALIA (Queensland).

Forel, 1907h: 288 (q.).

Combination in *Papyrius*: Shattuck, 1992a: 17.

Subspecies of nitidus: Forel, 1907h: 288; Emery, 1913a: 25; Forel, 1915b: 79; Taylor & Brown, 1985: 101; Taylor, 1987a: 32; Shattuck, 1994: 135; Bolton, 1995b: 311.

tuberculatus. *Acantholepis tuberculatus* Lowne, 1865b: 332 (w.) AUSTRALIA (New South Wales).

Junior synonym of *nitidus*: Mayr, 1870b: 955; Mayr, 1876: 81; Dalla Torre, 1893: 169; Emery, 1913a: 25; Taylor & Brown, 1985: 101; Taylor, 1987a: 32; Shattuck, 1994: 134; Bolton, 1995b: 311.

victorianus. *Iridomyrmex nitidus* r. *oceanicus* var. *victorianus* Stitz, 1911a: 368 (w.q.m.) AUSTRALIA (Victoria); unavailable (infrasubspecific) name.

As unavailable (infrasubspecific) name: Emery, 1913a: 25.

Declared as unavailable (infrasubspecific) name: Taylor, 1986: 34.