

## **STIGMATOMMA**

**amblyops.** *Stigmatomma amblyops* Karavaiev, 1935a: 57, fig. 1 (w.) VIETNAM.

Combination in *Amblyopone*: Brown, 1960a: 167;

combination in *Stigmatomma*: Yoshimura & Fisher, 2012a: 19.

**Status as species:** Chapman & Capco, 1951: 24; Brown, 1960a: 167; Bolton, 1995b: 61; Xu, 2001d: 552 (in key); Xu & Chu, 2012: 1182 (in key).

**annae.** *Amblyopone (Stigmatomma) annae* Arnol'di, 1968: 1801, fig. 2 (w.) TURKMENISTAN.

Combination in *Stigmatomma*: Yoshimura & Fisher, 2012a: 19.

**Status as species:** Dlussky & Zabelin, 1985: 209; Dlussky, Soyunov & Zabelin, 1990: 173; Bolton, 1995b: 61; Xu & Chu, 2012: 1186 (in key).

**arizonense.** *Stigmatomma pallipes* subsp. *arizonense* Wheeler, W.M. 1915b: 389 (w.) U.S.A. (Arizona).

Subspecies of *pallipes*: Cole, 1937a: 98.

Junior synonym of *pallipes*: Creighton, 1940b: 3; Creighton, 1950a: 33; Smith, M.R. 1951a: 783; Brown, 1960a: 169; Smith, D.R. 1979: 1335; Bolton, 1995b: 61.

**awa.** *Amblyopone awa* Xu & Chu, 2012: 1192, figs. 51-56 (w.q.) CHINA (Yunnan, Tibet).

Combination in *Stigmatomma*: Yoshimura & Fisher, 2014: 15 (in text); Bharti & Rilta, 2015b: 508.

**Status as species:** Bharti & Rilta, 2015b: 508 (redescription); Bharti, Guénard, *et al.* 2016: 18.

**barretoii** Bruch, 1921; see under **FULAKORA**.

**bellii.** *Amblyopone (Stigmatomma) bellii* Forel, 1900c: 55 (w.) INDIA (Karnataka).

Combination in *Stigmatomma*: Bingham, 1903: 38;

combination in *Amblyopone*: Brown, 1960a: 167;

combination in *Stigmatomma*: Yoshimura & Fisher, 2012a: 19.

**Status as species:** Bingham, 1903: 38; Emery, 1911d: 24; Chapman & Capco, 1951: 24; Brown, 1960a: 167, 193; Bolton, 1995b: 61; Tiwari, 1999: 32; Xu, 2001d: 552 (in key); Bharti & Wachkoo, 2011: 590 (in key); Xu & Chu, 2012: 1179 (in key); Bharti, Guénard, *et al.* 2016: 18.

**besucheti.** *Amblyopone besucheti* Baroni Urbani, 1978a: 49, figs. 15, 16 (w.) SEYCHELLES IS (La Digue I.).

Esteves & Fisher, 2016: 42 (putative q.).

Combination in *Stigmatomma*: Yoshimura & Fisher, 2012a: 19.

**Status as species:** Bolton, 1995b: 61; Dorow, 1996a: 75; Esteves & Fisher, 2016: 34 (redescription).

**bierigi** Santschi, 1930; see under **FULAKORA**.

**binodosus.** *Arotropus binodosus* Provancher, 1881a: 206, figs. 32, 33 (q.) CANADA (no state data, probably Québec).

[Misspelled as *binodus* by Creighton, 1940b: 3.]

Provancher, 1887: 240 (w.).

Combination in *Amblyopone*: Provancher, 1887: 240;

combination in *Stigmatomma*: Emery, in Dalla Torre, 1893: 14.

Status as species: Provancher, 1887: 240; Cresson, 1887: 258; Dalla Torre, 1893: 14.

Junior synonym of *pallipes*: Emery, 1895c: 261; Wheeler, W.M. 1908e: 400; Emery, 1911d: 24; Wheeler, W.M. 1911f: 159; Creighton, 1940b: 3; Creighton, 1950a: 33;

- Smith, M.R. 1951a: 783; Brown, 1960a: 169; Francoeur & Béique, 1966: 141; Smith, D.R. 1979: 1335; Bolton, 1995b: 61.
- bolabola.** *Stigmatomma bolabola* Esteves & Fisher, 2016: 45, figs. 28-33 (w.) MADAGASCAR.
- boltoni.** *Amblyopone boltoni* Bharti & Wachkoo, 2011: 586, figs. 1-3 (w.) INDIA (Himachal Pradesh).  
Combination in *Stigmatomma*: Yoshimura & Fisher, 2012a: 19.  
**Status as species:** Xu & Chu, 2012: 1185 (in key); Bharti, Guénard, *et al.* 2016: 18.
- bruni.** *Stigmatomma bruni* Forel, 1912a: 45 (w.) TAIWAN.  
Forel, 1913f: 183 (m.).  
Combination in *Amblyopone*: Brown, 1960a: 168;  
combination in *Stigmatomma*: Yoshimura & Fisher, 2012a: 19.  
**Status as species:** Forel, 1913f: 183; Wheeler, W.M. 1929g: 58; Teranishi, 1940: 56; Chapman & Capco, 1951: 24; Brown, 1960a: 167, 196; Terayama, 1989b: 344; Bolton, 1995b: 61; Xu, 2001d: 552 (in key); Lin & Wu, 2003: 66; Xu, 2006: 152 (in key); Terayama, 2009: 93; Zhou & Ran, 2010: 101; Xu & Chu, 2012: 1180 (in key).  
**Senior synonym of juergi:** Brown, 1960a: 168; Bolton, 1995b: 61; Terayama, 2009: 93.
- caliginosum.** *Amblyopone caliginosa* Onoyama, 1999: 158, figs. 1-9 (w.q.) JAPAN.  
Combination in *Stigmatomma*: Yoshimura & Fisher, 2012a: 19;  
combination in *Bannapone*: Eguchi, *et al.* 2015: 82;  
combination in *Stigmatomma*: Ward & Fisher, 2016: 691.  
**Status as species:** Imai, *et al.* 2003: 219; Xu & Chu, 2012: 1177 (in key); Eguchi, *et al.* 2015: 85 (in key); Hsu, F. *et al.* 2017: 91 (in key).
- celata* Mann, 1919; see under **FULAKORA**.
- crenatum.** *Amblyopone crenata* Xu, 2001d: 553, figs. 18-20 (w.) CHINA (Yunnan).  
Combination in *Stigmatomma*: Yoshimura & Fisher, 2012a: 19.  
**Status as species:** Xu, 2006: 152 (in key); Zhou & Ran, 2010: 102; Guénard & Dunn, 2012: 23; Xu & Chu, 2012: 1182 (in key).
- crypticum.** *Bannapone cryptica* Eguchi, *et al.* 2015: 79, figs. 1-11 (w.q.) VIETNAM.  
Combination in *Stigmatomma*: Ward & Fisher, 2016: 691.  
**Status as species:** Hsu, F. *et al.* 2017: 91 (in key).
- denticulatum.** *Stigmatomma denticulatum* Roger, 1859: 251, pl. 7, fig. 2 (w.) GREECE (Zakynthos (= Zante) I.).  
Emery, 1875a: 74 (m.); Emery, 1909c: 357 (q.).  
Combination in *Amblyopone*: Emery & Forel, 1879: 455; Brown, 1960a: 168;  
combination in *Stigmatomma*: Dalla Torre, 1893: 14; Yoshimura & Fisher, 2012a: 19.  
**Status as species:** Mayr, 1861: 53 (in key); Roger, 1861a: 53; Roger, 1863b: 20; Mayr, 1863: 454; André, 1874: 187 (in key); Emery, 1875a: 74; Emery, 1875b: 471; Emery, 1878b: 50; Emery & Forel, 1879: 455; Emery, 1881b: 528; André, 1882c: 233 (in key); Forel, 1886e: clxvii; Saunders, E. 1890: 203; Dalla Torre, 1893: 14; Emery, 1895b: 59; Emery, 1909c: 357; Emery, 1911d: 24; Forel, 1913d: 427; Emery, 1914d: 156; Santschi, 1915a: 55 (in key); Emery, 1916b: 101 (in key); Bondroit, 1918: 80; Müller, 1921: 48; Finzi, 1923: 1; Müller, 1923b: 24; Finzi, 1924a: 15; Emery, 1924c: 164; Finzi, 1928b: 129; Finzi, 1930d: 311; Grandi, 1935: 98; Zimmermann, 1935: 7; Finzi, 1939b: 87; Consani & Zangheri, 1952: 39; Ceballos, 1956: 296; Brown, 1960a: 168, 197; Collingwood & Yarrow, 1969: 55; Baroni Urbani, 1971c: 9; Aktaş, 1977: 118; Collingwood, 1978: 74 (in key); Baroni Urbani, 1978a: 42 (redescription); Schembri &

Collingwood, 1981: 420; Agosti & Collingwood, 1987a: 53; Agosti & Collingwood, 1987b: 264 (in key); Kugler, J. 1988: 256; Dlussky, Soyunov & Zabelin, 1990: 174; Tinaut, 1990d: 190; Atanassov & Dlussky, 1992: 61; Mei, 1992a: 412; Bolton, 1995b: 61; Poldi, *et al.* 1995: 2; Bračko, 2006: 134; Cagniant, 2006a: 195; Petrov, 2006: 83 (in key); Vonshak, *et al.* 2009: 38; Lapeva-Gjonova, *et al.* 2010: 4; Legakis, 2011: 3; Borowiec, L. & Salata, 2012: 536; Kiran & Karaman, 2012: 3; Borowiec, L. & Salata, 2013: 365; Borowiec, L. 2014: 161; Lebas, *et al.* 2016: 106; Borowiec, L. & Salata, 2018: 7; Salata & Borowiec, 2018c: 48.

**Senior synonym of *gheorghieffii*:** Emery, 1915a: 255, Emery, 1916b: 100; Brown, 1960a: 168, 197; Baroni Urbani, 1978a: 42; Bolton, 1995b: 61.

**Senior synonym of *gracilicornis*:** Brown, 1960a: 168, 197; Baroni Urbani, 1978a: 42; Bolton, 1995b: 61.

**\**electrinum*.** \**Amblyopone electrina* Dlussky, 2009: 1047, figs. 2c,d (m.) BALTIC AMBER (Eocene).

Combination in *Stigmatomma*: Yoshimura & Fisher, 2012a: 19.

**Status as species:** Dlussky & Rasnitsyn, 2009: 1031; Perkovsky, 2016: 115.

*elongata* Santschi, 1912; see under **FULAKORA**.

***emeryi*.** *Amblyopone emeryi* Saunders, E. 1890: 203, fig. (w.) MOROCCO.

Emery, 1915a: 254 (m.).

Combination in *Amblyopone*: Brown, 1960a: 168;

combination in *Stigmatomma*: Emery, in Dalla Torre, 1893: 14; Yoshimura & Fisher, 2012a: 19.

**Status as species:** Dalla Torre, 1893: 14; Emery, 1909c: 358; Emery, 1911d: 24; Santschi, 1914a: 430; Santschi, 1915a: 55 (in key); Emery, 1915a: 254; Brown, 1960a: 168; Baroni Urbani, 1978a: 46 (redescription); Tinaut, 1990d: 190; Bolton, 1995b: 62; Cagniant, 2006a: 195; Borowiec, L. 2014: 162; Lebas, *et al.* 2016: 106.

***eminia*.** *Amblyopone eminia* Zhou, 2001b: 23, 225, figs. 4, 5 (w.) CHINA (Guangxi).

Combination in *Stigmatomma*: Yoshimura & Fisher, 2012a: 19.

**Status as species:** Xu, 2006: 152 (in key); Zhou & Ran, 2010: 102; Guénard & Dunn, 2012: 23; Xu & Chu, 2012: 1179 (in key).

***feae*.** *Stigmatomma feae* Emery, 1895k: 454 (w.) MYANMAR.

Combination in *Amblyopone (Stigmatomma)*: Forel, 1900c: 56;

combination in *Stigmatomma*: Emery, 1911d: 24; Yoshimura & Fisher, 2012a: 19.

**Status as species:** Forel, 1900c: 56; Bingham, 1903: 38; Emery, 1911d: 24; Chapman & Capco, 1951: 25; Brown, 1960a: 168; Bolton, 1995b: 62; Xu, 2001d: 552 (in key); Xu & Chu, 2012: 1181 (in key).

***fulvidum*.** *Amblyopone fulvida* Terayama, 1987: 31, figs. 1-5 (w.) JAPAN.

Combination in *Stigmatomma*: Yoshimura & Fisher, 2012a: 19;

combination in *Bannapone*: Eguchi, *et al.* 2015: 82;

combination in *Stigmatomma*: Ward & Fisher, 2016: 691.

**Status as species:** Morisita, *et al.* 1989: 11; Bolton, 1995b: 62; Xu, 2001d: 552 (in key); Imai, *et al.* 2003: 219; Xu & Chu, 2012: 1177 (in key); Eguchi, *et al.* 2015: 85 (in key).

***gaetulicum*.** *Amblyopone gaetulica* Baroni Urbani, 1978a: 47, figs. 6, 12 (w.) MOROCCO.

Combination in *Stigmatomma*: Yoshimura & Fisher, 2012a: 19.

**Status as species:** Tinaut, 1990d: 190; Bolton, 1995b: 62; Cagniant, 2006a: 195; Borowiec, L. 2014: 162; Lebas, *et al.* 2016: 106.

- gheorghieffii*. *Amblyopone gheorghieffii* Forel, 1892i: 309 (m.) BULGARIA.  
 Combination in *Stigmatomma*: Emery, in Dalla Torre, 1893: 14.  
 Status as species: Dalla Torre, 1893: 14; Emery, 1909c: 358; Emery, 1911d: 24.  
 Junior synonym of *denticulatum*: Emery, 1915a: 255, Emery, 1916b: 100; Brown, 1960a: 168, 197; Baroni Urbani, 1978a: 42; Bolton, 1995b: 62.
- gracilicornis*. *Stigmatomma denticulatum* var. *gracilicornis* Menozzi, 1936d: 268 (w.) GREECE (Rhodes I.).  
 Junior synonym of *denticulatum*: Brown, 1960a: 168, 197; Baroni Urbani, 1978a: 42; Bolton, 1995b: 62.
- \*groehni**. \**Amblyopone groehni* Dlussky, 2009: 1046, figs. 2a,b (w.) BALTIC AMBER (Eocene).  
 Combination in *Stigmatomma*: Yoshimura & Fisher, 2012a: 19.  
**Status as species**: Dlussky & Rasnitsyn, 2009: 1031; Perkovsky, 2016: 115.
- impressifrons**. *Stigmatomma impressifrons* Emery, 1869b: 13, pl. 1, fig. 8 (w.q.) ITALY.  
 Emery, 1915a: 254 (m.).  
 Combination in *Amblyopone*: Emery & Forel, 1879: 455;  
 combination in *Stigmatomma*: Emery, in Dalla Torre, 1893: 14; Emery, 1909c: 357; Yoshimura & Fisher, 2012a: 19.  
**Status as species**: Emery, 1875a: 74; Emery, 1875b: 472; Emery, 1878b: 50; Emery & Forel, 1879: 455; André, 1882c: 234 (in key); Forel, 1886e: clxvii; Dalla Torre, 1893: 14; Emery, 1895b: 59; Emery, 1909c: 357; Emery, 1911d: 24; Santschi, 1915a: 55 (in key); Emery, 1915a: 254; Emery, 1916b: 101 (in key); Bondroit, 1918: 80; Müller, 1923b: 24 (in key); Kutter, 1927: 98; Grandi, 1935: 98; Brown, 1960a: 168; Baroni Urbani, 1971c: 10; Baroni Urbani, 1978a: 44 (redescription); Agosti & Collingwood, 1987a: 53; Agosti & Collingwood, 1987b: 264 (in key); Tinaut, 1990d: 192; Mei, 1992a: 412; Atanassov & Dlussky, 1992: 62; Bolton, 1995b: 62; Poldi, *et al.* 1995: 2; Petrov, 2006: 83 (in key); Lapeva-Gjonova, *et al.* 2010: 5; Legakis, 2011: 3; Borowiec, L. & Salata, 2012: 536; Borowiec, L. 2014: 162; Lebas, *et al.* 2016: 106; Salata & Borowiec, 2018c: 48.
- irayhady**. *Stigmatomma irayhady* Esteves & Fisher, 2016: 54, figs. 35-42 (w.q.) MADAGASCAR.
- janovitsika**. *Stigmatomma janovitsika* Esteves & Fisher, 2016: 66, figs. 44-58 (w.q.m.) MADAGASCAR.
- juergi*. *Stigmatomma bruni* r. *juergi* Forel, 1922: 87 (w.) TAIWAN.  
 Subspecies of *bruni*: Wheeler, W.M. 1929g: 58; Chapman & Capco, 1951: 25.  
 Junior synonym of *bruni*: Brown, 1960a: 168; Bolton, 1995b: 62; Terayama, 2009: 93.
- kangba**. *Amblyopone kangba* Xu & Chu, 2012: 1187, figs. 13-15 (w.) CHINA (Tibet, Yunnan).  
 Combination in *Stigmatomma*: Yoshimura & Fisher, 2014: 15 (in text).
- liebe**. *Stigmatomma liebe* Esteves & Fisher, 2016: 83, figs. 59-72 (w.q.m.) MADAGASCAR.
- luyiae**. *Stigmatomma luyiae* Hsu, F. *et al.* 2017: 83, figs. 1-4, 8B (w.) TAIWAN.
- luzonicum**. *Stigmatomma (Fulakora) luzonicum* Wheeler, W.M. & Chapman, 1925: 56, pl. 1, fig. 18 (q.) PHILIPPINES (Luzon I.).  
 Combination in *Amblyopone*: Brown, 1960a: 168;  
 combination in *Stigmatomma*: Yoshimura & Fisher, 2012a: 19.  
**Status as species**: Chapman & Capco, 1951: 24; Brown, 1960a: 168, 196; Baltazar, 1966: 234; Bolton, 1995b: 62; Xu & Chu, 2012: 1186 (in key).  
**Senior synonym of williamsi**: Brown, 1960a: 168, 196; Bolton, 1995b: 62.

- meilianum.** *Amblyopone meiliana* Xu & Chu, 2012: 1190, figs. 33-35 (w.) CHINA (Yunnan).  
Combination in *Stigmatomma*: Yoshimura & Fisher, 2014: 15 (in text).
- minor* Santschi, 1922; see under **FULAKORA**.
- minutum.** *Stigmatomma minuta* Forel, 1913k: 4 (w.) INDONESIA (Sumatra).  
Combination in *Stigmatomma (Fulakora)*: Mann, 1919: 279;  
combination in *Amblyopone*: Brown, 1960a: 168;  
combination in *Stigmatomma*: Yoshimura & Fisher, 2012a: 19.  
**Status as species:** Chapman & Capco, 1951: 24; Brown, 1960a: 168, 196; Bolton, 1995b: 62; Xu & Chu, 2012: 1183 (in key); Bharti, Guénard, *et al.* 2016: 18.
- montigena.* *Stigmatomma pallipes* subsp. *montigena* Creighton, 1940b: 7, figs. 6, 8 (w.q.) U.S.A. (North Carolina).  
Subspecies of *pallipes*: Creighton, 1950a: 33; Smith, M.R. 1951a: 782.  
Junior synonym of *pallipes*: Brown, 1949c: 84; Brown, 1960a: 169; Smith, M.R. 1967: 346; Smith, D.R. 1979: 1335; Bolton, 1995b: 62.
- mulanae.** *Bannapone mulanae* Xu, 2000b: 301, figs. 10-12 (q.) CHINA (Yunnan).  
Combination in *Stigmatomma*: Ward & Fisher, 2016: 691.  
**Status as species:** Zhou & Ran, 2010: 102; Guénard & Dunn, 2012: 23 Guénard, *et al.* 2013: 373; Eguchi, *et al.* 2015: 85 (in key); Hsu, F. *et al.* 2017: 91 (in key).
- muticum* Santschi, 1914; see under **XYMMER**.
- noonadan.** *Amblyopone noonadan* Taylor, 1965a: 6, figs. 3, 4 (w.) NEW GUINEA (Papua New Guinea: New Britain I.).  
Taylor, 1979: 826 (m.).  
Combination in *Stigmatomma*: Yoshimura & Fisher, 2012a: 19.  
**Status as species:** Taylor, 1979: 824 (redescription); Bolton, 1995b: 62; Xu & Chu, 2012: 1182 (in key).
- normandi.** *Stigmatomma normandi* Santschi, 1915a: 54, fig. 1 (w.) TUNISIA.  
Combination in *Amblyopone*: Brown, 1960a: 169;  
combination in *Stigmatomma*: Yoshimura & Fisher, 2012a: 19.  
**Status as species:** Brown, 1960a: 168; Baroni Urbani, 1978a: 45 (redescription); Kugler, J. 1988: 256; Bolton, 1995b: 62; Vonshak, *et al.* 2009: 38; Borowiec, L. 2014: 162.
- octodentatum.** *Amblyopone octodentata* Xu, 2006: 152, figs. 1-7 (w.q.) CHINA (Yunnan).  
Combination in *Stigmatomma*: Yoshimura & Fisher, 2012a: 19.  
**Status as species:** Zhou & Ran, 2010: 102; Guénard & Dunn, 2012: 23; Xu & Chu, 2012: 1186 (in key), 1194.
- ophthalmicum.** *Amblyopone ophthalmica* Baroni Urbani, 1978a: 44, figs. 3, 9 (w.) ISRAEL.  
Combination in *Stigmatomma*: Yoshimura & Fisher, 2012a: 19.  
**Status as species:** Kugler, J. 1988: 256; Bolton, 1995b: 62; Vonshak, *et al.* 2009: 38; Xu & Chu, 2012: 1184 (in key); Borowiec, L. 2014: 162.
- oregonense.** *Stigmatomma pallipes* subsp. *oregonense* Wheeler, W.M. 1915b: 389 (w.q.) U.S.A. (Oregon, Washington).  
[*Stigmatomma pallipes* subsp. *oregonense* Wheeler, W.M. 1910g: 561. *Nomen nudum.*]  
Combination in *Amblyopone*: Brown, 1960a: 169;  
combination in *Stigmatomma*: Yoshimura & Fisher, 2012a: 19.  
**Subspecies of pallipes:** Essig, 1926: 869; Creighton, 1940b: 7; Creighton, 1950a: 34; Smith, M.R. 1951a: 782.



**Status as species:** Brown, 1960a: 169, 183, 192 (in key); Smith, M.R. 1967: 346; Smith, D.R. 1979: 1335; Wheeler, G.C. & Wheeler, J. 1986g: 17 (in key); Ward, 1988: 105; Lattke, 1991c: 6 (in key); Bolton, 1995b: 62; Lacau & Delabie, 2002: 40 (in key); Ward, 2005: 25.

*pallidipes*, misspelling, see under *pallipes*.

*pallipes*. *Typhlopone pallipes* Haldeman, 1844: 54 (w.) U.S.A. (no state data).

[Unjustified emendation of spelling to *pallidipes*: Dalla Torre, 1893: 14; Santschi, 1914a: 429.]

Emery, 1895c: 261 (q.m.); Wheeler, W.M. 1900c: 61 (l.); Wheeler, G.C. & Wheeler, J. 1952a: 114 (l.).

Combination in *Amblyopone*: Haldeman, 1849a: 201 (footnote); Cresson, 1887: 259; Brown, 1960a: 169;

combination in *Stigmatomma (Amblyopone)*: Wheeler, W.M. 1900c: 56;

combination in *Stigmatomma*: Roger, 1863b: 20; Emery, in Dalla Torre, 1893: 14; Yoshimura & Fisher, 2012a: 19.

**Status as species:** Roger, 1863b: 20; Mayr, 1863: 457; Mayr, 1886d: 439; Cresson, 1887: 259; Dalla Torre, 1893: 14; Emery, 1895c: 261; Wheeler, W.M. 1900c: 56; Wheeler, W.M. 1904e: 299; Wheeler, W.M. 1905f: 374; Wheeler, W.M. 1906b: 1; Wheeler, W.M. 1908e: 399; Wheeler, W.M. 1910g: 561; Emery, 1911d: 24; Wheeler, W.M. 1913c: 112; Wheeler, W.M. 1917i: 460; Smith, M.R. 1928b: 243; Smith, M.R. 1930a: 2; Wheeler, W.M. 1932a: 2; Dennis, 1938: 275; Wesson, L.G. & Wesson, R.G. 1940: 90; Creighton, 1940b: 3 (redescription); Brown, 1949c: 84; Creighton, 1950a: 33; Smith, M.R. 1951a: 783; Cole, 1953c: 84; Smith, M.R. 1958c: 110; Whelden, 1958: 1; Brown, 1960a: 169, 183, 192 (in key); Carter, 1962a: 6 (in list); Francoeur & Béique, 1966: 141; Smith, M.R. 1967: 346; Hunt & Snelling, 1975: 20; Francoeur, 1977b: 206; Francoeur, 1979: 34 (redescription); Smith, D.R. 1979: 1335; Traniello, 1982: 65; Wheeler, G.C. & Wheeler, J. 1986g: 17; DuBois & LaBerge, 1988: 135; Ward, 1988: 105; Deyrup, *et al.* 1989: 92; Lattke, 1991c: 6 (in key); Wheeler, G.C., *et al.* 1994: 302; Bolton, 1995b: 62; Lacau & Delabie, 2002: 40 (in key); Mackay & Mackay, 2002: 31; Deyrup, 2003: 44; Coover, 2005: 23; MacGown & Forster, 2005: 67; Ward, 2005: 25; Ellison, *et al.* 2012: 89; Deyrup, 2017: 13.

**Senior synonym of *arizonense*:** Creighton, 1940b: 3; Creighton, 1950a: 33; Smith, M.R. 1951a: 783; Brown, 1960a: 169; Smith, D.R. 1979: 1335; Bolton, 1995b: 62.

**Senior synonym of *binodosus*:** Emery, 1895c: 261; Wheeler, W.M. 1908e: 400; Emery, 1911d: 24; Wheeler, W.M. 1911f: 159; Creighton, 1940b: 3; Creighton, 1950a: 33; Smith, M.R. 1951a: 783; Brown, 1960a: 169; Francoeur & Béique, 1966: 141; Smith, D.R. 1979: 1335; Bolton, 1995b: 62.

**Senior synonym of *montigena*:** Brown, 1949c: 84; Brown, 1960a: 169; Smith, M.R. 1967: 346; Smith, D.R. 1979: 1335; Bolton, 1995b: 62.

**Senior synonym of *serratum*:** Mayr, 1886d: 439; Emery, 1895c: 261; Emery, 1911d: 24; Creighton, 1950a: 33; Smith, M.R. 1951a: 783; Brown, 1960a: 169; Smith, D.R. 1979: 1335; Bolton, 1995b: 62.

**Senior synonym of *subterranea*:** Brown, 1960a: 169; Smith, M.R. 1967: 346; Smith, D.R. 1979: 1335; Bolton, 1995b: 62.

**Senior synonym of *wheeleri*:** Creighton, 1940b: 3; Creighton, 1950a: 33; Smith, M.R. 1951a: 783; Brown, 1960a: 169; Smith, D.R. 1979: 1335; Bolton, 1995b: 62.

*paranense* Santschi, 1925; see under **FULAKORA**.

**pertinax**. *Amblyopone pertinax* Baroni Urbani, 1978a: 48, figs. 13, 14 (w.) INDIA (West Bengal).

Combination in *Stigmatomma*: Yoshimura & Fisher, 2012a: 19;

combination in *Bannapone*: Eguchi, *et al.* 2015: 84;

combination in *Stigmatomma*: Ward & Fisher, 2016: 691.

**Status as species**: Bolton, 1995b: 62; Xu, 2001d: 552 (in key); Bharti & Wachkoo, 2011: 590 (in key); Xu & Chu, 2012: 1177 (in key); Eguchi, *et al.* 2015: 85 (in key); Bharti, Guénard, *et al.* 2016: 18; Hsu, F. *et al.* 2017: 91 (in key).

**pluto**. *Amblyopone pluto* Gotwald & Lévieux, 1972: 384, figs. 1-26 (w.q.m.) IVORY COAST.

Combination in *Stigmatomma*: Yoshimura & Fisher, 2012a: 19.

**Status as species**: Bolton, 1995b: 62.

**quadratum**. *Stigmatomma quadratum* Karavaiev, 1935a: 58 (w.) VIETNAM.

Combination in *Amblyopone*: Brown, 1960a: 169;

combination in *Stigmatomma*: Yoshimura & Fisher, 2012a: 19.

**Status as species**: Chapman & Capco, 1951: 25; Brown, 1960a: 169; Bolton, 1995b: 62; Xu, 2001d: 552 (in key); Xu & Chu, 2012: 1181 (in key).

**reclinatum**. *Amblyopone reclinata* Mayr, 1879: 667 (w.) INDONESIA (Java).

Stitz, 1925: 110 (m.); Imai, *et al.* 1984: 67 (k.).

Combination in *Stigmatomma*: Emery, in Dalla Torre, 1893: 14;

combination in *Amblyopone*: Brown, 1960a: 169, 193;

combination in *Stigmatomma*: Yoshimura & Fisher, 2012a: 19.

**Status as species**: Dalla Torre, 1893: 14; Forel, 1905c: 3; Emery, 1911d: 24; Forel, 1913k: 4; Stitz, 1925: 110; Karavaiev, 1925a: 75; Chapman & Capco, 1951: 25; Brown, 1960a: 169; Baltazar, 1966: 234; Bolton, 1995b: 62; Jaitrong & Nabhitabhata, 2005: 12; Xu & Chu, 2012: 1179 (in key).

**roahady**. *Stigmatomma roahady* Esteves & Fisher, 2016: 103, figs. 73-87 (w.q.m.) MADAGASCAR.

**rothneyi**. *Amblyopone (Stigmatomma) rothneyi* Forel, 1900c: 56 (w.) INDIA (West Bengal).

Combination in *Stigmatomma*: Bingham, 1903: 37;

combination in *Amblyopone*: Brown, 1960a: 169;

combination in *Stigmatomma*: Yoshimura & Fisher, 2012a: 19.

**Status as species**: Rothney, 1903: 97; Bingham, 1903: 37; Emery, 1911d: 25; Wheeler, W.M. & Chapman, 1925: 55; Wheeler, W.M. 1928c: 4; Wheeler, W.M. 1930h: 58; Chapman & Capco, 1951: 25; Brown, 1960a: 169, 193; Baltazar, 1966: 234; Bolton, 1995b: 62; Xu, 2001d: 552 (in key); Xu, 2006: 152 (in key); Zhou & Ran, 2010: 102; Bharti & Wachkoo, 2011: 590 (in key); Guénard & Dunn, 2012: 23; Xu & Chu, 2012: 1182 (in key); Yoshimura & Fisher, 2012a: 19; Bharti, Guénard, *et al.* 2016: 18.

**rubiginoum**. *Amblyopone rubiginous* Wu, J. & Wang, 1992: 1303, fig. 4567 (w.) CHINA (Hunan).

Combination in *Stigmatomma*: Yoshimura & Fisher, 2012a: 19.

**Status as species**: Bolton, 1995b: 62; Wu, J. & Wang, 1995: 33; Xu, 2001d: 552 (in key); Xu, 2006: 152 (in key); Zhou & Ran, 2010: 102; Guénard & Dunn, 2012: 23; Xu & Chu, 2012: 1179 (in key).

**sakaii**. *Amblyopone sakaii* Terayama, 1989b: 344, figs. 1, 2 (w.) TAIWAN.

Combination in *Stigmatomma*: Yoshimura & Fisher, 2012a: 19.

- Status as species:** Bolton, 1995b: 62; Onoyama, 1999: 161; Xu, 2001d: 552 (in key); Imai, *et al.* 2003: 219; Lin & Wu, 2003: 67; Xu, 2006: 152 (in key); Terayama, 2009: 93; Zhou & Ran, 2010: 102; Xu & Chu, 2012: 1177 (in key); Bharti & Rilta, 2015b: 510 (in key); Hsu, F. *et al.* 2017: 90 (in key).
- sakalava.** *Stigmatomma sakalava* Esteves & Fisher, 2016: 159, figs. 88-100 (w.) MADAGASCAR.
- santschii.** *Stigmatomma santschii* Menozzi, 1922a: 347 (w.) SENEGAL.  
Combination in *Amblyopone*: Brown, 1960a: 169;  
combination in *Stigmatomma*: Yoshimura & Fisher, 2012a: 19.  
**Status as species:** Brown, 1960a: 169; Bolton, 1995b: 63.
- scrobiceps.** *Bannapone scrobiceps* Guénard, *et al.* 2013: 373, figs. 2-4 (w.) CHINA (Yunnan).  
Combination in *Stigmatomma*: Ward & Fisher, 2016: 691.  
**Status as species:** Eguchi, *et al.* 2015: 85 (in key); Liu, C., Guénard, *et al.* 2015: 30; Hsu, F. *et al.* 2017: 91 (in key).
- serratum.** *Stigmatomma serratum* Roger, 1859: 251 (w.) U.S.A. (Maryland).  
Status as species: Roger, 1861a: 53; Roger, 1863b: 20; Mayr, 1863: 454.  
Junior synonym of *pallipes*: Mayr, 1886d: 439; Emery, 1895c: 261; Emery, 1911d: 24; Creighton, 1950a: 33; Smith, M.R. 1951a: 783; Brown, 1960a: 169; Smith, D.R. 1979: 1335; Bolton, 1995b: 63.
- silvestrii.** *Stigmatomma silvestrii* Wheeler, W.M. 1928d: 97 (w.) JAPAN.  
Ogata, 1987: 103 (m.); Terayama, 1989b: 345 (q.); Masuko, 1990b: 221 (l.).  
Combination in *Amblyopone*: Brown, 1960a: 169, 197;  
combination in *Stigmatomma*: Yoshimura & Fisher, 2012a: 19.  
**Status as species:** Azuma, 1951: 86; Chapman & Capco, 1951: 25; Azuma, 1953: 1; Brown, 1960a: 169; Azuma, 1977: 112; Onoyama, 1980: 196; Morisita, *et al.* 1989: 11; Terayama, 1989b: 345; Masuko, 1990b: 221; Masuko, 1993: 35; Tang, J., Li, *et al.* 1995: 24; Bolton, 1995b: 63; Kim, Kim & Kim, 1998: 146; Xu, 2001d: 552 (in key); Imai, *et al.* 2003: 219; Lin & Wu, 2003: 67; Xu, 2006: 152 (in key); Terayama, 2009: 93; Zhou & Ran, 2010: 102; Guénard & Dunn, 2012: 24; Xu & Chu, 2012: 1186 (in key).
- subterranea.** *Stigmatomma pallipes* subsp. *subterranea* Creighton, 1940b: 8, fig. 4 (w.) U.S.A. (Kansas).  
Status as species: Brown, 1949c: 85.  
Subspecies of *pallipes*: Buren, 1944a: 279; Creighton, 1950a: 34; Smith, M.R. 1951a: 783; Smith, M.R. 1958c: 110.  
Junior synonym of *pallipes*: Brown, 1960a: 169; Smith, M.R. 1967: 346; Smith, D.R. 1979: 1335; Bolton, 1995b: 63.
- testaceum.** *Amblyopone? testacea* Motschoulsky, 1863: 15 (q.) SRI LANKA. *Nomen dubium*.  
[Note: not conspecific nor congeneric with *Cryptopone testacea* Emery, 1893a: cclxxv; discussed by Wilson, 1958d: 360; noted under genus *Cryptopone*, and *Cryptopone testacea*.]  
Forel, 1900d: 328 (w.).  
Combination in *Cryptopone*: Chapman & Capco, 1951: 53 (miscombination);  
combination in *Pachycondyla*: Kugler, J. 1988: 256 (miscombination);  
combination in *Stigmatomma*: Yoshimura & Fisher, 2012a: 19.  
**Status as species:** Smith, F. 1871a: 324; Dalla Torre, 1893: 13; Forel, 1900d: 328; Forel, 1907a: 2; Wheeler, W.M. 1933g: 6; Wilson, 1958d: 360 (*nomen dubium*); Bolton, 1995b: 63.



- trigonignathum.** *Amblyopone (Stigmatomma) trigonignatha* Brown, 1949c: 81, fig. 1 (w.) U.S.A. (North Carolina).  
Combination in *Stigmatomma*: Yoshimura & Fisher, 2012a: 19.  
**Status as species:** Smith, M.R. 1958c: 110; Brown, 1960a: 169, 185, 192 (in key); Smith, D.R. 1979: 1335; Lattke, 1991c: 6 (in key); Bolton, 1995b: 63; Lacau & Delabie, 2002: 40 (in key).
- trilobum.** *Amblyopone triloba* Xu, 2001d: 552, figs. 11-13 (w.) CHINA (Yunnan).  
Combination in *Stigmatomma*: Yoshimura & Fisher, 2012a: 19.  
**Status as species:** Xu, 2006: 152 (in key); Zhou & Ran, 2010: 102; Guénard & Dunn, 2012: 24; Xu & Chu, 2012: 1182 (in key).
- tsyhady.** *Stigmatomma tsyhady* Esteves & Fisher, 2016: 174, figs. 101-114 (w.q.m.) MADAGASCAR.
- wheeleri.** *Stigmatomma pallidipes* [sic] var. *wheeleri* Santschi, 1914a: 429 (w.q.m.) U.S.A. (Connecticut).  
Subspecies of *pallipes*: Wheeler, W.M. 1916m: 581.  
Junior synonym of *pallipes*: Creighton, 1940b: 3; Creighton, 1950a: 33; Smith, M.R. 1951a: 783; Brown, 1960a: 169; Smith, D.R. 1979: 1335; Bolton, 1995b: 63.
- williamsi.** *Stigmatomma (Fulakora) williamsi* Wheeler, W.M. & Chapman, 1925: 56, pl. 1, fig. 19 (w.q.) PHILIPPINES (Luzon I.).  
Status as species: Chapman & Capco, 1951: 24; Baltazar, 1966: 234.  
Junior synonym of *luzonicum*: Brown, 1960a: 168, 196; Bolton, 1995b: 63; Bolton, 1995b: 63.
- xui.** *Stigmatomma xui* Bharti & Rilta, 2015b: 507, figs. 1-3 (w.) INDIA (Sikkim).  
**Status as species:** Bharti, Guénard, *et al.* 2016: 18; Hsu, F. *et al.* 2017: 90 (in key).
- zaojun.** *Amblyopone zaojun* Terayama, 2009: 94, figs. 10, 11 (w.) TAIWAN.  
Combination in *Stigmatomma*: Yoshimura & Fisher, 2012a: 19.  
**Status as species:** Zhou & Ran, 2010: 102; Xu & Chu, 2012: 1186 (in key).
- zoma.** *Amblyopone zoma* Xu & Chu, 2012: 1189, figs. 28-30 (w.) CHINA (Tibet).  
Combination in *Stigmatomma*: Yoshimura & Fisher, 2014: 15 (in text).
- zwaluwenburgi.** *Stigmatomma (Fulakora) zwaluwenburgi* Williams, F.X. 1946: 639 (w.) HAWAII.  
Combination in *Amblyopone*: Brown, 1960a: 169;  
combination in *Stigmatomma*: Yoshimura & Fisher, 2012a: 19;  
combination in *Bannapone*: Eguchi, *et al.* 2015: 84;  
combination in *Stigmatomma*: Ward & Fisher, 2016: 691.  
**Status as species:** Brown, 1960a: 169, 213; Wilson & Taylor, 1967: 19; Bolton, 1995b: 63; Onoyama, 1999: 158 (redescription); Framenau & Thomas, 2008: 57; Sarnat & Economo, 2012: 22; Eguchi, *et al.* 2015: 85 (in key).