

## **PARAPARATRECHINA**

**albipes.** *Prenolepis albipes* Emery, 1899e: 497 (w.) CAMEROON.

LaPolla, Cheng & Fisher, 2010: 6 (q.m.).

Combination in *Prenolepis (Nylanderia)*: Emery, 1914f: 422;

combination in *Paratrechina (Nylanderia)*: Emery, 1925b: 218;

combination in *Paraparatrechina*: LaPolla, Brady & Shattuck, 2010a: 128.

**Status as species:** Wheeler, W.M. 1922a: 941; Emery, 1925b: 218; Menozzi, 1942: 178; Weber, 1943c: 340; Eidmann, 1944: 469; Bolton, 1995b: 312; LaPolla, Cheng & Fisher, 2010: 4 (redescription); LaPolla & Fisher, 2014a: 142 (in key).

**aseta.** *Prenolepis aseta* Forel, 1902d: 292 (w.) INDIA (West Bengal).

Combination in *Prenolepis (Nylanderia)*: Emery, 1914f: 422;

combination in *Paratrechina (Nylanderia)*: Emery, 1925b: 219;

combination in *Nylanderia*: Chapman & Capco, 1951: 214; LaPolla, Brady & Shattuck, 2010a: 127;

combination in *Paraparatrechina*: Bharti & Wachkoo, 2014c: 97.

**Status as species:** Forel, 1903a: 712; Bingham, 1903: 332; Forel, 1906b: 86; Emery, 1925b: 219; Menozzi, 1939a: 342; Chapman & Capco, 1951: 214; Bolton, 1995b: 312; Zhou, 2001b: 180; Guénard & Dunn, 2012: 34; Bharti & Wachkoo, 2014c: 97 (redescription); Bharti, Guénard, *et al.* 2016: 29.

**atomus.** *Prenolepis minutula* r. *atomus* Forel, 1901b: 25 (w.) NEW GUINEA (Papua New Guinea: Bismarck Archipelago).

Viehmeyer, 1916a: 148 (q.m.).

Combination in *Prenolepis (Nylanderia)*: Viehmeyer, 1916a: 148;

combination in *Paratrechina (Nylanderia)*: Emery, 1925b: 221;

combination in *Nylanderia*: Wheeler, W.M. 1935g: 49.

Subspecies of *minutula*: Dahl, 1901: 14; Viehmeyer, 1916a: 148; Mann, 1919: 366; Emery, 1925b: 221; Santschi, 1928a: 56; Wheeler, W.M. 1935g: 49.

Status as species: Donisthorpe, 1941a: 143; Donisthorpe, 1941c: 143.

Junior synonym of *minutula*: Wilson & Taylor, 1967: 89; Bolton, 1995b: 312.

**bayonii.** *Pseudolasius bayonii* Menozzi, 1924b: 224, figs. 5, 6 (s.) UGANDA (Sesse I.).

Status as species: Menozzi, 1933a: 114; Brown, 1957h: 146; Bolton, 1995b: 369.

Junior synonym of *weissi*: LaPolla, 2004b: 102; LaPolla, Cheng & Fisher, 2010: 3; LaPolla & Fisher, 2014a: 150.

**brunnella.** *Paraparatrechina brunnella* LaPolla & Cheng, in LaPolla, Cheng & Fisher, 2010: 7, figs. 3, 16, 17 (w.) CAMEROON, GABON, GHANA, KENYA.

**Status as species:** Hita Garcia, *et al.* 2013: 207; LaPolla & Fisher, 2014a: 142 (in key).

**bryanti.** *Prenolepis (Nylanderia) butteli* r. *bryanti* Forel 1916: 439 (w.) BORNEO (East Malaysia: Sarawak).

Combination in *Paratrechina (Nylanderia)*: Emery, 1925b: 220;

combination in *Nylanderia*: Chapman & Capco, 1951: 215;

combination in *Paraparatrechina*: LaPolla, Brady & Shattuck, 2010a: 128.

**Subspecies of butteli:** Wheeler, W.M. 1919e: 104 (redescription); Emery, 1925b: 220; Chapman & Capco, 1951: 215; Bolton, 1995b: 312; Pfeiffer, *et al.* 2011: 40.

**bucculentus.** *Pseudolasius bucculentus* Wheeler, W.M. 1922a: 222, fig. 56 (s.w.m.) DEMOCRATIC REPUBLIC OF CONGO.

Status as species: Menozzi, 1924b: 226 (in key); Emery, 1925b: 216; Bolton, 1995b: 370.

Junior synonym of *weissi*: LaPolla, 2004b: 101; LaPolla, Cheng & Fisher, 2010: 3.  
Junior synonym of *sordida*: LaPolla & Fisher, 2014a: 150.

**bufona**. *Pseudolasius bufonum* Wheeler, W.M. 1922a: 220, fig. 55 (s.w.q.m.) DEMOCRATIC REPUBLIC OF CONGO.

Combination in *Paraparatrechina*: LaPolla, Brady & Shattuck, 2010a: 128.

**Status as species**: Menozzi, 1924b: 226 (in key); Emery, 1925b: 216; Bolton, 1995b: 370; LaPolla, 2004b: 98 (redescription); LaPolla, Cheng & Fisher, 2010: 3 (in key); LaPolla & Fisher, 2014a: 141 (in key).

**butteli**. *Prenolepis (Nylanderia) butteli* Forel, 1913k: 103 (w.) INDONESIA (Sumatra).

Combination in *Paratrechina (Nylanderia)*: Emery, 1925b: 220;

combination in *Nylanderia*: Chapman & Capco, 1951: 215;

combination in *Paraparatrechina*: LaPolla, Brady & Shattuck, 2010a: 128.

**Status as species**: Forel, 1915a: 34; Wheeler, W.M. 1919e: 104; Emery, 1925b: 220; Chapman & Capco, 1951: 215; Bolton, 1995b: 313; Pfeiffer, *et al.* 2011: 40.

Current subspecies: nominal plus *bryanti*, *malaccana*.

**buxtoni**. *Paratrechina (Nylanderia) minutula* var. *buxtoni* Santschi, 1928e: 479 (w.) VANUATU.

Combination in *Paraparatrechina*: LaPolla, Brady & Shattuck, 2010a: 128.

**Subspecies of minutula**: Bolton, 1995b: 313.

**caledonica**. *Prenolepis caledonica* Forel, 1902h: 491 (w.) NEW CALEDONIA.

Emery, 1914f: 422 (m.).

Combination in *Prenolepis (Nylanderia)*: Emery, 1914f: 421;

combination in *Paratrechina (Nylanderia)*: Emery, 1925b: 221;

combination in *Nylanderia*: Wheeler, W.M. 1935g: 49;

combination in *Paraparatrechina*: LaPolla, Brady & Shattuck, 2010a: 128.

**Status as species**: Emery, 1914f: 421; Emery, 1925b: 221; Wheeler, W.M. 1935g: 49; Taylor, 1987a: 52; Bolton, 1995b: 313.

**concinnata**. *Paraparatrechina concinnata* LaPolla & Cheng, in LaPolla, Cheng & Fisher, 2010: 8, figs. 4, 16, 17 (w.) GABON, CAMEROON, CENTRAL AFRICAN REPUBLIC.

**Status as species**: LaPolla & Fisher, 2014a: 142 (in key).

**dichroa**. *Paratrechina (Nylanderia) dichroa* Karavaiev, 1933b: 106 (w.m.) INDONESIA (Prinsen I.).

Combination in *Nylanderia*: Wheeler, W.M. 1935g: 49;

combination in *Paraparatrechina*: LaPolla, Brady & Shattuck, 2010a: 128.

**Status as species**: Wheeler, W.M. 1935g: 49; Chapman & Capco, 1951: 215; Bolton, 1995b: 313.

**emarginata**. *Prenolepis (Nylanderia) emarginata* Forel, 1913k: 104 (w.q.m.) INDONESIA (Sumatra).

Combination in *Paratrechina (Nylanderia)*: Emery, 1925b: 220;

combination in *Nylanderia*: Chapman & Capco, 1951: 215;

combination in *Paraparatrechina*: LaPolla, Brady & Shattuck, 2010a: 128.

**Status as species**: Wheeler, W.M. 1924b: 252; Emery, 1925b: 220; Chapman & Capco, 1951: 215; Bolton, 1995b: 313.

**foreli**. *Prenolepis (Nylanderia) foreli* Emery, 1914f: 422, pl. 13, fig. 15 (w.q.m.) NEW CALEDONIA.

Combination in *Paratrechina (Nylanderia)*: Emery, 1925b: 221;

combination in *Nylanderia*: Wheeler, W.M. 1935g: 49;  
combination in *Paraparatrechina*: LaPolla, Brady & Shattuck, 2010a: 128.

**Status as species:** Emery, 1925b: 221; Wheeler, W.M. 1935g: 49; Taylor, 1987a: 52;  
Bolton, 1995b: 313.

Current subspecies: nominal plus *nigriventris*.

**glabra.** *Prenolepis glabra* Forel, 1891b: 92 (w.) MADAGASCAR.

LaPolla, Cheng & Fisher, 2010: 17 (q.m.).

Combination in *Prenolepis (Nylanderia)*: Emery, 1914f: 422;

combination in *Paratrechina (Nylanderia)*: Emery, 1925b: 219;

combination in *Paraparatrechina*: LaPolla, Brady & Shattuck, 2010a: 128.

**Status as species:** Dalla Torre, 1893: 178; Wheeler, W.M. 1922a: 1037; Emery, 1925b:  
219; Bolton, 1995b: 313; LaPolla, Cheng & Fisher, 2010: 16 (redescription); LaPolla &  
Fisher, 2014a: 141 (in key).

**gnoma.** *Paraparatrechina gnoma* LaPolla & Cheng, in LaPolla, Cheng & Fisher, 2010: 10, figs.  
5, 16, 17 (w.) GHANA, NIGERIA.

**Status as species:** LaPolla & Fisher, 2014a: 142 (in key).

**gowdeyi.** *Pseudolasius gowdeyi* Wheeler, W.M. 1922a: 223, fig. 57 (s.w.) UGANDA.

Status as species: Menozzi, 1924b: 226 (in key); Emery, 1925b: 216; Bolton, 1995b: 370.

Junior synonym of *weissi*: LaPolla, 2004b: 101; LaPolla, Cheng & Fisher, 2010: 3.

Junior synonym of *sordida*: LaPolla & Fisher, 2014a: 150.

**illusio.** *Paraparatrechina illusio* LaPolla & Fisher, 2014a: 142, figs. 1-9 (w.q.m.)  
SEYCHELLES IS (Praslin I., Conception I., Curieuse I., Silhouette I.).

**iridescens.** *Nylanderia iridescens* Donisthorpe, 1942b: 71 (w.) PHILIPPINES (Luzon I.).

Combination in *Paratrechina*: Bolton, 1995b: 314;

combination in *Paraparatrechina*: LaPolla, Brady & Shattuck, 2010a: 128.

**Status as species:** Chapman & Capco, 1951: 216; Baltazar, 1966: 267; Bolton, 1995b:  
314.

**kongming.** *Paratrechina kongming* Terayama, 2009: 212, fig. 327 (w.) TAIWAN.

Combination in *Paraparatrechina*: Williams, J.L. & LaPolla, 2016: 250.

**koningsbergeri.** *Paratrechina (Nylanderia) koningsbergeri* Karavaiev, 1933b: 108 (w.m.)  
INDONESIA (Java).

Combination in *Nylanderia*: Chapman & Capco, 1951: 216;

combination in *Paraparatrechina*: LaPolla, Brady & Shattuck, 2010a: 128.

**Status as species:** Chapman & Capco, 1951: 216; Bolton, 1995b: 314.

**lecamopteridis.** *Paratrechina (Nylanderia) lecamopteridis* Donisthorpe, 1941c: 142 (w.) NEW  
GUINEA (Indonesia).

[Misspelled as *lecanopteridis* by Donisthorpe, 1943d: 474, Chapman & Capco, 1951:  
216.]

Combination in *Nylanderia*: Chapman & Capco, 1951: 216;

combination in *Paraparatrechina*: LaPolla, Brady & Shattuck, 2010a: 128.

**Status as species:** Donisthorpe, 1941h: 64; Donisthorpe, 1943d: 474; Bolton, 1995b:  
314.

**luminella.** *Paraparatrechina luminella* LaPolla & Fisher, 2014a: 146, figs. 10-15 (w.q.)  
SEYCHELLES IS (Silhouette I., Mahé I.).

**malaccana.** *Prenolepis (Nylanderia) butteli* subsp. *malaccana* Viehmeyer, 1916a: 147 (w.)  
WEST MALAYSIA.

Combination in *Paratrechina* (*Nylanderia*): Emery, 1925b: 220;  
combination in *Nylanderia*: Chapman & Capco, 1951: 215;  
combination in *Paraparatrechina*: LaPolla, Brady & Shattuck, 2010a: 128.  
As unavailable (infrasubspecific) name: Viehmeyer, 1916b: 291; Emery, 1925b: 220.  
**Subspecies of butteli**: Chapman & Capco, 1951: 215; Bolton, 1995b: 314.

**metallescens**. *Prenolepis opaca* subsp. *metallescens* Emery, 1900d: 698 (w.) INDONESIA (Java).

Combination in *Paratrechina* (*Nylanderia*): Emery, 1925b: 220;  
combination in *Nylanderia*: Chapman & Capco, 1951: 217;  
combination in *Paraparatrechina*: LaPolla, Brady & Shattuck, 2010a: 128.

**Subspecies of opaca**: Emery, 1925b: 220; Chapman & Capco, 1951: 217; Bolton, 1995b: 314.

**minutula**. *Prenolepis minutula* Forel, 1901b: 25 (footnote) (w.) AUSTRALIA (New South Wales).

Wheeler, W.M. 1927i: 150 (q.m.).

Combination in *Prenolepis* (*Nylanderia*): Emery, 1914f: 422;  
combination in *Paratrechina* (*Nylanderia*): Emery, 1925b: 221;  
combination in *Nylanderia*: Wheeler, W.M. 1935g: 49;  
combination in *Paraparatrechina*: LaPolla, Brady & Shattuck, 2010a: 128.

**Status as species**: Emery, 1914b: 180; Emery, 1925b: 221; Wheeler, W.M. 1927i: 150;  
Wheeler, W.M. 1928d: 120; Clark, 1934c: 72; Wheeler, W.M. 1935g: 49; Wilson, 1962c: 18;  
Wilson & Taylor, 1967: 89; Taylor, 1976a: 88; Taylor & Brown, 1985: 129; Taylor, 1987a: 52;  
Dlussky, 1994: 55; Bolton, 1995b: 314; Wetterer & Vargo, 2003: 416; Clouse, 2007b: 221;  
Heterick, 2009: 104; Sarnat, *et al.* 2013: 70.

**Senior synonym of atomus**: Wilson & Taylor, 1967: 89; Bolton, 1995b: 314.

Current subspecies: nominal plus *buxtoni*.

**myersi**. *Pseudolasius myersi* Weber, 1943c: 389, pl. 16, fig. 35 (w.) SOUTH SUDAN.

Status as species: Weber & Anderson, 1950: 2.

Junior synonym of *bayonii*: Brown, 1957h: 146; Bolton, 1995b: 370.

Junior synonym of *weissi*: LaPolla, 2004b: 102; LaPolla, Cheng & Fisher, 2010: 3;  
LaPolla & Fisher, 2014a: 150.

**myops**. *Paraparatrechina myops* LaPolla & Fisher, in LaPolla, Cheng & Fisher, 2010: 21, figs.  
13, 16, 17 (w.) MADAGASCAR.

**Status as species**: LaPolla & Fisher, 2014a: 141 (in key).

**nana**. *Paratrechina* (*Nylanderia*) *nana* Santschi, 1928e: 478 (w.m.) AUSTRALIA (Victoria).

Combination in *Paraparatrechina*: LaPolla, Brady & Shattuck, 2010a: 128.

**Status as species**: Taylor & Brown, 1985: 129; Taylor, 1987a: 52; Bolton, 1995b: 314.

**nettae**. *Prenolepis* (*Nylanderia*) *nettae* Forel, 1911d: 381 (w.) "Pays des Moïs".

Combination in *Paratrechina* (*Nylanderia*): Emery, 1925b: 220;

combination in *Nylanderia*: Chapman & Capco, 1951: 216;

combination in *Paraparatrechina*: LaPolla, Brady & Shattuck, 2010a: 128.

**Status as species**: Emery, 1925b: 220; Chapman & Capco, 1951: 216; Bolton, 1995b:  
314.

**nigriventris**. *Prenolepis* (*Nylanderia*) *foreli* var. *nigriventris* Emery, 1914f: 424 (w.) NEW  
CALEDONIA.

Combination in *Paratrechina* (*Nylanderia*): Emery, 1925b: 221;

combination in *Nylanderia*: Wheeler, W.M. 1935g: 49;  
combination in *Paraparatrechina*: LaPolla, Brady & Shattuck, 2010a: 128.

**Subspecies of foreli:** Emery, 1925b: 221; Wheeler, W.M. 1935g: 49; Taylor, 1987a: 52;  
Bolton, 1995b: 314.

*occipitalis*. *Pseudolasius myersi* subsp. *occipitalis* Weber & Anderson, 1950: 2, figs. 1-18  
(s.w.l.) UGANDA.

Junior synonym of *bayonii*: Brown, 1957h: 146; Bolton, 1995b: 370.

Junior synonym of *weissi*: LaPolla, 2004b: 102; LaPolla, Cheng & Fisher, 2010: 3;  
LaPolla & Fisher, 2014a: 150.

***oceanica*.** *Prenolepis (Nylanderia) oceanica* Mann, 1921: 476 (w.) FIJI IS (Viti Levu).

Combination in *Paratrechina* (*Nylanderia*): Emery, 1925b: 221;

combination in *Nylanderia*: Wheeler, W.M. 1935g: 50;

combination in *Paraparatrechina*: LaPolla, Brady & Shattuck, 2010a: 128.

Junior synonym of *minutula*: Dlussky, 1994: 55 (in list only).

**Status as species:** Emery, 1925b: 221; Wheeler, W.M. 1935g: 50; Bolton, 1995b: 315;  
Sarnat & Economo, 2012: 67.

***ocellatula*.** *Paraparatrechina ocellatula* LaPolla & Fisher, in LaPolla, Cheng & Fisher, 2010:  
22, figs. 14, 16, 17 (w.) MADAGASCAR.

**Status as species:** LaPolla & Fisher, 2014a: 141 (in key).

***opaca*.** *Prenolepis clandestina* var. *opaca* Emery, 1887a: 243 (w.) INDONESIA (Java).

Combination in *Prenolepis* (*Nylanderia*): Emery, 1914f: 422;

combination in *Paratrechina* (*Nylanderia*): Emery, 1925b: 220;

combination in *Nylanderia*: Chapman & Capco, 1951: 217;

combination in *Paraparatrechina*: LaPolla, Brady & Shattuck, 2010a: 128.

**Subspecies of clandestina:** Dalla Torre, 1893: 178.

**Status as species:** Emery, 1900d: 698; Emery, 1925b: 220; Karavaiev, 1929c: 245;  
Chapman & Capco, 1951: 217; Bolton, 1995b: 315; Jaitrong & Nabhitabhata, 2005: 31;  
Pfeiffer, et al. 2011: 40.

Current subspecies: nominal plus *metallescens*.

***oreias*.** *Paraparatrechina oreias* LaPolla & Cheng, in LaPolla, Cheng & Fisher, 2010: 11, figs.  
6, 16, 17 (w.) CAMEROON.

**Status as species:** LaPolla & Fisher, 2014a: 142 (in key).

***pallida*.** *Paratrechina* (*Paraparatrechina*) *pallida* Donisthorpe, 1947d: 192, fig. 2 (w.) NEW  
GUINEA (Indonesia).

Combination in *Paraparatrechina*: LaPolla, Brady & Shattuck, 2010a: 128.

**Status as species:** Chapman & Capco, 1951: 219; Bolton, 1995b: 315.

***pusillima*.** *Paratrechina* (*Nylanderia*) *pusillima* Emery, 1922d: 110, fig. 3 (w.q.) NEW GUINEA  
(Papua New Guinea).

Combination in *Nylanderia*: Chapman & Capco, 1951: 217;

combination in *Paraparatrechina*: LaPolla, Brady & Shattuck, 2010a: 128.

**Status as species:** Emery, 1925b: 221; Chapman & Capco, 1951: 217; Bolton, 1995b:  
315.

***sakurae*.** *Prenolepis (Nylanderia) sakurae* Ito, T. 1914: 43, figs. 1-3 (w.) JAPAN.

Combination in *Paratrechina* (*Nylanderia*): Emery, 1925b: 220;

combination in *Nylanderia*: Chapman & Capco, 1951: 217; LaPolla, Brady & Shattuck,  
2010a: 127;

combination in *Paraparatrechina*: Terayama, 2013: 16.

**Status as species:** Emery, 1925b: 220; Teranishi, 1940: 19; Santschi, 1941: 277; Azuma, 1951: 88; Chapman & Capco, 1951: 217; Azuma, 1953: 4; Collingwood, 1976: 306; Azuma, 1977: 117; Onoyama, 1980: 199; Collingwood, 1981: 29; Morisita, *et al.* 1991: 21; Bolton, 1995b: 315; Terayama, 1999c: 51 (in key); Imai, *et al.* 2003: 81; Guénard & Dunn, 2012: 35.

**sakuya.** *Paraparatrechina sakuya* Terayama, 2013: 15, figs. 26, 27 (w.) JAPAN.

**sauteri.** *Prenolepis (Nylanderia) minutula* r. *sauteri* Forel, 1913f: 198 (w.) TAIWAN.

Combination in *Paratrechina (Nylanderia)*: Emery, 1925b: 221;

combination in *Nylanderia*: Chapman & Capco, 1951: 216;

combination in *Paraparatrechina*: LaPolla, Brady & Shattuck, 2010a: 128.

**Subspecies of minutula:** Emery, 1925b: 221; Wheeler, W.M. 1928c: 38; Wheeler, W.M. 1928d: 120; Wheeler, W.M. 1929g: 64; Wheeler, W.M. 1930a: 106; Wheeler, W.M. 1930h: 79; Eidmann, 1941: 24; Chapman & Capco, 1951: 216; Onoyama, 1980: 199.

**Status as species:** Collingwood, 1976: 306; Collingwood, 1981: 29; Bolton, 1995b: 315; Wu, J. & Wang, 1995: 150; Zhou, 2001b: 180; Lin & Wu, 2003: 62; Radchenko, 2005b: 173; Zhou, 2006: 586; Terayama, 2009: 209; Guénard & Dunn, 2012: 35.

**sordida.** *Pseudolasius weissi* var. *sordida* Santschi, 1914d: 378 (w.) GHANA.

Wheeler, W.M. 1922a: 219 (q.).

**Subspecies of weissi:** Wheeler, W.M. 1922a: 219, 943; Menozzi, 1924b: 226 (in key); Emery, 1925b: 216; Bernard, 1953b: 259; Bolton, 1995b: 370.

Junior synonym of *weissi*: LaPolla, 2004b: 101; LaPolla, Cheng & Fisher, 2010: 3.

**Status as species:** LaPolla & Fisher, 2014a: 150.

**Senior synonym of bucculentus:** LaPolla & Fisher, 2014a: 150.

**Senior synonym of gowdeyi:** LaPolla & Fisher, 2014a: 150.

**splendida.** *Paraparatrechina splendida* LaPolla & Cheng, in LaPolla, Cheng & Fisher, 2010: 12, figs. 7, 16, 17 (w.) GABON, UGANDA.

**Status as species:** LaPolla & Fisher, 2014a: 142 (in key).

**subtilis.** *Prenolepis (Nylanderia) subtilis* Santschi, 1920g: 174 (w.) SENEGAL.

Combination in *Paratrechina (Nylanderia)*: Emery, 1925b: 218;

combination in *Paraparatrechina*: LaPolla, Brady & Shattuck, 2010a: 128.

**Status as species:** Emery, 1925b: 218; Bolton, 1995b: 315; LaPolla, Cheng & Fisher, 2010: 13 (redescription); LaPolla & Fisher, 2014a: 142 (in key).

**Senior synonym of termitophila:** LaPolla, Cheng & Fisher, 2010: 13.

**tapinomoides.** *Prenolepis tapinomoides* Forel, 1905c: 25 (w.) INDONESIA (Java).

Combination in *Paratrechina (Nylanderia)*: Emery, 1925b: 220;

combination in *Nylanderia*: Chapman & Capco, 1951: 220;

combination in *Paraparatrechina*: LaPolla, Brady & Shattuck, 2010a: 128.

**Status as species:** Emery, 1925b: 220; Chapman & Capco, 1951: 220; Bolton, 1995b: 315.

*termitophila.* *Prenolepis (Nylanderia) subtilis* st. *termitophila* Santschi, 1921c: 122 (w.) CAMEROON.

Combination in *Paratrechina (Nylanderia)*: Emery, 1925b: 218;

combination in *Paraparatrechina*: LaPolla, Brady & Shattuck, 2010a: 128.

**Subspecies of termitophila:** Emery, 1925b: 218; Bolton, 1995b: 315.

Junior synonym of *subtilis*: LaPolla, Cheng & Fisher, 2010: 13.

**umbranatis.** *Paraparatrechina umbranatis* LaPolla & Cheng, in LaPolla, Cheng & Fisher, 2010: 15, figs. 9, 16, 17 (w.) GABON, ANGOLA, KENYA.

**Status as species:** Hita Garcia, *et al.* 2013: 207; LaPolla & Fisher, 2014a: 142 (in key).

**weissi.** *Pseudolasius weissi* Santschi, 1910c: 391, fig. 16 (w.q.) CONGO.

Combination in *Paraparatrechina*: LaPolla, Brady & Shattuck, 2010a: 128.

**Status as species:** Emery, 1911a: 214 (in key); Wheeler, W.M. 1922a: 219, 943; Menozzi, 1924b: 226 (in key); Emery, 1925b: 216; Bolton, 1995b: 370; LaPolla, 2004b: 101 (redescription); LaPolla, Cheng & Fisher, 2010: 3 (in key); Hita Garcia, *et al.* 2013: 207; LaPolla & Fisher, 2014a: 141 (in key).

**Senior synonym of bayonii:** LaPolla, 2004b: 101; LaPolla, Cheng & Fisher, 2010: 3; LaPolla & Fisher, 2014a: 150.

**Senior synonym of myersi:** LaPolla, 2004b: 101; LaPolla, Cheng & Fisher, 2010: 3; LaPolla & Fisher, 2014a: 150.

**Senior synonym of occipitalis:** LaPolla, 2004b: 101; LaPolla, Cheng & Fisher, 2010: 3; LaPolla & Fisher, 2014a: 150.