

MYOPIAS

amblyops. *Myopias amblyops* Roger, 1861a: 39 (w.q.) SRI LANKA.

Status as species: Roger, 1863b: 19; Mayr, 1863: 430; Smith, F. 1871a: 322; Dalla Torre, 1893: 16; Forel, 1900d: 328; Bingham, 1903: 103; Emery, 1911d: 94; Chapman & Capco, 1951: 67; Bolton, 1995b: 269; Xu, Burwell & Nakamura, 2014b: 165 (in key); Probst, Guénard & Boudinot, 2015: 204 (in key).

bidens. *Trapeziopelta bidens* Emery, 1900c: 313 (diagnosis in key) (w.) INDONESIA (Sumatra). [Also described as new by Emery, 1900d: 664.]

Combination in *Myopias*: Bolton, 1995b: 269.

Status as species: Emery, 1911d: 93; Chapman & Capco, 1951: 75; Bolton, 1995b: 269; Xu, Burwell & Nakamura, 2014b: 166 (in key); Probst, Guénard & Boudinot, 2015: 204 (in key); Jaitrong, Tasen & Guénard, 2018: 154 (redescription).

Current subspecies: nominal plus *polita*.

breviloba. *Trapeziopelta breviloba* Wheeler, W.M. 1919e: 143 (q.) BORNEO (East Malaysia: Sabah).

Combination in *Myopias*: Bolton, 1995b: 269.

Status as species: Wheeler, W.M. & Chapman, 1925: 69; Wheeler, W.M. 1937a: 21; Chapman & Capco, 1951: 75; Baltazar, 1966: 247; Bolton, 1995b: 269; Pfeiffer, *et al.* 2011: 56; Probst, Guénard & Boudinot, 2015: 204 (in key).

castaneicola. *Trapeziopelta castaneicola* Donisthorpe, 1938d: 596 (w.) NEW GUINEA (Papua New Guinea).

Combination in *Myopias*: Bolton, 1995b: 269.

Status as species: Chapman & Capco, 1951: 75; Bolton, 1995b: 269; Probst, Guénard & Boudinot, 2015: 204 (in key).

chapmani. *Myopias chapmani* Willey & Brown, 1983: 264, figs. 10, 26 (w.q.) AUSTRALIA (Queensland).

Status as species: Taylor, 1987a: 41; Bolton, 1995b: 269; Probst, Guénard & Boudinot, 2015: 205 (in key).

concava. *Myopias concava* Willey & Brown, 1983: 258, figs. 4, 18 (w.q.) NEW GUINEA (Papua New Guinea).

Status as species: Bolton, 1995b: 269; Probst, Guénard & Boudinot, 2015: 203 (in key).

conicara. *Myopias conicara* Xu, 1998a: 123, figs. 5, 7 (w.) CHINA (Yunnan).

Xu & Liu, 2012: 830 (q.).

Status as species: Zhou & Ran, 2010: 106; Guénard & Dunn, 2012: 60; Xu & Liu, 2012: 822 (in key); Xu, Burwell & Nakamura, 2014b: 166 (in key); Probst, Guénard & Boudinot, 2015: 205 (in key).

crawleyi. *Trapeziopelta crawleyi* Donisthorpe, 1941k: 237.

Replacement name for *Trapeziopelta nitida* Crawley, 1924: 384. [Junior secondary homonym of *Ponera nitida* Smith, F. 1861b: 45.]

Combination in *Myopias*: Bolton, 1995b: 269.

Status as species: Chapman & Capco, 1951: 75; Bolton, 1995b: 269; Probst, Guénard & Boudinot, 2015: 205 (in key); Jaitrong, Tasen & Guénard, 2018: 156 (redescription).

cribriceps. *Myopias cribriceps* Emery, 1901h: 156 (w.q.) NEW GUINEA (Papua New Guinea). Wheeler, G.C. & Wheeler, J. 1976a: 59 (l.).

Status as species: Emery, 1911d: 94; Donisthorpe, 1948g: 133; Chapman & Capco, 1951: 67; Bolton, 1995b: 269; Probst, Guénard & Boudinot, 2015: 204 (in key).

- daia.** *Myopias daia* Xu, Burwell & Nakamura, 2014b: 166, figs. 28-34 (w.) CHINA (Yunnan).
Status as species: Probst, Guénard & Boudinot, 2015: 205 (in key).
- darioi.** *Myopias darioi* Probst & Boudinot, in Probst, Guénard & Boudinot, 2015: 196, figs. 1-6 (w.q.m.l.) BORNEO (East Malaysia: Sabah).
- delta.** *Myopias delta* Willey & Brown, 1983: 281, figs. 8, 21 (w.q.) NEW GUINEA (Papua New Guinea).
Status as species: Bolton, 1995b: 269; Probst, Guénard & Boudinot, 2015: 206 (in key).
- densesticta.** *Myopias densesticta* Willey & Brown, 1983: 268, figs. 11, 29 (w.q.) AUSTRALIA (Queensland).
Status as species: Taylor, 1987a: 41; Bolton, 1995b: 269; Probst, Guénard & Boudinot, 2015: 205 (in key).
- diadela.** *Trapeziopelta diadela* Clark, 1934c: 54, pl. 4, figs. 7, 8 (w.q.) AUSTRALIA (Victoria).
Junior synonym of *tasmaniensis*: Brown, 1953i: 51; Willey & Brown, 1983: 270; Taylor & Brown, 1985: 35; Taylor, 1987a: 41; Bolton, 1995b: 269.
- emeryi.** *Trapeziopelta emeryi* Forel, 1913k: 16, fig. E (w.) INDONESIA (Java).
Combination in *Myopias*: Bolton, 1995b: 269.
Status as species: Chapman & Capco, 1951: 75; Bolton, 1995b: 269; Probst, Guénard & Boudinot, 2015: 205 (in key).
- fulvescens.** *Trapeziopelta tenuis* var. *fulvescens* Emery, 1901h: 155 (w.q.) NEW GUINEA (Papua New Guinea).
Subspecies of *tenuis*: Emery, 1911d: 94; Chapman & Capco, 1951: 76.
Junior synonym of *tenuis*: Willey & Brown, 1983: 270; Bolton, 1995b: 269.
- gigas.** *Myopias gigas* Willey & Brown, 1983: 251, figs. 1, 12 (w.) NEW GUINEA (Papua New Guinea).
Status as species: Bolton, 1995b: 269; Probst, Guénard & Boudinot, 2015: 205 (in key).
- hania.** *Myopias hania* Xu & Liu, 2012: 827, figs. 12-15 (w.) CHINA (Yunnan).
Status as species: Guénard & Dunn, 2012: 60; Xu, Burwell & Nakamura, 2014b: 166 (in key); Probst, Guénard & Boudinot, 2015: 205 (in key).
- hollandi.** *Trapeziopelta hollandi* Forel, 1901f: 325 (w.q.) INDONESIA (Sumatra).
Combination in *Myopias*: Bolton, 1995b: 269.
Status as species: Emery, 1911d: 93; Chapman & Capco, 1951: 75; Bolton, 1995b: 269; Probst, Guénard & Boudinot, 2015: 205 (in key).
- julivora.** *Myopias julivora* Willey & Brown, 1983: 254, figs. 5, 22 (w.q.) NEW GUINEA (Papua New Guinea).
Status as species: Bolton, 1995b: 269; Probst, Guénard & Boudinot, 2015: 205 (in key).
- kuehni.** *Trapeziopelta kuehni* Forel, 1902b: 179 (q.) INDONESIA (Key I.).
[Misspelled as *kueni* by Emery, 1911d: 93, Chapman & Capco, 1951: 75.]
Combination in *Myopias*: Bolton, 1995b: 269.
Status as species: Emery, 1911d: 93; Chapman & Capco, 1951: 75; Bolton, 1995b: 269.
- latinoda.** *Trapeziopelta latinoda* Emery, 1897d: 555, pl. 1, figs. 3, 4 (q.) NEW GUINEA (Papua New Guinea).
Combination in *Myopias*: Bolton, 1995b: 269.
Status as species: Emery, 1900c: 313 (in key); Emery, 1911d: 93; Donisthorpe, 1941h: 52; Chapman & Capco, 1951: 75; Bolton, 1995b: 269; Probst, Guénard & Boudinot, 2015: 205 (in key).
- levigata.** *Trapeziopelta levigata* Emery, 1901h: 155 (w.) NEW GUINEA (Papua New Guinea).

- Combination in *Myopias*: Bolton, 1995b: 269.
Status as species: Emery, 1911d: 93; Viehmeyer, 1914c: 515; Chapman & Capco, 1951: 75; Bolton, 1995b: 269; Probst, Guénard & Boudinot, 2015: 205 (in key).
- lobosa**. *Myopias lobosa* Willey & Brown, 1983: 277, figs. 2, 3, 25 (w.q.) PHILIPPINES (Negros I.).
Status as species: Bolton, 1995b: 269; Xu, Burwell & Nakamura, 2014b: 165 (in key); Probst, Guénard & Boudinot, 2015: 204 (in key).
- longitarsis**. *Bradyponera longitarsis* Smith, F. 1873: viii. *Nomen nudum* (attributed to Mayr).
- loriai**. *Trapeziopelta loriai* Emery, 1897d: 554, pl. 1, figs. 1, 2 (w.) NEW GUINEA (Papua New Guinea).
 [Misspelled as *loriae* by Emery, 1911d: 93.]
 Combination in *Myopias*: Bolton, 1995b: 269.
Status as species: Emery, 1900c: 313 (in key); Emery, 1911d: 93; Viehmeyer, 1914c: 515; Chapman & Capco, 1951: 75; Bolton, 1995b: 269; Probst, Guénard & Boudinot, 2015: 205 (in key).
- luoba**. *Myopias luoba* Xu & Liu, 2012: 822, figs. 1-4 (w.) CHINA (Tibet).
Status as species: Guénard & Dunn, 2012: 60; Xu, Burwell & Nakamura, 2014b: 166 (in key); Probst, Guénard & Boudinot, 2015: 205 (in key).
- maligna**. *Ponera maligna* Smith, F. 1861b: 44 (w.q.) INDONESIA (Sulawesi).
 Combination in *Trapeziopelta*: Mayr, 1862: 715;
 combination in *Myopias*: Bolton, 1995b: 269.
Status as species: Mayr, 1862: 715; Roger, 1863b: 19; Mayr, 1863: 457; Mayr, 1867a: 82 (redescription); Smith, F. 1871a: 322; Dalla Torre, 1893: 43; Emery, 1900c: 313 (in key); Emery, 1901g: 566; Emery, 1911d: 93; Forel, 1911e: 253; Donisthorpe, 1932c: 468; Chapman & Capco, 1951: 75; Bolton, 1995b: 269; Pfeiffer, *et al.* 2011: 56; Probst, Guénard & Boudinot, 2015: 205 (in key).
 Current subspecies: nominal plus *punctigera*.
- mandibularis**. *Trapeziopelta mandibularis* Crawley, 1924: 386, fig. 3 (w.) INDONESIA (Sumatra).
 Jaitrong, Tassen & Guénard, 2018: 162 (ergatoid q.).
 Combination in *Myopias*: Bolton, 1995b: 269.
Status as species: Chapman & Capco, 1951: 76; Bolton, 1995b: 269; Probst, Guénard & Boudinot, 2015: 206 (in key); Jaitrong, Tassen & Guénard, 2018: 159 (redescription).
- mayri**. *Trapeziopelta mayri* Donisthorpe, 1932c: 468.
Replacement name for *Ponera nitida* Smith, F. 1861b: 45. [Junior primary homonym of **Ponera nitida* Heer, 1849: 149.]
 Combination in *Myopias*: Bolton, 1995b: 269.
Status as species: Donisthorpe, 1941k: 237; Bolton, 1995b: 269; Probst, Guénard & Boudinot, 2015: 204 (in key).
- media**. *Myopias media* Willey & Brown, 1983: 257, figs. 6, 23 (w.) NEW GUINEA (Papua New Guinea).
Status as species: Bolton, 1995b: 269; Probst, Guénard & Boudinot, 2015: 205 (in key).
- menba**. *Myopias menba* Xu & Liu, 2012: 824, figs. 8-11 (w.) CHINA (Tibet).
Status as species: Guénard & Dunn, 2012: 60; Xu, Burwell & Nakamura, 2014b: 166 (in key); Probst, Guénard & Boudinot, 2015: 204 (in key).

- minima.** *Myopias minima* Jaitrong, Tasen & Guénard, 2018: 162, figs. 28-33 (w.q.) THAILAND.
- modiglianii.** *Trapeziopelta modiglianii* Emery, 1900c: 313 (diagnosis in key) (w.) INDONESIA (Sumatra).
Combination in *Myopias*: Bolton, 1995b: 269.
Status as species: Emery, 1900d: 663; Emery, 1911d: 94; Chapman & Capco, 1951: 76; Bolton, 1995b: 269; Probst, Guénard & Boudinot, 2015: 206 (in key).
- nitida.** *Ponera nitida* Smith, F. 1861b: 45 (w.) INDONESIA (Sulawesi).
[**Junior primary homonym** of **Ponera nitida* Heer, 1849: 149.]
Combination in *Bradyponera*: Mayr, 1886c: 362;
combination in *Bradoponera*: Dalla Torre, 1893: 18.
Status as species: Mayr, 1863: 449; Smith, F. 1871a: 322; Dalla Torre, 1893: 18; Emery, 1901g: 566; Emery, 1911d: 94; Chapman & Capco, 1951: 76.
Replacement name: *Trapeziopelta mayri* Donisthorpe, 1932c: 468.
- nitida.** *Trapeziopelta nitida* Crawley, 1924: 384, fig. 2 (w.) INDONESIA (Sumatra).
[**Junior secondary homonym** of **Ponera nitida* Heer, 1849: 149.]
Replacement name: *Trapeziopelta crawleyi* Donisthorpe, 1941k: 237.
- nops.** *Myopias nops* Willey & Brown, 1983: 279, figs. 9, 28 (w.) TAIWAN.
Status as species: Bolton, 1995b: 269; Terayama, 2009: 107; Zhou & Ran, 2010: 106; Xu & Liu, 2012: 821 (in key); Xu, Burwell & Nakamura, 2014b: 166 (in key); Probst, Guénard & Boudinot, 2015: 204 (in key).
- papua.** *Myopias papua* Snelling, R.R. 2008: 261.
Replacement name for *Trapeziopelta punctigera* Emery, 1901h: 155. [Junior primary homonym of *Trapeziopelta maligna* var. *punctigera* Emery, 1900d: 663.]
- philippinensis.** *Trapeziopelta philippinensis* Menozzi, 1925c: 441, pl. 1, fig. 3 (w.) PHILIPPINES (Mindanao I.).
Combination in *Myopias*: Bolton, 1995b: 269.
Status as species: Chapman & Capco, 1951: 76; Baltazar, 1966: 248; Bolton, 1995b: 269; Xu, Burwell & Nakamura, 2014b: 166 (in key).
- polita.** *Trapeziopelta bidens* var. *polita* Stitz, 1925: 112 (w.q.) PHILIPPINES (Palawan I.).
Combination in *Myopias*: Bolton, 1995b: 270.
Subspecies of *bidens*: Chapman & Capco, 1951: 75; Baltazar, 1966: 247; Bolton, 1995b: 270.
- punctigera.** *Trapeziopelta maligna* var. *punctigera* Emery, 1900d: 663 (w.) INDONESIA (Sumatra: Mentawai Is).
Combination in *Myopias*: Bolton, 1995b: 270.
Subspecies of *maligna*: Emery, 1911d: 93; Chapman & Capco, 1951: 76; Bolton, 1995b: 270; Jaitrong, Tasen & Guénard, 2018: 158 (redescription).
- punctigera.** *Trapeziopelta punctigera* Emery, 1901h: 155 (w.) NEW GUINEA (Papua New Guinea).
[**Junior primary homonym** of *Trapeziopelta maligna* var. *punctigera* Emery, 1900d: 663.]
Combination in *Myopias*: Bolton, 1995b: 270.
Status as species: Emery, 1911d: 94; Bolton, 1995b: 270.
Replacement name: *Myopias papua* Snelling, R.R. 2008: 261.

- ruthae.** *Myopias ruthae* Willey & Brown, 1983: 274, figs. 7, 20 (w.) NEW GUINEA (Papua New Guinea).
Status as species: Bolton, 1995b: 270; Probst, Guénard & Boudinot, 2015: 205 (in key).
- sakaeratensis.** *Myopias sakaeratensis* Jaitrong, Tasen & Guénard, 2018: 166, figs. 34-36 (w.) THAILAND.
- santschii.** *Trapeziopelta santschii* Viehmeyer, 1914c: 515 (w.) NEW GUINEA (Papua New Guinea).
Combination in *Myopias*: Bolton, 1995b: 270.
Status as species: Bolton, 1995b: 270; Probst, Guénard & Boudinot, 2015: 205 (in key).
- shivalikensis.** *Myopias shivalikensis* Bharti & Wachkoo, 2012a: 34, figs. 1-3 (w.) INDIA (Jammu & Kashmir).
Status as species: Xu, Burwell & Nakamura, 2014b: 166 (in key); Probst, Guénard & Boudinot, 2015: 204 (in key); Bharti, Guénard, *et al.* 2016: 52.
- silvestrii* Santschi, 1914; see under **PROMYOPIAS**.
- sonthichaiiae.** *Myopias sonthichaiiae* Jaitrong, Tasen & Guénard, 2018: 168, figs. 37-43 (w.q.) THAILAND.
- tasmaniensis.** *Myopias tasmaniensis* Wheeler, W.M. 1923e: 177, fig. 1 (w.) AUSTRALIA (Tasmania).
Wheeler, G.C. & Wheeler, J. 1964b: 454 (l.).
Combination in *Trapeziopelta*: Brown, 1953i: 51.
Status as species: Willey & Brown, 1983: 270; Taylor & Brown, 1985: 35; Taylor, 1987a: 41; Bolton, 1995b: 270; Probst, Guénard & Boudinot, 2015: 206 (in key).
Senior synonym of diadela: Brown, 1953i: 51; Willey & Brown, 1983: 270; Taylor & Brown, 1985: 35; Taylor, 1987a: 41; Bolton, 1995b: 269.
- tenuis.** *Trapeziopelta tenuis* Emery, 1900c: 313, pl. 8, fig. 3 (q.) NEW GUINEA (Papua New Guinea).
Emery, 1901h: 155 (w.).
Combination in *Myopias*: Willey & Brown, 1983: 270.
Status as species: Emery, 1901h: 155; Emery, 1911d: 94; Chapman & Capco, 1951: 76; Willey & Brown, 1983: 270; Taylor, 1987a: 41; Bolton, 1995b: 270; Probst, Guénard & Boudinot, 2015: 205 (in key).
Senior synonym of fulvescens: Willey & Brown, 1983: 270; Bolton, 1995b: 269.
- trumani.** *Pseudoponera trumani* Donisthorpe, 1949g: 406, fig. 1 (w.) NEW GUINEA (Indonesia).
Combination in *Myopias*: Bolton, 1995b: 270.
Status as species: Bolton, 1995b: 270; Probst, Guénard & Boudinot, 2015: 204 (in key).
- xiphias.** *Trapeziopelta xiphias* Emery, 1900c: 313, pl. 8, fig. 2 (q.) NEW GUINEA (Papua New Guinea).
Combination in *Myopias*: Bolton, 1995b: 270.
Status as species: Emery, 1911d: 94; Chapman & Capco, 1951: 76; Bolton, 1995b: 270; Probst, Guénard & Boudinot, 2015: 204 (in key).