

## **PODOMYRMA**

**abdominalis.** *Podomyrma abdominalis* Emery, 1887b: 459 (w.) INDONESIA (Ternate I.).

**Subspecies of ruficeps:** Viehmeyer, 1914c: 523 (in key); Viehmeyer, 1916b: 289; Emery, 1924d: 238; Chapman & Capco, 1951: 121.

**Status as species:** Dalla Torre, 1893: 59; Forel, 1912n: 57; Taylor & Brown, 1985: 80; Taylor, 1987a: 57; Bolton, 1995b: 338.

**adelaidae.** *Myrmica adelaidae* Smith, F. 1858b: 128 (w.) AUSTRALIA (South Australia).

Wheeler, G.C. & Wheeler, J. 1954c: 127 (l.); Imai, Crozier & Taylor, 1977: 348 (k.).

Combination in *Podomyrma*: Emery, in Dalla Torre, 1893: 60.

**Status as species:** Mayr, 1863: 431; Dalla Torre, 1893: 60; Forel, 1915b: 50; Emery, 1924d: 237; Clark, 1938: 368; Taylor & Brown, 1985: 80; Taylor, 1987a: 57; Bolton, 1995b: 338; Taylor, 1999: 173; Heterick, 2009: 173.

**Senior synonym of bimaculata:** Forel, 1915b: 50; Emery, 1924d: 237; Brown, 1953b: 3; Taylor & Brown, 1985: 80; Taylor, 1987a: 57; Bolton, 1995b: 338; Taylor, 1999: 173.

**Senior synonym of brevidentata:** Taylor, 1999: 173.

**Senior synonym of sericeiventris:** Emery, 1924d: 237; Taylor & Brown, 1985: 80; Taylor, 1987a: 57; Bolton, 1995b: 338; Taylor, 1999: 173.

**alae.** *Podomyrma alae* Donisthorpe, 1949c: 751 (w.) NEW GUINEA (Indonesia).

**Status as species:** Chapman & Capco, 1951: 119; Bolton, 1995b: 338.

**albertisi.** *Podomyrma albertisi* Emery, 1887b: 460 (w.) NEW GUINEA (Papua New Guinea).

**Status as species:** Dalla Torre, 1893: 60; Viehmeyer, 1914c: 522 (in key); Emery, 1924d: 237; Chapman & Capco, 1951: 119; Bolton, 1995b: 338.

**basalis.** *Podomyrma basalis* Smith, F. 1859a: 147 (w.) INDONESIA (Aru Is.).

Smith, F. 1863: 19 (q.).

**Status as species:** Smith, F. 1860b: 110; Smith, F. 1863: 19; Roger, 1863b: 27; Mayr, 1863: 443; Smith, F. 1865: 73; Mayr, 1867a: 108 (redescription); Smith, F. 1871a: 327; Mayr, 1876: 110 (in key); Dalla Torre, 1893: 60; Forel, 1901b: 13; Dahl, 1901: 19; Viehmeyer, 1914c: 521 (in key); Forel, 1915b: 50; Emery, 1924d: 237; Donisthorpe, 1932c: 455; Karavaiev, 1935a: 99; Wheeler, W.M. 1935g: 28; Donisthorpe, 1950a: 339; Chapman & Capco, 1951: 119; Taylor & Brown, 1985: 80; Taylor, 1987a: 57; Bolton, 1995b: 338; Taylor, 1999: 173.

**Senior synonym of nigra:** Taylor, 1999: 173.

Current subspecies: nominal plus *brunnea*, *nigrescens*, *reyi*, *salomo*, *woodfordi*.

**bicolor.** *Podomyrma silvicola* subsp. *bicolor* Emery, 1897d: 559 (w.) NEW GUINEA (Papua New Guinea).

**Subspecies of silvicola:** Viehmeyer, 1914c: 522 (in key); Emery, 1924d: 238; Chapman & Capco, 1951: 121; Bolton, 1995b: 338.

**bimaculata.** *Podomyrma bimaculata* Forel, 1901h: 57 (w.q.) AUSTRALIA (Western Australia).

**Status as species:** Forel, 1907h: 276; Stitz, 1911a: 358; Forel, 1913g: 187; Viehmeyer, 1914c: 521 (in key).

Junior synonym of *adelaidae*: Forel, 1915b: 50; Emery, 1924d: 237; Brown, 1953b: 3; Taylor & Brown, 1985: 80; Taylor, 1987a: 57; Bolton, 1995b: 338; Taylor, 1999: 173.

**bispinosa.** *Podomyrma bispinosa* Forel, 1901h: 56 (w.) AUSTRALIA (Queensland).

**Status as species:** Emery, 1924d: 237; Taylor & Brown, 1985: 81; Taylor, 1987a: 57; Bolton, 1995b: 338.

*brevidentata*. *Podomyrma bimaculata* var. *brevidentata* Forel, 1915b: 49 (w.) AUSTRALIA (Western Australia).

Subspecies of *adelaidae*: Emery, 1924d: 237; Taylor & Brown, 1985: 80; Taylor, 1987a: 57; Bolton, 1995b: 338.

Junior synonym of *adelaidae*: Taylor, 1999: 173.

**brunnea**. *Podomyrma basalis* var. *brunneus* Donisthorpe, 1943d: 453 (w.) NEW GUINEA (Indonesia: Waigeu I.).

**Subspecies of basalis**: Chapman & Capco, 1951: 119; Bolton, 1995b: 338.

*caledonica* André, 1889; see under **LORDOMYRMA**.

**carinata**. *Podomyrma carinata* Donisthorpe, 1947c: 584 (w.m.) NEW GUINEA (Papua New Guinea).

**Status as species**: Chapman & Capco, 1951: 119; Bolton, 1995b: 338.

*castanea*. *Podomyrma castanea* Stitz, 1911a: 358, fig. 7 (w.) AUSTRALIA (Queensland).

Junior synonym of *striata*: Viehmeyer, 1914c: 520; Emery, 1924d: 238; Taylor, 1987a: 58; Bolton, 1995b: 338.

Junior synonym of *silvicola*: Taylor, 1999: 174.

*cataulacoidea* Stitz, 1911; see under **DILOBOCONDYLA**.

**chasei**. *Podomyrma chasei* Forel, 1901h: 58 (w.m.) AUSTRALIA (Western Australia).

**Status as species**: Emery, 1924d: 237; Taylor & Brown, 1985: 81; Taylor, 1987a: 57; Bolton, 1995b: 338; Taylor, 1999: 173; Heterick, 2009: 173.

**Senior synonym of nuda**: Taylor, 1999: 173.

**christae**. *Dacryon christae* Forel, 1907a: 16 (w.) AUSTRALIA (New South Wales).

Combination in *Podomyrma*: Taylor & Brown, 1985: 81.

**Status as species**: Emery, 1924d: 235; Taylor & Brown, 1985: 81; Taylor, 1987a: 57; Bolton, 1995b: 338; Heterick, 2009: 174.

**clarki**. *Pseudopodomyrma clarki* Crawley, 1925a: 40 (w.) AUSTRALIA (Western Australia).

Clark, 1926: 49 (q.).

Combination in *Podomyrma*: Taylor & Brown, 1985: 81.

**Status as species**: Crawley, 1925b: 593; Clark, 1926: 49; Taylor & Brown, 1985: 81; Taylor, 1987a: 57; Bolton, 1995b: 338; Heterick, 2009: 173.

*convergens*. *Podomyrma convergens* Forel 1895f: 427 (q.) AUSTRALIA (Queensland).

Status as species: Emery, 1924d: 237; Taylor & Brown, 1985: 81; Taylor, 1987a: 57; Bolton, 1995b: 338.

Junior synonym of *femorata*: Taylor, 1999: 174.

**delbrueckii**. *Podomyrma delbrueckii* Forel, 1901h: 58 (w.) AUSTRALIA (Queensland).

**Status as species**: Forel, 1916: 418; Emery, 1924d: 237; Taylor & Brown, 1985: 81; Taylor, 1987a: 57; Bolton, 1995b: 338.

**densestrigosa**. *Podomyrma densestrigosa* Viehmeyer, 1924b: 316 (w.) AUSTRALIA (New South Wales).

**Status as species**: Taylor & Brown, 1985: 81; Taylor, 1987a: 57; Bolton, 1995b: 338.

**dimidiata**. *Podomyrma silvicola* var. *dimidiata* Forel, 1904d: 170 (w.) NEW GUINEA (Papua New Guinea: Bismarck Archipelago).

**Subspecies of silvicola**: Viehmeyer, 1914c: 522 (in key); Emery, 1924d: 238; Wheeler, W.M. 1935g: 28; Bolton, 1995b: 338.

**dohertyi**. *Podomyrma dohertyi* Emery, 1897d: 558 (footnote) (w.) INDONESIA (Moluccas).

**Status as species:** Stitz, 1911a: 360; Viehmeyer, 1914c: 522 (in key); Chapman & Capco, 1951: 119.

**Subspecies of ruficeps:** Emery, 1924d: 238; Bolton, 1995b: 338.

**elongata.** *Podomyrma elongata* Forel, 1895f: 428 (w.) AUSTRALIA (Queensland).

**Status as species:** Forel, 1915b: 49; Emery, 1924d: 237; Clark, 1928c: 41; Brown, 1953b: 3; Taylor & Brown, 1985: 81; Taylor, 1987a: 57; Bolton, 1995b: 338; Taylor, 1999: 173; Heterick, 2009: 173.

**Senior synonym of parva:** Brown, 1953b: 3; Taylor & Brown, 1985: 81; Taylor, 1987a: 57; Bolton, 1995b: 338; Taylor, 1999: 173.

**Senior synonym of teres:** Taylor, 1999: 173.

**femorata.** *Podomyrma femorata* Smith, F. 1859a: 145 (w.q.) INDONESIA (Aru Is.).

**Status as species:** Roger, 1863b: 27; Mayr, 1863: 443; Smith, F. 1871a: 327; Mayr, 1876: 109 (in key); Emery, 1887b: 458; Dalla Torre, 1893: 60; Stitz, 1911a: 357; Viehmeyer, 1914c: 522 (in key); Emery, 1924d: 237; Donisthorpe, 1932c: 455; Stitz, 1938: 102; Chapman & Capco, 1951: 119; Taylor & Brown, 1985: 81; Taylor, 1987a: 57; Bolton, 1995b: 338; Taylor, 1999: 174.

**Senior synonym of convergens:** Taylor, 1999: 174.

**ferruginea.** *Dacryon ferruginea* Clark, 1934b: 37, pl. 3, fig. 2 (w.) AUSTRALIA (New South Wales, Australian Capital Territory).

Combination in *Podomyrma*: Taylor & Brown, 1985: 82.

**Status as species:** Taylor & Brown, 1985: 82; Taylor, 1987a: 57; Bolton, 1995b: 338; Heterick, 2009: 174.

**formosa.** *Myrmica formosa* Smith, F. 1858b: 128 (w.) AUSTRALIA (South Australia).

Combination in *Podomyrma*: Taylor & Brown, 1985: 82.

**Status as species:** Mayr, 1863: 432; Dalla Torre, 1893: 109; Taylor & Brown, 1985: 82; Taylor, 1987a: 57; Bolton, 1995b: 338.

**fortirugis.** *Podomyrma fortirugis* Viehmeyer, 1924b: 315 (w.q.m.) AUSTRALIA (New South Wales).

Status as species: Taylor & Brown, 1985: 82; Taylor, 1987a: 57; Bolton, 1995b: 338.

Junior synonym of *micans*: Taylor, 1999: 174.

**gastralis.** *Podomyrma ruficeps* var. *gastralis* Emery, 1897d: 558 (w.) NEW GUINEA (Papua New Guinea).

**Subspecies of ruficeps:** Viehmeyer, 1914c: 523 (in key); Emery, 1924d: 238; Chapman & Capco, 1951: 120; Bolton, 1995b: 338.

**Status as species:** Taylor, 1999: 174.

**Senior synonym of pulchra:** Taylor, 1999: 174.

**Senior synonym of tricolor:** Taylor, 1999: 174.

**gibbula.** *Podomyrma gibbula* Viehmeyer, 1914c: 523 (w.) NEW GUINEA (Papua New Guinea).

[Misspelled as *gibula* by Donisthorpe, 1948b: 308.]

**Status as species:** Emery, 1924d: 237; Donisthorpe, 1943d: 453; Donisthorpe, 1948b: 308; Chapman & Capco, 1951: 120; Bolton, 1995b: 338.

**gracilis.** *Podomyrma gracilis* Emery, 1887b: 460, pl. 2, fig. 15 (w.) NEW GUINEA (no state data, "Ramoi").

Subspecies of *laeviceps*: Viehmeyer, 1914c: 521 (in key); Emery, 1924d: 237; Donisthorpe, 1948g: 136; Donisthorpe, 1949b: 498; Chapman & Capco, 1951: 120.

Status as species: Dalla Torre, 1893: 60; Emery, 1911b: 531; Donisthorpe, 1943d: 453; Chapman & Capco, 1951: 120; Taylor & Brown, 1985: 82; Taylor, 1987a: 57; Bolton, 1995b: 338.

Junior synonym of *laevifrons*: Taylor, 1999: 174.

**gratiosa.** *Myrmecina gratiosa* Smith, F. 1858b: 133 (w.q.) AUSTRALIA (South Australia).

Viehmeyer, 1924b: 315 (m.).

Combination in *Podomyrma*: Roger, 1863b: 27.

**Status as species:** Roger, 1863b: 27; Mayr, 1863: 431; Mayr, 1876: 109 (in key); Dalla Torre, 1893: 60; Stitz, 1911a: 358; Forel, 1915b: 49; Emery, 1924d: 237; Viehmeyer, 1924b: 315; Taylor & Brown, 1985: 82; Taylor, 1987a: 57; Bolton, 1995b: 338.

Current subspecies: nominal plus *papuana*.

**grossetriata.** *Podomyrma elongata* r. *grossetriata* Forel, 1915b: 50 (w.) AUSTRALIA (Queensland).

**Subspecies of elongata:** Emery, 1924d: 237.

**Status as species:** Brown, 1953b: 3; Taylor & Brown, 1985: 82; Taylor, 1987a: 57; Bolton, 1995b: 338.

**inermis.** *Podomyrma inermis* Mayr, 1876: 111 (w.) AUSTRALIA (Queensland).

**Status as species:** Dalla Torre, 1893: 60; Emery, 1924d: 237; Taylor & Brown, 1985: 82; Taylor, 1987a: 57.

**keysseri.** *Podomyrma keysseri* Viehmeyer, 1914c: 524 (w.) NEW GUINEA (Papua New Guinea).

**Status as species:** Emery, 1924d: 237; Chapman & Capco, 1951: 120; Bolton, 1995b: 338.

**kitschneri.** *Dacryon kitschneri* Forel, 1915b: 52 (w.q.) AUSTRALIA (Queensland).

Combination in *Podomyrma*: Taylor & Brown, 1985: 82.

**Status as species:** Emery, 1924d: 235; Taylor & Brown, 1985: 82; Taylor, 1987a: 57; Bolton, 1995b: 339.

**kraepelini.** *Podomyrma kraepelini* Forel, 1901h: 59 (q.) AUSTRALIA (no state data).

**Status as species:** Emery, 1924d: 237; Taylor & Brown, 1985: 82; Taylor, 1987a: 57; Bolton, 1995b: 339.

*laeviceps.* *Podomyrma laeviceps* Mayr, 1867a: 108 (w.) NEW GUINEA (attributed to Smith, F.).

[Misspelled as *leviceps* by Dalla Torre, 1893: 60, and others.]

**Status as species:** Dalla Torre, 1893: 60; Viehmeyer, 1914c: 521 (in key); Emery, 1924d: 237; Donisthorpe, 1943d: 453; Chapman & Capco, 1951: 120; Bolton, 1995b: 339.

Junior synonym of *laevifrons*: Taylor, 1999: 174.

**laevifrons.** *Podomyrma laevifrons* Smith, F. 1859a: 146 (w.) INDONESIA (Aru Is.).

[Misspelled as *levifrons* by Dalla Torre, 1893: 60.]

**Status as species:** Roger, 1863b: 27; Mayr, 1863: 443; Smith, F. 1871a: 327; Mayr, 1876: 109 (in key); Dalla Torre, 1893: 60; Emery, 1924d: 237; Donisthorpe, 1932c: 455; Karavaiev, 1935a: 100 (redescription); Chapman & Capco, 1951: 120; Bolton, 1995b: 339; Taylor, 1999: 174.

**Senior synonym of gracilis:** Taylor, 1999: 174.

**Senior synonym of laeviceps:** Taylor, 1999: 174.

**Senior synonym of nugenti:** Taylor, 1999: 174.

**Senior synonym of striata:** Taylor, 1999: 174.

*laevifrons*. *Podomyrma graticosa* r. *papuana* var. *laevifrons* Stitz, 1938: 103 (w.) NEW GUINEA (Papua New Guinea); unavailable (infrasubspecific) name.

As unavailable (infrasubspecific) name: Chapman & Capco, 1951: 120.

Declared as unavailable (infrasubspecific) name: Bolton, 1995b: 339.

*laevissima*. *Podomyrma laevissima* Smith, F. 1863: 20 (w.) INDONESIA (Misool I.).

[Misspelled as *levissima* by Dalla Torre, 1893: 60, and others.]

**Status as species:** Roger, 1863b: 27; Smith, F. 1871a: 327; Emery, 1887b: 458; Dalla Torre, 1893: 60; Viehmeyer, 1914c: 522 (in key); Emery, 1924d: 238; Donisthorpe, 1932c: 471; Taylor & Brown, 1985: 83; Taylor, 1987a: 58; Bolton, 1995b: 339.

*lampros*. *Podomyrma lampros* Viehmeyer, 1924b: 317 (w.) AUSTRALIA (New South Wales).

**Status as species:** Taylor & Brown, 1985: 83; Taylor, 1987a: 58; Bolton, 1995b: 339.

*leviceps*, misspelling, see under *laeviceps*.

*levifrons*, misspelling, see under *laevifrons*.

*levissima*, misspelling, see under *laevissima*.

*libra*. *Dacryon liber* Forel, 1907h: 275 (w.) AUSTRALIA (Western Australia).

Combination in *Podomyrma*: Taylor & Brown, 1985: 83.

**Status as species:** Emery, 1924d: 236; Taylor & Brown, 1985: 83; Taylor, 1987a: 58; Bolton, 1995b: 339; Heterick, 2009: 174.

*longicephala* Terayama & Yamane, 1991; see under **VOLLENHOVIA**.

*macrophthalma*. *Podomyrma macrophthalma* Viehmeyer, 1925a: 25 (w.) AUSTRALIA (New South Wales).

**Status as species:** Taylor & Brown, 1985: 83; Taylor, 1987a: 58; Bolton, 1995b: 339; Heterick, 2009: 173.

*maculiventris*. *Podomyrma micans* var. *maculiventris* Emery, 1887b: 459 (w.) AUSTRALIA (Queensland).

**Subspecies of micans:** Dalla Torre, 1893: 60; Forel, 1910b: 26; Emery, 1924d: 238; Taylor & Brown, 1985: 83; Taylor, 1987a: 58; Bolton, 1995b: 339.

**Status as species:** Taylor, 1999: 174.

*maligna*. *Myrmica maligna* Smith, F. 1865: 72 (q.) INDONESIA (Morotai I.).

Combination in *Podomyrma*: Donisthorpe, 1932c: 473.

**Status as species:** Smith, F. 1871a: 326; Dalla Torre, 1893: 112; Donisthorpe, 1932c: 473; Chapman & Capco, 1951: 127; Bolton, 1995b: 339.

*marginata*. *Dacryon marginatus* McAreavey, 1949: 8, figs. 26-29 (w.) AUSTRALIA (New South Wales).

Combination in *Podomyrma*: Taylor & Brown, 1985: 83.

**Status as species:** Taylor & Brown, 1985: 83; Taylor, 1987a: 58; Bolton, 1995b: 339.

\**mayri*. \**Podomyrma (Acrostigma) mayri* Emery, 1891a: 150, pl. 2, figs. 12-16 (w.) SICILIAN AMBER (Italy: Sicily, Oligocene).

**Status as species:** Dalla Torre, 1893: 60; Keilbach, 1982: 274; Bolton, 1995b: 339.

*micans*. *Podomyrma micans* Mayr, 1876: 111 (w.) AUSTRALIA (Queensland).

**Status as species:** Emery, 1887b: 459; Dalla Torre, 1893: 60; Emery, 1924d: 238; Taylor & Brown, 1985: 83; Taylor, 1987a: 58; Bolton, 1995b: 339; Taylor, 1999: 174.

**Senior synonym of fortirugis:** Taylor, 1999: 174.

**Senior synonym of obscura:** Taylor, 1999: 174.

*minor*. *Podomyrma minor* Donisthorpe, 1949b: 498 (w.) NEW GUINEA (Indonesia).

**Status as species:** Chapman & Capco, 1951: 120; Bolton, 1995b: 339.

**mjobergi.** *Dacryon mjobergi* Forel, 1915b: 51 (w.) AUSTRALIA (Queensland).

Combination in *Podomyrma*: Taylor & Brown, 1985: 83.

**Status as species:** Emery, 1924d: 236; Taylor & Brown, 1985: 83; Taylor, 1987a: 58; Bolton, 1995b: 339.

**muckeli.** *Podomyrma muckeli* Forel, 1910b: 25 (w.) AUSTRALIA (Queensland).

**Status as species:** Emery, 1924d: 238; Taylor & Brown, 1985: 83; Taylor, 1987a: 58; Bolton, 1995b: 339.

**nigra.** *Podomyrma striata* var. *nigra* Stitz, 1938: 102 (w.) NEW GUINEA (Papua New Guinea).

Subspecies of *striata*: Chapman & Capco, 1951: 121; Bolton, 1995b: 339.

Junior synonym of *basalis*: Taylor, 1999: 173.

**nigrescens.** *Podomyrma striata* var. *nigrescens* Stitz, 1912: 504 (w.) NEW GUINEA (no state data).

**Subspecies of basalis:** Viehmeyer, 1914c: 521 (in key); Emery, 1924d: 237; Chapman & Capco, 1951: 119; Bolton, 1995b: 339.

**nitida** Smith, F. 1860; see under **VOLLENHOVIA**.

**nitida.** *Dacryon nitida* Clark, 1938: 364, fig. 4 (w.q.m.) AUSTRALIA (South Australia: Reevesby I.).

Combination in *Podomyrma*: Taylor & Brown, 1985: 83.

**Status as species:** Taylor & Brown, 1985: 83; Taylor, 1987a: 58; Bolton, 1995b: 339.

**novemdentata.** *Podomyrma novemdentata* Forel, 1901h: 55 (w.q.) AUSTRALIA (Queensland).

**Status as species:** Emery, 1924d: 238; Taylor & Brown, 1985: 83; Taylor, 1987a: 58; Bolton, 1995b: 339.

**nuda.** *Podomyrma nuda* Crawley, 1922b: 441, fig. 7 (w.) AUSTRALIA (Western Australia).

Crawley, 1925b: 591 (q.).

Status as species: Crawley, 1925b: 591; Taylor & Brown, 1985: 84; Taylor, 1987a: 58; Bolton, 1995b: 339.

Junior synonym of *chasei*: Taylor, 1999: 173.

**nugenti.** *Podomyrma gracilis* var. *nugenti* Forel, 1901h: 54 (w.) AUSTRALIA (Queensland).

As unavailable (infrasubspecific) name: Emery, 1924d: 237.

Subspecies of *gracilis*: Taylor & Brown, 1985: 82; Taylor, 1987a: 57; Bolton, 1995b: 339.

Junior synonym of *laevifrons*: Taylor, 1999: 174.

**obscura.** *Podomyrma obscura* Stitz, 1911a: 362, fig. 9 (w.) AUSTRALIA (New South Wales).

Status as species: Emery, 1924d: 238; Taylor & Brown, 1985: 84; Taylor, 1987a: 58; Bolton, 1995b: 339.

Junior synonym of *micans*: Taylor, 1999: 174.

**obscurior.** *Podomyrma bimaculata* var. *obscurior* Forel, 1915b: 50 (w.) AUSTRALIA (Queensland).

**Subspecies of adelaidae:** Emery, 1924d: 237; Taylor & Brown, 1985: 80; Taylor, 1987a: 57; Bolton, 1995b: 339.

**Status as species:** Taylor, 1999: 174.

**octodentata.** *Podomyrma octodentata* Forel, 1901h: 54 (w.) AUSTRALIA (Queensland).

**Status as species:** Emery, 1924d: 238; Taylor & Brown, 1985: 84; Taylor, 1987a: 58; Bolton, 1995b: 339.

**odae.** *Podomyrma odae* Forel, 1910b: 23 (w.) AUSTRALIA (Queensland).

**Status as species:** Forel, 1915b: 50; Emery, 1924d: 238; Taylor & Brown, 1985: 84; Taylor, 1987a: 58; Bolton, 1995b: 339.

**omniparens.** *Dacryon omniparens* Forel, 1895f: 421 (w.) AUSTRALIA (Queensland).

Combination in *Podomyrma*: Taylor & Brown, 1985: 84.

**Status as species:** Emery, 1924d: 236; Taylor & Brown, 1985: 84; Taylor, 1987a: 58; Bolton, 1995b: 339.

**opacula.** *Podomyrma ruficeps* subsp. *abdominalis* var. *opacula* Viehmeyer, 1914c: 525 (w.) NEW GUINEA (Papua New Guinea); unavailable (infrasubspecific) name.

As unavailable (infrasubspecific) name: Viehmeyer, 1916b: 289; Emery, 1924d: 238; Chapman & Capco, 1951: 121.

Declared as unavailable (infrasubspecific) name: Bolton, 1995b: 339.

**overbecki.** *Podomyrma overbecki* Viehmeyer, 1924b: 318 (w.) AUSTRALIA (New South Wales).

**Status as species:** Taylor & Brown, 1985: 84; Taylor, 1987a: 58; Bolton, 1995b: 339; Taylor, 1999: 174.

**Senior synonym of varicolor:** Taylor, 1999: 174.

**papuana.** *Podomyrma gratiosa* r. *papuana* Stitz, 1938: 102 (w.) NEW GUINEA (Papua New Guinea).

**Subspecies of gratiosa:** Chapman & Capco, 1951: 120; Bolton, 1995b: 339.

**parva.** *Podomyrma parva* Crawley, 1925b: 592 (w.) AUSTRALIA (Western Australia).

Junior synonym of *elongata*: Brown, 1953b: 3; Taylor & Brown, 1985: 81; Taylor, 1987a: 57; Bolton, 1995b: 339; Taylor, 1999: 173.

**pulchella.** *Podomyrma pulchellus* Donisthorpe, 1938a: 145, fig. 5 (w.) NEW GUINEA (Indonesia).

**Status as species:** Bolton, 1995b: 339.

**pulchra.** *Podomyrma abdominalis* r. *pulchra* Forel, 1901h: 54 (w.) AUSTRALIA (Queensland).

Subspecies of *ruficeps*: Emery, 1924d: 238.

Subspecies of *abdominalis*: Forel, 1915b: 50; Taylor & Brown, 1985: 80; Taylor, 1987a: 57; Bolton, 1995b: 339.

Junior synonym of *gastralis*: Taylor, 1999: 174.

**reyi.** *Podomyrma basalis* subsp. *reyi* Karavaiev, 1935a: 99 (w.) INDONESIA (Ambon I.).

**Subspecies of basalis:** Chapman & Capco, 1951: 119; Bolton, 1995b: 339.

**ruficeps.** *Podomyrma ruficeps* Smith, F. 1863: 20 (w.) INDONESIA (Misool I.).

**Status as species:** Roger, 1863b: 27; Mayr, 1867a: 107 (redescription); Smith, F. 1871a: 327; Mayr, 1876: 110 (in key); Dalla Torre, 1893: 60; Emery, 1897d: 558; Viehmeyer, 1914c: 522 (in key); Emery, 1924d: 238; Donisthorpe, 1932c: 471; Chapman & Capco, 1951: 120; Bolton, 1995b: 339.

Current subspecies: nominal plus *dohertyi, thoracica*.

**rugosa.** *Lordomyrma rugosa* Clark, 1934b: 38, pl. 3, figs. 3, 4 (w.q.) AUSTRALIA (Victoria).

Combination in *Dacryon*: Wheeler, G.C. & Wheeler, J. 1954a: 135; Brown, 1957a: 49;

combination in *Podomyrma*: Taylor & Brown, 1985: 84.

Junior synonym of *christae*: Brown, 1957a: 49.

**Status as species:** Taylor & Brown, 1985: 84; Taylor, 1987a: 58; Bolton, 1995b: 339.

**salomo.** *Podomyrma basalis* subsp. *salomo* Mann, 1919: 333 (w.) SOLOMON IS (Florida I., Malaita I.).

[Misspelled as *salamo* by Wheeler, W.M. 1935g: 28.]

**Subspecies of *basalis*:** Wheeler, W.M. 1935g: 28; Bolton, 1995b: 339; Sarnat, *et al.* 2013: 71.

*sericeiventris*. *Podomyrma micans* subsp. *sericeiventris* Emery, 1898b: 235 (w.q.) AUSTRALIA (no state data).

Junior synonym of *adelaideae*: Emery, 1924d: 237; Taylor & Brown, 1985: 80; Taylor, 1987a: 57; Bolton, 1995b: 339; Taylor, 1999: 173.

***silvicola*.** *Podomyrma silvicola* Smith, F. 1860b: 110 (w.) INDONESIA (Bacan I.).

[Misspelled as *sylvicola* by Roger, 1863b: 27; Mayr, 1863: 443.]

**Status as species:** Roger, 1863b: 27; Mayr, 1863: 443; Smith, F. 1865: 73; Mayr, 1867a: 108 (redescription); Smith, F. 1871a: 327; Mayr, 1876: 110 (in key); Dalla Torre, 1893: 60; Emery, 1897d: 559; Forel, 1904d: 170; Viehmeyer, 1914c: 522 (in key); Emery, 1924d: 238; Donisthorpe, 1932c: 464; Bolton, 1995b: 339; Taylor, 1999: 174.

**Senior synonym of *castanea*:** Taylor, 1999: 174.

Current subspecies: nominal plus *bicolor*, *dimidiata*.

***simillima*.** *Podomyrma simillima* Smith, F. 1860b: 111 (w.) INDONESIA (Bacan I.).

**Status as species:** Roger, 1863b: 27; Mayr, 1863: 443; Smith, F. 1871a: 327; Dalla Torre, 1893: 60; Emery, 1924d: 238; Donisthorpe, 1932c: 464; Bolton, 1995b: 339.

*striata*. *Podomyrma striata* Smith, F. 1859a: 146 (w.) INDONESIA (Aru Is.).

Status as species: Roger, 1863b: 27; Mayr, 1863: 443; Smith, F. 1871a: 327; Mayr, 1876: 110 (in key); Dalla Torre, 1893: 60; Viehmeyer, 1914c: 522 (in key); Emery, 1924d: 238; Donisthorpe, 1932c: 455; Taylor & Brown, 1985: 84; Taylor, 1987a: 58; Bolton, 1995b: 339.

Junior synonym of *laevifrons*: Taylor, 1999: 174.

***sylicola*,** misspelling, see under *silvicola*.

*teres*. *Podomyrma densestrigosa* subsp. *teres* Viehmeyer, 1924b: 317 (w.) AUSTRALIA (New South Wales).

Subspecies of *densestrigosa*: Taylor & Brown, 1985: 81; Taylor, 1987a: 57; Bolton, 1995b: 339.

Junior synonym of *elongata*: Taylor, 1999: 173.

***testacea*.** *Podomyrma testacea* Donisthorpe, 1949g: 413 (w.) NEW GUINEA (Papua New Guinea).

**Status as species:** Chapman & Capco, 1951: 121; Bolton, 1995b: 339.

***thoracica*.** *Podomyrma ruficeps* var. *thoracica* Stitz, 1911a: 360, fig. 8 (w.) NEW GUINEA (Papua New Guinea).

**Subspecies of *ruficeps*:** Stitz, 1912: 503; Viehmeyer, 1914c: 522 (in key); Emery, 1924d: 238; Chapman & Capco, 1951: 121; Bolton, 1995b: 339.

*tricolor*. *Podomyrma tricolor* Clark, 1934b: 36, pl. 3, fig. 1 (w.) AUSTRALIA (Queensland).

Status as species: Taylor & Brown, 1985: 84; Taylor, 1987a: 58; Bolton, 1995b: 339.

Junior synonym of *gastralis*: Taylor, 1999: 174.

***tristis*.** *Podomyrma tristis* Karavaiev, 1935a: 102 (w.) INDONESIA (Aru Is.).

**Status as species:** Chapman & Capco, 1951: 121; Bolton, 1995b: 339.

***turneri*.** *Dacryon turneri* Forel, 1901h: 60 (w.q.) AUSTRALIA (Queensland).

Combination in *Podomyrma*: Taylor & Brown, 1985: 85.

**Status as species:** Emery, 1924d: 236; Taylor & Brown, 1985: 85; Taylor, 1987a: 58; Bolton, 1995b: 339.

*varicolor*. *Podomyrma overbecki* var. *varicolor* Viehmeyer, 1925a: 25 (w.) AUSTRALIA (New South Wales).

Subspecies of *overbecki*: Taylor & Brown, 1985: 84; Taylor, 1987a: 58; Bolton, 1995b: 339.

Junior synonym of *overbecki*: Taylor, 1999: 174.

**vidua**. *Podomyrma vidua* Santschi, 1932b: 15, fig. 2 (q.) INDONESIA (Weeim I., north of Misool I.).

**Status as species**: Chapman & Capco, 1951: 121; Bolton, 1995b: 339.

**woodfordi**. *Podomyrma basalis* subsp. *woodfordi* Mann, 1919: 334, fig. 26 (w.q.) SOLOMON IS (Three Sisters I.).

**Subspecies of basalis**: Wheeler, W.M. 1935g: 28; Bolton, 1995b: 339; Sarnat, *et al.* 2013: 72.