

## **STIGMACROS**

**aciculata.** *Stigmacros (Cyrtostigmacros) aciculata* McAreavey, 1957: 50, figs. 171-173 (w.) AUSTRALIA (Queensland).

**Status as species:** Taylor & Brown, 1985: 145; Taylor, 1987a: 74; Bolton, 1995b: 394.

**acuta.** *Stigmacros (Stigmacros) acuta* McAreavey, 1957: 12, figs. 28-30 (w.) AUSTRALIA (South Australia).

Wheeler, G.C. & Wheeler, J. 1968: 209 (l.).

**Status as species:** Taylor & Brown, 1985: 145; Taylor, 1987a: 74; Bolton, 1995b: 394.

**aemula.** *Acantholepis (Stigmacros) aemula* Forel, 1907h: 298 (w.) AUSTRALIA (Western Australia).

Wheeler, W.M. 1934d: 159 (q.).

Combination in *Stigmacros*: Emery, 1925b: 34;

combination in *S. (Campostigmacros)*: McAreavey, 1957: 32.

**Status as species:** Emery, 1925b: 34; Clark, 1938: 375; Wheeler, W.M. 1934d: 159; McAreavey, 1957: 32 (redescription); Taylor & Brown, 1985: 145; Taylor, 1987a: 74; Bolton, 1995b: 394; Heterick, 2009: 115.

**anthracina.** *Stigmacros (Campostigmacros) anthracina* McAreavey, 1957: 29, figs. 95-97 (w.) AUSTRALIA (South Australia).

Wheeler, G.C. & Wheeler, J. 1974a: 60 (l.).

**Status as species:** Taylor & Brown, 1985: 145; Taylor, 1987a: 74; Bolton, 1995b: 394; Heterick, 2009: 115.

**armstrongi.** *Stigmacros (Cyrtostigmacros) armstrongi* McAreavey, 1957: 52, figs. 180-183 (w.q.) AUSTRALIA (New South Wales).

**Status as species:** Taylor & Brown, 1985: 145; Taylor, 1987a: 74; Bolton, 1995b: 394.

**australis.** *Acantholepis (Acrostigma) australis* Forel, 1902h: 479 (w.) AUSTRALIA (New South Wales).

Combination in *A. (Stigmacros)*: Forel, 1905b: 179;

combination in *Stigmacros*: Emery, 1925b: 34;

combination in *S. (Cyrtostigmacros)*: McAreavey, 1957: 36.

**Status as species:** Emery, 1925b: 34; McAreavey, 1957: 36 (redescription); Taylor & Brown, 1985: 146; Taylor, 1987a: 74; Bolton, 1995b: 394.

**barretti.** *Stigmacros barretti* Santschi, 1928e: 477, fig. 2 (w.) AUSTRALIA (Victoria).

McAreavey, 1957: 21 (q.m.); Wheeler, G.C. & Wheeler, J. 1968: 210 (l.).

Combination in *S. (Hagiostigmacros)*: McAreavey, 1957: 19.

**Status as species:** Clark, 1934c: 70; McAreavey, 1957: 21 (redescription); Taylor & Brown, 1985: 146; Taylor, 1987a: 74; Bolton, 1995b: 394.

**bosii.** *Acantholepis (Acrostigma) bosii* Forel, 1902h: 481 (w.q.) AUSTRALIA (New South Wales).

Combination in *A. (Stigmacros)*: Forel, 1905b: 179;

combination in *Stigmacros*: Emery, 1925b: 34.

**Status as species:** Emery, 1925b: 34; McAreavey, 1957: 18 (redescription); Taylor & Brown, 1985: 146; Taylor, 1987a: 74; Bolton, 1995b: 394.

**brachytera.** *Stigmacros (Campostigmacros) brachytera* McAreavey, 1957: 27, figs. 85-88 (w.q.) AUSTRALIA (Western Australia).

**Status as species:** Taylor & Brown, 1985: 146; Taylor, 1987a: 74; Bolton, 1995b: 394; Heterick, 2009: 113.

***brevispina***. *Stigmacros (Stigmacros) brevispina* McAreavey, 1957: 14, figs. 34-36 (w.) AUSTRALIA (Victoria).

**Status as species:** Taylor & Brown, 1985: 146; Taylor, 1987a: 74; Bolton, 1995b: 394.

***brooksi***. *Stigmacros (Cyrtostigmacros) brooksi* McAreavey, 1957: 42, figs. 140-144 (w.q.m.) AUSTRALIA (Western Australia).

**Status as species:** Taylor & Brown, 1985: 146; Taylor, 1987a: 74; Bolton, 1995b: 394.

***castanea***. *Stigmacros (Cyrtostigmacros) castanea* McAreavey, 1957: 49, figs. 165-170 (w.q.m.) AUSTRALIA (Australian Capital Territory).

**Status as species:** Taylor & Brown, 1985: 146; Taylor, 1987a: 74; Bolton, 1995b: 394.

***clarki***. *Stigmacros (Cyrtostigmacros) clarki* McAreavey, 1957: 41, figs. 137-139 (w.) AUSTRALIA (Western Australia).

**Status as species:** Taylor & Brown, 1985: 146; Taylor, 1987a: 74; Bolton, 1995b: 394.

***clivispina***. *Acantholepis (Acrostigma) clivispina* Forel, 1902h: 482 (w.) AUSTRALIA (New South Wales).

McAreavey, 1957: 47 (q.m.).

Combination in *A. (Stigmacros)*: Forel, 1905b: 179;

combination in *Stigmacros*: Emery, 1925b: 35;

combination in *S. (Cyrtostigmacros)*: McAreavey, 1957: 46.

**Status as species:** Wheeler, W.M. 1909a: 29; Emery, 1925b: 35; Taylor & Brown, 1985: 146; Taylor, 1987a: 74; Bolton, 1995b: 394.

***debilis***. *Stigmacros debilis* Bolton, 1995b: 394.

**Replacement name for** *Acantholepis (Stigmacros) foreli* Viehmeyer, 1925a: 34. [Junior primary homonym of *Acantholepis foreli* Arnold, 1920a: 564.]

***elegans***. *Stigmacros elegans* McAreavey, 1949: 3, figs. 68-70 (w.q.) AUSTRALIA (New South Wales).

Combination in *S. (Campostigmacros)*: McAreavey, 1957: 31.

**Status as species:** McAreavey, 1957: 31 (redescription); Taylor & Brown, 1985: 146; Taylor, 1987a: 74; Bolton, 1995b: 394; Heterick, 2009: 115.

***epinotalis***. *Stigmacros (Campostigmacros) epinotalis* McAreavey, 1957: 28, figs. 89-91 (w.) AUSTRALIA (Western Australia).

**Status as species:** Taylor & Brown, 1985: 146; Taylor, 1987a: 74; Bolton, 1995b: 394; Heterick, 2009: 115.

***extreminigra***. *Stigmacros (Cyrtostigmacros) extreminigra* McAreavey, 1957: 48, figs. 162-164 (w.) AUSTRALIA (Victoria).

**Status as species:** Taylor & Brown, 1985: 146; Taylor, 1987a: 74; Bolton, 1995b: 394.

***ferruginea***. *Stigmacros (Cyrtostigmacros) ferruginea* McAreavey, 1957: 46, figs. 152-154 (w.) AUSTRALIA (South Australia).

**Status as species:** Taylor & Brown, 1985: 147; Taylor, 1987a: 75; Bolton, 1995b: 394.

***flava***. *Stigmacros (Cyrtostigmacros) flava* McAreavey, 1957: 40, figs. 131-133 (w.) AUSTRALIA (Western Australia).

**Status as species:** Taylor & Brown, 1985: 147; Taylor, 1987a: 75; Bolton, 1995b: 394; Heterick, 2009: 117.

***flavinodis***. *Stigmacros flavinodis* Clark, 1938: 375, fig. 13 (w.) AUSTRALIA (South Australia: Reevesby I.).

Combination in *S. (Campostigmacros)*: McAreavey, 1957: 26.

**Status as species:** McAreavey, 1957: 26 (redescription); Taylor & Brown, 1985: 147; Taylor, 1987a: 75; Bolton, 1995b: 394.

*foreli*. *Acantholepis (Stigmacros) foreli* Viehmeyer, 1925a: 34 (w.q.m.) AUSTRALIA (New South Wales).

[Junior primary homonym of *Acantholepis foreli* Arnold, 1920a: 564.]

Junior synonym of *froggatti*: McAreavey, 1957: 10; Taylor & Brown, 1985: 147; Taylor, 1987a: 75.

Status as species: Taylor, 1992a: 67.

**Replacement name:** *Stigmacros debilis* Bolton, 1995b: 394.

*fossulata*. *Acantholepis (Stigmacros) fossulata* Viehmeyer, 1925a: 34 (w.) AUSTRALIA (New South Wales).

Junior synonym of *froggatti*: McAreavey, 1957: 10; Taylor & Brown, 1985: 147; Taylor, 1987a: 75.

**Status as species:** Taylor, 1992a: 67 (in text); Bolton, 1995b: 394.

*froggatti*. *Acantholepis (Acrostigma) froggatti* Forel, 1902h: 478 (w.q.m.) AUSTRALIA (New South Wales).

Combination in *A. (Stigmacros)*: Forel, 1905b: 179;

combination in *Stigmacros*: Emery, 1925b: 35.

**Status as species:** Emery, 1925b: 35; McAreavey, 1957: 10 (redescription); Taylor & Brown, 1985: 147; Taylor, 1987a: 75; Bolton, 1995b: 394.

*glauerti*. *Stigmacros (Cyrtostigmacros) glauerti* McAreavey, 1957: 41, figs. 134-136 (w.) AUSTRALIA (Western Australia).

**Status as species:** Taylor & Brown, 1985: 147; Taylor, 1987a: 75; Bolton, 1995b: 394; Heterick, 2009: 117.

*hirsuta*. *Stigmacros (Chariostigmacros) hirsuta* McAreavey, 1957: 23, figs. 72-75 (w.) AUSTRALIA (Queensland).

**Status as species:** Taylor & Brown, 1985: 147; Taylor, 1987a: 75; Bolton, 1995b: 394.

*impressa*. *Stigmacros (Stigmacros) impressa* McAreavey, 1957: 14, figs. 37-39 (w.) AUSTRALIA (Victoria).

**Status as species:** Taylor & Brown, 1985: 147; Taylor, 1987a: 75; Bolton, 1995b: 394.

*inermis*. *Stigmacros (Pseudostigmacros) inermis* McAreavey, 1957: 24, figs. 76-78 (w.) AUSTRALIA (New South Wales).

**Status as species:** Taylor & Brown, 1985: 147; Taylor, 1987a: 75; Bolton, 1995b: 394; Heterick, 2009: 114.

*intacta*. *Acantholepis (Stigmacros) aemula* var. *intacta* Viehmeyer, 1925a: 34 (w.) AUSTRALIA (New South Wales).

Combination in *Stigmacros (Campostigmacros)*: McAreavey, 1957: 33.

**Status as species:** McAreavey, 1957: 33 (redescription); Taylor & Brown, 1985: 147; Taylor, 1987a: 75; Bolton, 1995b: 394.

*lanaris*. *Stigmacros (Cyrtostigmacros) lanaris* McAreavey, 1957: 43, figs. 145-148 (w.q.) AUSTRALIA (New South Wales).

**Status as species:** Taylor & Brown, 1985: 147; Taylor, 1987a: 75; Bolton, 1995b: 394.

*major*. *Stigmacros (Cyrtostigmacros) major* McAreavey, 1957: 39, figs. 128-130 (w.) AUSTRALIA (Queensland).

**Status as species:** Taylor & Brown, 1985: 147; Taylor, 1987a: 75; Bolton, 1995b: 394.

**marginata.** *Stigmacros (Campostigmacros) marginata* McAreavey, 1957: 27, figs. 82-84 (w.) AUSTRALIA (New South Wales).

**Status as species:** Taylor & Brown, 1985: 148; Taylor, 1987a: 75; Bolton, 1995b: 394.

**medioreticulata.** *Acantholepis (Stigmacros) medioreticulata* Viehmeyer, 1925a: 32 (w.) AUSTRALIA (New South Wales).

Combination in *Stigmacros*: McAreavey, 1957: 53.

**Status as species:** McAreavey, 1957: 53 (redescription); Taylor & Brown, 1985: 148; Taylor, 1987a: 75; Bolton, 1995b: 394.

**minor.** *Stigmacros (Stigmacros) minor* McAreavey, 1957: 17, figs. 48-50 (w.) AUSTRALIA (Queensland).

**Status as species:** Taylor & Brown, 1985: 148; Taylor, 1987a: 75; Bolton, 1995b: 394.

**nitida.** *Stigmacros (Campostigmacros) nitida* McAreavey, 1957: 30, figs. 98-100 (w.) AUSTRALIA (Victoria).

**Status as species:** Taylor & Brown, 1985: 148; Taylor, 1987a: 75; Bolton, 1995b: 394.

**occidentalis.** *Acantholepis (Stigmacros) occidentalis* Crawley, 1922c: 30 (w.) AUSTRALIA (Western Australia).

McAreavey, 1957: 45 (q.).

Combination in *Stigmacros*: Emery, 1925b: 35;

combination in *S. (Cyrtostigmacros)*: McAreavey, 1957: 44.

**Status as species:** Emery, 1925b: 35; McAreavey, 1957: 44 (redescription); Taylor & Brown, 1985: 148; Taylor, 1987a: 75; Bolton, 1995b: 394; Heterick, 2009: 117.

**pilosella.** *Acantholepis (Stigmacros) pilosella* Viehmeyer, 1925a: 33 (w.) AUSTRALIA (New South Wales).

Combination in *Stigmacros (Campostigmacros)*: McAreavey, 1957: 30.

**Status as species:** McAreavey, 1957: 30 (redescription); Taylor, 1987a: 75; Taylor & Brown, 1985: 148; Bolton, 1995b: 394; Heterick, 2009: 114.

**proxima.** *Stigmacros (Cyrtostigmacros) proxima* McAreavey, 1957: 51, figs. 174-176 (w.) AUSTRALIA (New South Wales).

**Status as species:** Taylor & Brown, 1985: 148; Taylor, 1987a: 75; Bolton, 1995b: 394.

**punctatissima.** *Stigmacros (Hagiostigmacros) punctatissima* McAreavey, 1957: 22, figs. 68-71 (w.) AUSTRALIA (New South Wales).

**Status as species:** Taylor & Brown, 1985: 148; Taylor, 1987a: 75; Bolton, 1995b: 394.

**pusilla.** *Stigmacros (Stigmacros) pusilla* McAreavey, 1957: 16, figs. 45-47 (w.) AUSTRALIA (Australian Capital Territory).

**Status as species:** Taylor & Brown, 1985: 148; Taylor, 1987a: 75; Bolton, 1995b: 394; Heterick, 2009: 116.

**rectangularis.** *Stigmacros (Stigmacros) rectangularis* McAreavey, 1957: 15, figs. 40-44 (w.m.) AUSTRALIA (Western Australia).

**Status as species:** Taylor & Brown, 1985: 148; Taylor, 1987a: 75; Bolton, 1995b: 394.

**reticulata.** *Stigmacros reticulata* Clark, 1930a: 127, fig. 1 (no. 16) (w.) AUSTRALIA (Western Australia).

McAreavey, 1957: 29 (q.).

Combination in *S. (Campostigmacros)*: McAreavey, 1957: 29.

**Status as species:** McAreavey, 1957: 29; Taylor & Brown, 1985: 148; Taylor, 1987a: 75; Bolton, 1995b: 394; Heterick, 2009: 116.

**rufa.** *Stigmacros* (*Stigmacros*) *rufa* McAreavey, 1957: 13, figs. 31-33 (w.) AUSTRALIA (Victoria).

**Status as species:** Taylor & Brown, 1985: 148; Taylor, 1987a: 75; Bolton, 1995b: 395.

**sordida.** *Stigmacros* (*Cyrtostigmacros*) *sordida* McAreavey, 1957: 52, figs. 177-179 (w.) AUSTRALIA (South Australia).

**Status as species:** Taylor & Brown, 1985: 149; Taylor, 1987a: 75; Bolton, 1995b: 395.

**spinosa.** *Stigmacros* (*Hagiostigmacros*) *spinosa* McAreavey, 1957: 19, figs. 55-59 (w.q.) AUSTRALIA (New South Wales).

**Status as species:** Taylor & Brown, 1985: 149; Taylor, 1987a: 75; Bolton, 1995b: 395; Heterick, 2009: 113.

**stanleyi.** *Stigmacros* (*Campostigmacros*) *stanleyi* McAreavey, 1957: 34, figs. 115-117 (w.) AUSTRALIA (Victoria).

**Status as species:** Taylor & Brown, 1985: 149; Taylor, 1987a: 75; Bolton, 1995b: 395; Heterick, 2009: 114.

**striata.** *Stigmacros* (*Cyrtostigmacros*) *striata* McAreavey, 1957: 38, figs. 125-127 (w.q.m.) AUSTRALIA (New South Wales).

**Status as species:** Taylor & Brown, 1985: 149; Taylor, 1987a: 75; Bolton, 1995b: 395.

**termitoxena.** *Stigmacros termitoxenus* Wheeler, W.M. 1936d: 215, fig. 9 (w.q.) AUSTRALIA (Western Australia).

Combination in *S. (Cyrtostigmacros)*: McAreavey, 1957: 37.

**Status as species:** McAreavey, 1957: 37 (redescription); Taylor & Brown, 1985: 149; Taylor, 1987a: 75; Bolton, 1995b: 395; Heterick, 2009: 117.

**wilsoni.** *Stigmacros* (*Stigmacros*) *wilsoni* McAreavey, 1957: 11, figs. 25-27 (w.) AUSTRALIA (Victoria).

**Status as species:** Taylor & Brown, 1985: 149; Taylor, 1987a: 76; Bolton, 1995b: 395.