

- obtritus*. *Camponotus obtritus* Emery, 1911a: 222 (s.w.) PERU. Combination in *C. (Myrmomalis)*: Forel, 1914a: 271.
- obtusa*. *Formica obtusa* Smith, F. 1858b: 30 (w.) EGYPT. Junior synonym of *sericeus*: Roger, 1863b: 2.
- #*obtusatus*. *Polyrhachis selene* subsp. *obtusata* Emery, 1895k: 480 (w.) BURMA. Combination in *Camponotus*: Emery, 1896d: 376; in *C. (Orthonotomyrmex)*: Emery, 1925b: 125.
- #*obtusitruncatus*. *Camponotus (Colobopsis) gasseri* r. *obtusitruncatus* Forel, 1902h: 508 (s.w.q.m.) AUSTRALIA. [*C. gasseri* subsp. *obtusitruncatus*: Emery, 1925b: 148; justified emendation of spelling.]
- occasus*. *Camponotus (Myrmoturba) occasus* Emery, 1920c: 17, fig. 4 (s.w.) CAPE VERDE IS.
- #*occidentalis*. *Camponotus carbo* var. *occidentalis* Mayr, 1902: 300 (s.w.) GHANA. Combination in *C. (Myrmotrema)*: Wheeler, W.M. 1922a: 977.
- #*occipitalis*. *Camponotus (Myrmoturba) maculatus* r. *occipitalis* Stitz, 1917: 352, fig. 14 (w.) ALGERIA. Combination in *C. (Tanaemyrmex)*: Emery, 1925b: 98. Subspecies of *compressus*: Emery, 1925b: 98; Santschi, 1939d: 80; Bernard, 1953a: 189.
- #*occultus*. *Camponotus claviscapus* subsp. *occultus* Wheeler, W.M. & Mann, 1914: 56, fig. 24 (s.w.q.m.) HAITI. Combination in *C. (Pseudocolobopsis)*: Emery, 1925b: 157.
- oceanicus*. *Colobopsis oceanica* Mayr, 1870b: 943 (q.) FIJI IS. Combination in *Camponotus*: Dalla Torre, 1893: 245; in *C. (Myrmamblys)*: Forel, 1914a: 272; in *C. (Myrmotemnus)*: Emery, 1920b: 258; in *C. (Colobopsis)*: Emery, 1925b: 146.
- ocreatus*. *Camponotus maculatus* subsp. *ocreatus* Emery, 1893i: 673 (s.w.) U.S.A. Wheeler, W.M. 1910d: 310 (q.); Wheeler, G.C. & Wheeler, J. 1970: 651 (l.). Combination in *C. (Myrmoturba)*: Wheeler, W.M. 1917a: 561; in *C. (Camponotus)*: Emery, 1920b: 255; in *C. (Tanaemyrmex)*: Creighton, 1950a: 378. Raised to species: Wheeler, W.M. 1917a: 561. Senior synonym of *primipilaris*: Creighton, 1950a: 378.
- octomaculata*. *Camponotus maculatus* subsp. *pictiventris* var. *octomaculata* Forel, 1910e: 452 (w.) SOUTH AFRICA. Unavailable name.
- octonotatus*. *Camponotus maculatus* r. *fulvus* var. *octonotatus* Forel, 1897c: 202 (w.q.) SEYCHELLE IS. Unavailable name.
- oculatior*. *Camponotus (Myrmachraphe) oculatior* Santschi, 1935a: 281, figs. 33, 34 (w.) ZAIRE.
- odiosus*. *Camponotus rubripes* r. *odiosus* Forel, 1886f: 154 (s.w.) SUMATRA. Combination in *C. (Myrmoturba)*: Forel, 1913k: 126; in *C. (Tanaemyrmex)*: Emery, 1925b: 102. Raised to species: Dalla Torre, 1893: 245. Subspecies of *maculatus*: Emery, 1896d: 371; Emery, 1900d: 701; Forel, 1911e: 290. Raised to species: Emery, 1920c: 7.
- #*oebalis*. *Camponotus (Colobopsis) vitreus* var. *oebalis* Forel, 1911b: 208 (w.) JAVA.
- **oeningensis*. **Formica obesa oeningensis* Heer, 1850: 110, pl. 8, fig. 2 (q.) SWITZERLAND. Combination in *Oecophylla*: Mayr, 1867b: 51; in *Camponotus*, and raised to species: Cockerell, 1915: 486.
- oertzeni*. *Camponotus rubripes* r. *oertzeni* Forel, 1889: 263 (s.w.) GREECE. Finzi, 1939c: 158 (q.m.). Combination in *C. (Tanaemyrmex)*: Emery, 1925b: 97. Raised to species: Dalla Torre, 1893: 246. Subspecies of *maculatus*: Emery, 1896d: 370; Emery, 1898c: 148; Forel, 1911e: 290. Subspecies of *aethiops*: Emery, 1920c: 7. Raised to species: Agosti & Collingwood, 1987a: 59. Current subspecies: nominal plus *andrius*, *kappariensis*.
- oetkeri*. *Camponotus oetkeri* Forel, 1910b: 75 (s.w.) AUSTRALIA. Combination in *C. (Myrmogonia)*: Forel, 1913g: 191; in *C. (Myrmophyma)*: Emery, 1925b: 112; in *C. (Thilipsepinotus)*: Santschi, 1928e: 483. Current subspecies: nominal plus *voltai*.
- ogasawarensis*. *Camponotus (Myrmamblys) ogasawarensis* Terayama & Satoh, 1990c: 117, figs. 1–26 (s.w.q.m.) JAPAN.
- ogloblini*. *Camponotus (Myrmobrachys) ogloblini* Santschi, 1934c: 32, fig. 20 (w.) ARGENTINA. Junior synonym of *mus*: Kempf, 1978: 37.
- okamotoi*. *Camponotus (Myrmamblys) itoi* subsp. *lighti* var. *okamotoi* Wheeler, W.M. 1927d: 10 (w.) CHINA. Unavailable name.
- olivieri*. *Camponotus foraminosus* r. *olivieri* Forel, 1886f: 175 (s.w.q.) ANGOLA. Combination in *C. (Myrmotrema)*: Santschi, 1915c: 269. Raised to species: Dalla Torre, 1893: 246. Subspecies of *foraminosus*: Emery, 1895h: 54; Santschi, 1910c: 393. Raised to species: Santschi, 1915c: 269 (in key); Santschi, 1935a: 283. Current subspecies: nominal plus *concordius*, *delagoensis*, *freyeri*, *infelix*, *lemma*, *moshianus*, *nitidior*, *osiris*, *patersoni*, *pax*, *sorptus*, *tenuipilis*.
- ombilicata*. *Camponotus reticulatus* subsp. *bedoti* var. *ombilicata* Baroni Urbani, 1971b: 362. [Unnecessary replacement name for *punctulata* Karavaiev, 1929c: 240, unavailable name.] Unavailable name.
- ominosus*. *Camponotus ominosus* Forel, 1911a: 52 (s.w.) SRI LANKA. Combination in *C. (Myrmosaga)*: Forel, 1914a: 269; in *C. (Myrmotemnus)*: Emery, 1920b: 258; in *C. (Myrmamblys)*: Emery, 1925b: 138.
- opaca*. *Formica opaca* Nylander, 1856b: 55, pl. 3, fig. 16 (w.) FRANCE. Junior synonym of *cruentatus*: Roger, 1859: 228; Mayr, 1861: 36.
- opaca*. *Camponotus quadrimaculatus* var. *opaca* Emery, 1899f: 290 (w.) MADAGASCAR. [Junior secondary homonym of *Formica opaca* Nylander, above.] Replacement name: *opacatus* Emery, 1925b: 123.
- opaca*. *Camponotus oblongus* var. *opaca* Forel, 1907a: 32 (w.) INDIA. [Junior secondary homonym of *Formica opaca* Nylander, above.] Replacement name: *binominatus* Forel, 1916: 458.
- #*opacatus*. *Camponotus (Mayria) quadrimaculatus* var. *opacata* Emery, 1925b: 123. Replacement name for *opaca* Emery, 1899f: 290. [Junior secondary homonym of *Formica opaca* Nylander, 1856b: 55.]
- opaciceps*. *Camponotus opaciceps* Roger, 1863a: 141 (q.) BRAZIL. Combination in *C. (Myrmothrix)*: Emery, 1925b: 108. Junior synonym of *esuriens*: Emery, 1896d: 372. Revived from synonymy as race of *abdominalis*: Forel, 1897b: 297. Revived status as species: Emery, 1925b: 108. Status uncertain: Hashmi, 1973: 122.
- #*opaciventris*. *Camponotus opaciventris* Mayr, 1879: 648 (w.) INDIA. [*Camponotus opaciventris* Smith, F. 1873: viii, *nomen nudum*, attributed to Mayr.] Combination in *C. (Orthonotomyrmex)*: Emery, 1925b: 126. Variety/subspecies of *sericeus*: Forel, 1892j: 223; Emery, 1896d: 376. Junior synonym of *sericeus*:
- Bingham, 1903: 376. Revived from synonymy as variety of *sericeus*: Forel, 1908a: 6; Emery, 1925b: 126.
- opica*. *Camponotus maculatus* subsp. *parvulus* var. *opica* Forel, 1911c: 311 (w.) BRAZIL. Unavailable name.
- opitrix*. *Camponotus emeryodicatus* subsp. *decessor* var. *opitrix* Forel, 1908c: 414 (w.) BRAZIL. Unavailable name.
- #*orbiculatopunctatus*. *Camponotus (Myrmophyma) claripes* subsp. *orbiculatopunctatus* Viehmeyer, 1925b: 143 (s.w.) AUSTRALIA.
- orinobates*. *Camponotus (Myrmamblys) orinobates* Santschi, 1919a: 348, fig. 4 (s.w.) KENYA. Combination in *C. (Paramyrmamblys)*: Santschi, 1926c: 604.
- orinodromus*. *Camponotus (Myrmamblys) orinodromus* Santschi, 1919a: 347, fig. 4 (w.) SOUTH AFRICA. Combination in *C. (Paramyrmamblys)*: Santschi, 1926c: 604. Junior synonym of *orites*: Arnold, 1926: 291.
- orinus*. *Camponotus (Karavaievia) orinus* Dumper, new name for *montanus* Dumper, 1989: 221. [Junior primary homonym of *montanus* Emery, 1894c: 168.]
- orites*. *Camponotus (Myrmamblys) orites* Santschi, 1919a: 346, fig. 4 (w.) SOUTH AFRICA. Arnold, 1926: 290 (s.). Combination in *C. (Paramyrmamblys)*: Santschi, 1926c: 604. Senior synonym of *orinodromus*: Arnold, 1926: 291.
- #*ornatus*. *Camponotus ruficeps* var. *ornatus* Emery, 1894c: 173 (s.w.) BOLIVIA. Combination in *C. (Myrmospincta)*: Crawley, 1916b: 376. Variety of *sexguttatus*: Emery, 1894f: 2; Emery, 1896d: 375; Wheeler, W.M. 1923c: 8; Crawley, 1916b: 376.
- ornatus*. *Camponotus ornatus* Forel, 1907a: 36 (s.) INDO-NESIA (Amboin I.). [Junior primary homonym of *ornatus* Emery, above.] Replacement name: *bellus* Forel, 1908c: 404.
- orthocephalus*. *Camponotus orthocephalus* Emery, 1894c: 169 (s.) BRAZIL. Emery, 1920c: 37 (q.); Menozzi, 1927d: 339 (w.). Combination in *C. (Myrmamblys)*: Forel, 1914a: 90; in *C. (Pseudocolobopsis)*: Emery, 1920b: 259. See also: Kempf, 1968b: 410.
- orthocephalus*. *Camponotus (Myrmophyma) quadrisectus* r. *hians* var. *orthocephalus* Stitz, 1925: 127 (w.) PHILIPPINES. Unavailable name.
- orthodoxus*. *Camponotus (Myrmotrema) foraminosus* st. *orthodoxus* Santschi, 1914d: 381 (s.w.) GUINEA. Subspecies of *foraminosus*: Wheeler, W.M. 1922a: 981. Raised to species: Santschi, 1915c: 267 (in key); Emery, 1925b: 133.
- osceola*. *Camponotus (Tanaemyrmex) socius* var. *osceola* Wheeler, W.M. 1932a: 15 (w.) U.S.A. Junior synonym of *socius*: Creighton, 1950a: 379.
- #*osiris*. *Camponotus carbo* subsp. *osiris* Forel, 1911f: 281 (w.) ZAIRE. Combination in *C. (Myrmotrema)*: Santschi, 1915c: 270. Subspecies of *tauricollis*: Santschi, 1926c: 616; of *olivieri*: Santschi, 1915c: 270; Santschi, 1935a: 283.
- ostiarius*. *Camponotus (Myrmamblys) ostiarius* Forel, 1914d: 258 (s.w.) SOUTH AFRICA. Arnold, 1924: 702 (q.m.). Combination in *C. (Paramyrmamblys)*: Santschi, 1926c: 604.
- #*otoquensis*. *Camponotus (Myrmepomis) sericeiventris* var. *otoquensis* Wheeler, W.M. 1931c: 94 (s.w.) PANAMA.