

A CATALOGUE  
OF  
BRITISH HYMENOPTERA;  
ACULEATA.

COMPILED BY  
FREDERICK SMITH,  
ASSISTANT IN THE ZOOLOGICAL DEPARTMENT OF THE BRITISH MUSEUM.

---

PUBLISHED BY  
THE ENTOMOLOGICAL SOCIETY OF LONDON.

---

*(Being part of a proposed General Catalogue of the Insects of  
the British Isles).*

---

LONDON:  
PRINTED FOR THE SOCIETY BY ALEX. NAPIER,  
SEYMORE STREET, EUSTON SQUARE,  
SOLD AT THE SOCIETY'S APARTMENTS, 12, BEDFORD ROW,  
AND BY LONGMAN, GREEN, READER AND DYER,  
PATERNOSTER ROW.

---

1871.

595.794

( iii )

### ABBREVIATIONS.

Biology Dept. Library

S647B

The following abbreviations are used in the references  
to serials:—

- Ann. Mus. H. N.—Annales du Muséum d'Histoire Naturelle; (20 vols., Paris, 1802-13).
- Ann. Sci. Nat.—Annales des Sciences Naturelles; (Paris, 1824 *et seqq.*).
- Ann. Soc. Fr.—Annales de la Société Entomologique de France; (Paris, 1832 *et seqq.*).
- Berl. Ent. Zeit.—Berliner entomologische Zeitschrift; (Berlin, 1857 *et seqq.*).
- Bul. Mosc.—Bulletin de la Société Impériale des Naturalistes de Moscou; (Moscow, 1829 *et seqq.*).
- Ed. Enc.—Brewster's Edinburgh Encyclopædia. (The Article Entomology in vol. 9; Edinburgh, 1815).
- Enc. Méth.—Encyclopédie Méthodique; (10 vols., Paris, 1789-1825).
- Ent. Ann.—The Entomologist's Annual; (London, 1856 *et seqq.*).
- Ent. Mag.—The Entomological Magazine; (5 vols., London, 1833-38).
- Ent. Mo. Mag.—The Entomologist's Monthly Magazine; (London, 1864 *et seqq.*).
- Entom.—Newman's Entomologist; (London, 1840-42, and 1864 *et seqq.*).
- Germ. Zeit.—Germar's Zeitschrift für die Entomologie; (5 vols., Leipzig, 1839-44).
- Krøy. Tids.—Naturhistorisk Tidsskrift; (Copenhagen, 1837-49, and 1861 *et seqq.*).
- Loud. Mag.—Loudon's Magazine of Natural History; (9 vols., London, 1829-36).
- Mag. N. H.—Charlesworth's Magazine of Natural History; (4 vols., London, 1837-40).
- Mem. Ac. Turin.—Memorie della R. Accademia delle scienze di Torino; (Turin, 1784 *et seqq.*).
- Nouv. Dict.—Nouveau Dictionnaire d'Histoire Naturelle; (36 vols., Paris, 1816-19).
- Proc. Lin. Soc.—Journal of Proceedings of the Linnean Society of London; (1857 *et seqq.*).
- Stett. Zeit.—Stettiner entomologische Zeitung; (Stettin, 1840 *et seqq.*).
- Tr. Ent. Soc.—The Transactions of the Entomological Society of London; (1834 *et seqq.*).
- Tr. Lin. Soc.—The Transactions of the Linnean Society of London; (1791 *et seqq.*).
- Zool.—The Zoolologist; (London, 1843 *et seqq.*).

LONDON:  
PRINTED BY ALEX. NAPIER,  
SEYMOUR STREET, N.W.

P34066

## ABBREVIATIONS.

- Abbreviations of Authors' names, and titles of separate works :—
- Blan. H. N.—Blanchard (E.), *Histoire Naturelle des Insectes*; (3 vols., Paris, 1840-41).
- Bold,—Bold (T. J.). See *Serials, ante*.
- Brullé, Exp. Mor.—Brullé (A.), (the Entomological portion of) *Expédition scientifique de Morée*; (Paris, 1832).
- Brullé, H. N. Canar.— „ Webb et Berthelot's, *Histoire Naturelle des îles Canaries*. The Entomological portion of; (Paris, 1849).
- Christ. Hym.—Christius (J. L.), *Naturgeschichte, Klassification, und Nomenclatur der Insekten vom Bienen, Wespen, und Ameisengeschlecht*; (Frankfort-on-Maine, 1791).
- Cur. B. E.—Curtis (J.), *British Entomology*; (16 vols., London, 1823-40).
- Dahlb. Bomb. Scand.—Dahlbom (A. G.), *Bombi Scandinavie tractati et iconibus illustrati*; (Lund, 1832).
- Dahlb. Hym. Europ.— „ *Hymenoptera Europea præcipue borealia*; (2 vols., Lund, 1843-54).
- Dahlb. Mon. Pomp.— „ *Monographia Pompilorum Suecæ*; (Lund, 1829).
- Don. B. I.—Donovan (E.), *The Natural History of British Insects*; (16 vols., London, 1792-1813).
- Dours, Mon. Anth.—Dours (A.), *Monographie Iconographique du genre Anthophora*, Lat.; (Amiens, 1869).
- Drews. og Schiödte.—Drewsen (C.) and Schiödte (J. G.). See *Serials, ante*.
- Duf.—Dufour (L.). See *Serials, ante*.
- Eversm.—Eversmann (E.). See *Serials, ante*.
- Fab. E. S.—Fabricius (J. C.), *Entomologia Systematica*; (4 vols., Copenhagen, 1792-94; Supplement, 1798).
- Fab. M. I.— „ *Mantissa Insectorum*; (2 vols., Copenhagen, 1787).
- Fab. Piez.— „ *Systema Piezatorum secundum ordines, genera, species, adjectis synonymis, locis, observationibus, descriptionibus*; (Brunswick, 1804).
- Fab. S. I.— „ *Species Insectorum*; (2 vols., Hamburg and Kiel, 1781).
- Fab. Faun. Grön.—Fabricius (O.), *Fauna Grönlandica, sistens animalia Grönlandiae occidentalis haec tenus indagata*; (Copenhagen and Leipzig, 1780).
- Foerst. Hym. Stud. Form.—Foerster (A.), *Hymenopterologische Studien, Heft i. Formicariae*; (Aix-la-Chapelle, 1850).
- Geer, Mém.—Geer (C. de), *Mémoires pour servir à l'Histoire des Insectes*; (7 vols., Stockholm, 1752-78).

## ABBREVIATIONS.

- Gerst.—Gerstäcker (C. E. A.). See *Serials, ante*.
- Giraud,—Giraud (J.). See *Serials, ante*.
- Gmel. S. N.—Gmelin (J. F.), *Carolii a Linné Systema Naturæ*, ed. xiii.; (10 vols., Leipzig, 1788-93).
- Guér. Icon.—Guérin-Meneville (F. E.), *Iconographie du règne animal*; (7 vols., Paris, 1829-44).
- Halid.—Haliday (A. H.). See *Serials, ante*.
- Jurine, Hym.—Jurine (L.), *Nouvelle Méthode de classer les Hyménoptères et les Diptères*; (Geneva and Paris, 1807).
- Kirby, Faun. Bor. Amer.—Kirby (W.), *Fauna boreali-Americanæ, or the Zoology of the Northern parts of British America; the Insects by Kirby*; (London, 1837).
- Kirby, Mon. Ap. Angl.— „ *Monographia Apum Angliae*; (2 vols., Ipswich, 1802).
- Klug, Mon. Siric. Germ.—Klug (J. C. F.), *Monographia Siricum Germaniæ, atque generum illis adnumeratorum*; (Berlin, 1803).
- Latr. Gen. Crust. et Ins.—Latreille (P. A.), *Genera Crustaceorum et Insectorum secundum ordinem naturalem in familias disposita, iconibus exemplisque plurimis explicata*; (4 vols., Paris and Strasbourg, 1806-9).
- Latr. H. N.— „ *Histoire Naturelle, générale et particulière des Crustacés et des Insectes*; (14 vols., Paris, 1802-5).
- Latr. Hist. Nat. Fourn.— „ *Histoire Naturelle des Fourmis, et recueil de mémoires et d'observations sur les abeilles, les araignées, les faucheurs, et autres Insectes*; (Paris, 1802).
- Latr. Préc.— „ *Précis des caractères généraux des Insectes*; (Brive, 1796).
- Leach, Zool. Misc.—Leach (W. E.), *The Zoological Miscellany*; (3 vols., London, 1814-17).
- Lin. F. S.—Linné (C. von), *Fauna Suecica*, ed. ii.; (Stockholm, 1761).
- Lin. S. N.— „ „ *Systema Naturæ*, ed. xii.; (Stockholm, 1766-68).
- Lind. Obs.—Linden (P. L. van der), *Observations sur les Hyménoptères d'Europe de la famille des Fouisseurs*; (Brussels, 1829).
- Losana,—Losana (M.). See *Serials, ante*.
- Lucas, Expl. d'Algér.—Lucas (H.), *Exploration Scientifique de l'Algérie; the Entomological portion*; (Paris, 1847).

## ABBREVIATIONS.

- Mayr, Form. Austr.—Mayr (G. L.), *Formicina Austriaca*. Beschreibung der bisher im österreichischen Kaiserstaate aufgefundenen Ameisen, nebst Hinzufügung jener in Deutschland, in der Schweiz, und in Italien vorkommenden Arten; (Vienna, 1855).
- Newm.—Newman (E.). See Serials, *ante*.
- Nyland. Ap. Bor.—Nylander (W.), Adnotaciones in expositionem monographicam Apum borealium; (Published in *Acta Societatis Sci. Fenn.*, ii., pp. 165-282, 1847; Supplement in iii., pp. 93-107, 1852; Revision in iii., pp. 225-286, 1852).
- Nyland. Form. Fr. et d'Algér.— „ Synopsis der Formicides de France et d'Algérie; (Published in the "Annales des Sciences Naturelles," 1856, pp. 50-109).
- Nyland. Mon. Form.— „ Adnotaciones in monographiam Formicarum borealium Europeæ; (Published in the *Acta Societatis Sci. Fenn.*, ii., pp. 875-944, 1846; Additatem Adnotaciones, pp. 1041-1062).
- Oliv.—Olivier (A. G.). See Serials, *ante*.
- Pall. Reise.—Pallas (P. S.), Reisen durch verschiedene Provinzen des russischen Reiches in den Jahren, 1768-74; (3 vols., St. Petersburg, 1771-76).
- Panz. F. G.—Panzer (G. W. F.), *Fauna Insectorum Germanicæ initia*; (109 parts, Nuremberg, 1792-1810).
- Panz. Krit. Revis.— „ Kritische Revision der Insektenfaune Deutschlands, nach dem System bearbeitet; (2 vols., Nuremberg, 1805-1806).
- Réau. Mém.—Réaumur (R. A. F. de), Mémoires pour servir à l'Histoire des Insectes; (7 vols., Paris, 1734-42).
- Roger.—Roger (J.). See Serials, *ante*.
- Rossi, F. E.—Rossi (P.), *Fauna Etrusca, sistens insecta quæ in provinciis Florentina et Pisana præsertim colligit*; (Leghorn, 1790).
- Rossi, Mant.— „ *Mantissa Insectorum, exhibens species nuper in Etruria collectas, adjectis Faunæ Etruscae illustrationibus ac emendationibus*; (Pisa, 1792-94).
- Sauss. Mon. Guêp. soc.—Saussure (H. F. de), *Monographie des Guêpes sociales, ou de la tribu des Vespiniens*; (Paris, 1853).
- Sauss. Mon. Guêp. sol.— „ *Monographie des Guêpes solitaires, ou de la tribu des Euméniens*; (Paris, 1852).
- Schäff.—Herrich-Schäffer (G. A. W.). See Serials, *ante*.

## ABBREVIATIONS.

- Schenck, Nass. Ameis.—Schenck (C. F.), Beschreibung nassauischer Ameisenarten; (Published in the *Jahrbücher des Vereins für Naturkunde im Herzogthum Nassau*, viii., pp. 1-149, 1852).
- Schenck, Nass. Bien.— „ Die Bienen des Herzogthums Nassau; (Wiesbaden, 1861).
- Schiödte,—Schiödte (J. G.). See Serials, *ante*.
- Schr. En.—Schrank (F. von P.), *Enumeratio insectorum Austriae indigenorum*; (Augsburg, 1781).
- Schr. F. B.— „ *Fauna Boica*; (3 vols., Nuremberg, 1798-1804).
- Scop. Annus Hist. Nat.—Scopoli (J. A.), *Annus historico naturalis*; (5 vols., Leipzig, 1768-72).
- Scop. Ent. Car.— „ *Entomologia Carniolica*; (Vienna, 1763).
- Shuck. Brit. Bees.—Shuckard (W. E.), *British Bees; an introduction to the Natural History and economy of the Bees indigenous to the British Isles*; (London, 1866).
- Shuck. Foss. Hym.— „ *Essay on the indigenous fossorial Hymenoptera*; (London, 1837).
- Sichel,—Sichel (J.). See Serials, *ante*.
- Smith, Bees Gt. Brit.—Smith (F.), *Catalogue of British Hymenoptera in the Collection of the British Museum, Part i., Apidae*; (London, 1855).
- Smith, Brit. Form.— „ *Essay on the genera and species of British Formicidæ*; (Published in *Tr. Ent. Soc.*, n. s., iii., pp. 95-135, 1854).
- Smith, Brit. Foss. Hym.— „ *Catalogue of British Fossil Hymenoptera, Formicidæ, and Vespidæ, in the Collection of the British Museum*; (London, 1858).
- Smith, Cat. Brit. Hym.— „ *List of the Specimens of British Animals in the Collection of the British Museum, Part vi., Hymenoptera-Aculeata*; (London, 1851).
- Spin. Ins. Lig.—Spinola (Marquis M.), *Insectorum Liguriæ*; (2 vols., Genoa, 1806-1808).
- Ste. Cat.—Stephens (J. F.), *A Systematical Catalogue of British Insects*; (London, 1829).
- Ste. Ill.— „ *Illustrations of British Entomology*; (11 vols., London, 1828-46; *Mandibulata*, vol. vii., and *Supplement*, 1835).
- St. Farg. Hym.—St. Fargeau (A. L. M. Le Peletier, comte de), *Histoire Naturelle des Insectes; Hymenoptères*; (4 vols., Paris, 1836-1846).
- Thoms. Opuse. Ent.—Thomson (C. G.), *Opuscula Entomologica*; (Lund, 1869-70).

- Walck. Mém. Halict.—Walckenaeer (Baron C. A. de), Mémoires pour servir à l'Histoire Naturelle des Abeilles solitaires qui composent le genre Halicte; (Paris, 1817).
- Waterh.—Waterhouse (G. R.). See Serials, *ante*.
- Wesm. Hym. Foss. Belg.—Wesmael (C), Revue critique des Hyménoptères Fouisseurs de Belgique; (Brussels, 1852).
- Wesm. Obs. Sphec.—" Observations sur les espèces du genre Sphecodes; (Published in the Bulletin de l'Académie des Sciences de Bruxelles, ii., pp. 279-287, 1835).
- Wesm. Odyn. Belg.—" Monographie des Odynères de la Belgique; (Brussels, 1833; and Supplement, 1836).
- Westw. Int.—Westwood (J. O.), An Introduction to the Modern Classification of Insects; (2 vols., London, 1839-40).
- Westw. Nat. Lib.—" Jardine's Naturalist's Library, Entomology, vol. vi.; (Edinburgh, 1840).
- White,—White (A.). See Serials, *ante*.
- Zett. I. L.—Zetterstedt (J. W.), Insecta Lapponica descripta; (Leipzig, 1840).

## HYMENOPTERA BRITANNICA.

### ACULEATA.

Div. i. HETEROGYNA ...	Fam. i. FORMICIDÆ ii. PONERIDÆ iii. MYRMICIDÆ iv. MUTILLIDÆ
Div. ii. FOSSORES .....	Fam. i. SCOLIIDÆ ii. SAPYGIDÆ iii. POMPILIDÆ iv. SPHEGIDÆ v. LARRIDÆ vi. NYSSONIDÆ vii. CRABRONIDÆ viii. PHILANTHIDÆ
Div. iii. DIPLOPTERA ...	Fam. i. EUMENIDÆ ii. VESPIDÆ
Div. iv. ANTHOPHILA ...	Fam. i. ANDRENIDÆ ii. APIDÆ

## HYMENOPTERA BRITANNICA.

### ACULEATA.

#### HETEROGYNA.

#### FORMICIDÆ.

#### FORMICA.

Lin. S. N. i. 962 (1767).

1. **rufa.**—*Formica rufa*, Lin. S. N. i. 962; Fab. E. S. ii. 351; Rossi, F. E. ii. 113; St. Farg. Hym. i. 201; Cur. B. E. xvi. pl. 752; Nyland. Mon. Form. 902; Smith, Brit. Foss. Hym. 4; Mayr, Form. Austr. 56. *F. dorsata*, Panz. F. G. 54, 1. *F. obsoleta*, Zett. I. L. 449, ♀. *F. truncicola*, Foerst. Hym. Stud. Form. 21, and *F. polyctena*, ibid. 15. *F. piniphila*, Schenck, Nass. Ameis. 28.
2. **congerens.**—*Formica congerens*, Nyland. Mon. Form. 906; Foerst. Hym. Stud. Form. 17; Mayr, Form. Austr. 60; Smith, Brit. Foss. Hym. 6; Schenck, Nass. Ameis. 30.
3. **sanguinea.**—*Formica sanguinea*, Latr. Hist. Nat. Fourn. 150; St. Farg. Hym. i. 203; Foerst. Hym. Stud. Form. 20; Smith, Brit. Foss. Hym. 7; Mayr, Form. Austr. 64; Nyland. Form. Fr. et d'Algér. 62; Schenck, Nass. Ameis. 36. *F. dominula*, Nyland. Mon. Form. 905.
4. **cunicularia.**—*Formica cunicularia*, Latr. Hist. Nat. Fourn. 151; Losana, Mem. Ac. Turin, xxxvii. 316; St. Farg. Hym. i. 203; Nyland. Mon. Form. 913; Mayr, Form. Austr. 70; Smith, Brit. Foss. Hym. 8; Foerst. Hym. Stud. Form. 25, and *F. stenoptera*, ibid. 26, ♀.
5. **exsecta.**—*Formica exsecta*, Nyland. Mon. Form. 909; Foerst. Hym. Stud. Form. 23; Mayr, Form. Austr. 68.; Smith, Ent. Ann. 1865, 87.
6. **fusca.**—*Formica fusca*, Lin. S. N. i. 963; Fab. E. S. ii. 352; Losana, Mem. Ac. Turin, xxxvii. 317; St. Farg. Hym. i. 205; Nyland. Mon. Form. 919; Smith, Brit. Foss. Hym. 9; Mayr, Form. Austr. 74; Schenck, Nass. Ameis. 43. *F. glebaria*, Nyland. Mon. Form. 917, ♀; Foerst. Hym. Stud. Form. 31.
7. **fuliginosa.**—*Formica fuliginosa*, Latr. Hist. Nat. Fourn. 140; Losana, Mem. Ac. Turin, xxxvii. 315; St. Farg. Hym. i. 200; Nyland. Mon. Form. 915; Smith, Brit. Foss. Hym. 11; Foerst. Hym. Stud. Form. 28; Schenck, Nass. Ameis. 45; Mayr, Form. Austr. 79.
8. **nigra.**—*Formica nigra*, Lin. S. N. i. 963; Fab. E. S. ii. 352; Losana, Mem. Ac. Turin, xxxvii. 317; St. Farg. Hym. i. 206; Nyland. Mon. Form. 920; Smith, Brit. Foss. Hym. 13; Mayr, Form. Austr. 83; Schenck, Nass. Ameis. 49. *F. fusca*, Foerst. Hym. Stud. Form. 83.

## (FORMICA.)

9. **aliena.**—*Formica aliena*, Foerst. Hym. Stud. Form. 36; Nyland. Form. Fr. et d'Algér. 68; Mayr, Form. Austr. 88; Smith, Ent. Ann. 1866, 127; Schenck, Nass. Ameis. 51.
10. **umbrata.**—*Formica umbrata*, Nyland. Addit. Adno. Mon. Form. 1048; Foerst. Hym. Stud. Form. 39; Smith, Brit. Foss. Hym. 14; Mayr, Form. Austr. 93; Schenck, Nass. Ameis. 62. *F. brunnea*, Smith, Cat. Brit. Hym. 2.
11. **flava.**—*Formica flava*, Geer, Mém. ii. 1089; Fab. E. S. ii. 357; Losana, Mem. Ac. Turin, xxxvii. 331; St. Farg. Hym. i. 208; Nyland. Mon. Form. 922; Foerst. Hym. Stud. Form. 38; Smith, Brit. Foss. Hym. 15; Mayr, Form. Austr. 91; Schenck, Nass. Ameis. 56.

**TAPINOMA.**

Foerst. Hym. Stud. Form. 43 (1850).

1. **erratica.**—*Formica erratica*, Latr. Hist. Nat. Fourn. 182. *F. glabrella*, Nyland. Mon. Form. Addit. 38. *Tapinoma collina*, Foerst. Hym. Stud. Form. 43; *T. erratica*, Smith, Brit. Form. iii.; Nyland. Form. Fr. et d'Algér. 71; Mayr, Form. Austr. 101; Smith, Brit. Foss. Hym. 16.
2. **polita.**—*Tapinoma polita*, Smith, Brit. Form. 112; Brit. Foss. Hym. 18.

**PONERIDÆ.****PONERA.**

Latr. Gen. Crust. et Ins. iv. 128 (1804).

1. **contracta.**—*Formica contracta*, Latr. Hist. Nat. Fourn. 195. *Ponera contracta*, Latr. Gen. Crust. et Ins. iv. 128; St. Farg. Hym. i. 195; Ste. Ill. Supp. 15, pl. 42, f. 2; Foerst. Hym. Stud. Form. 45; Smith, Brit. Foss. Hym. 19; Mayr, Form. Austr. 116; Schenck, Nass. Ameis. 72; Nyland. Form. Fr. et d'Algér. 75.
2. **punctatissima.**—*Ponera punctatissima*, Roger, Berl. Ent. Zeit. 1859, 446. Smith, Ent. Ann. 1861, 42.

**MYRMICIDÆ.****MYRMICA.**

Latr. Gen. Crust. et Ins. iv. 131 (1804).

1. **ruginodis.**—*Myrmica ruginodis*, Nyland. Mon. Form. 929; Foerst. Hym. Stud. Form. 66; Smith, Brit. Foss. Hym. 21; Mayr, Form. Austr. 145; Schenck, Nass. Ameis. 77. *M. vagans*, Cur. Tr. Lin. Soc. xxi. 213.

## (MYRMICA.)

2. **scabrinodis.**—*Myrmica scabrinodis*, Nyland. Mon. Form. 930; Foerst. Hym. Stud. Form. 67; Smith, Brit. Foss. Hym. 21; Mayr, Form. Austr. 138. *M. rubra*, Cur. Tr. Lin. Soc. xxi. 213.
3. **lævinodis.**—*Myrmica lævinodis*, Nyland. Mon. Form. 927; Foerst. Hym. Stud. Form. 64; Smith, Brit. Foss. Hym. 23; Mayr, Form. Austr. 130; Cur. Tr. Lin. Soc. xxi. 213.
4. **sulcinodis.**—*Myrmica sulcinodis*, Nyland. Mon. Form. 934; Smith, Brit. Foss. Hym. 24; Mayr, Form. Austr. 136. *M. perelegans*, Cur. Tr. Lin. Soc. xxi. 214, pl. 23, f. 15, 16, 17.
5. **lobicornis.**—*Myrmica lobicornis*, Nyland. Mon. Form. 932; Foerst. Hym. Stud. Form. 69; Smith, Brit. Foss. Hym. 25; Mayr, Form. Austr. 140; Schenck, Nass. Ameis. 82. *M. denticornis*, Cur. Tr. Lin. Soc. xxi. 215, pl. 23, f. 18, 19.

**TETRAMORIUM.**

Mayr, Form. Austr. 151 (1855).

1. **Kollari.**—*Tetramorium Kollari*, Mayr. Form. Austr. 153; Schenck, Nass. Ameis. 194; Smith, Ent. Ann. 1871, 61.
2. **cæspitum.**—*Formica cæspitum*, Lin. S. N. i. 963. *Myrmica fuscula*, Nyland. Mon. Form. 935; Foerst. Hym. Stud. Form. 56; Schenck, Nass. Ameis. 86. *M. impura*, Foerst. lib. cit. 48, and *M. modesta*, 49. *M. cæspitum*, Latr. Hist. Nat. Crust. et Ins. xiii. 259; Losana, Mem. Ac. Turin, xxxvii. 327. *Tetramorium cæspitum*, Mayr, Form. Austr. 184; Smith, Brit. Foss. Hym. 26.
3. **lippula.**—*Myrmica lippula*, Nyland. Mon. Form. 41; Smith, Brit. Foss. Hym. 28. *M. Minkii*, Foerst. Hym. Stud. Form. 63; Mayr, Form. Austr. 143; Schenck, Nass. Ameis. 142.

**LEPTOTHORAX.**

Mayr, Form. Austr. 159 (1855).

1. **acervorum.**—*Formica acervorum*, Fab. E. S. ii. 358. *Myrmica acervorum*, Zett. Ins. Lapp. 451; Nyland. Mon. Form. 936; Foerst. Hym. Stud. Form. 61; Smith, Brit. Foss. Hym. 29; Schenck, Nass. Ameis. 97. *Leptothorax acervorum*, Mayr, Form. Austr. 164.
2. **Nylanderi.**—*Myrmica Nylanderi*, Foerst. Stud. Form. 53. *M. unifasciata*, Smith, Brit. Form. 128; Cur. Tr. Lin. Soc. xxi. 216. *M. cingulata*, Schenck, Nass. Ameis. 104; Nyland. Form. Fr. et d'Algér. 93. *Leptothorax Nylanderi*, Mayr, Form. Austr. 175.
3. **unifasciatus.**—*Formica unifasciata*, Latr. Hist. Nat. Fourn. 257.

## (LEPTOTHORAX.)

- Myrmica unifasciata*, Losana, Mem. Ac. Turin, xxxvii. 332; Nyl. Mon. Form. 44; Schenck, Nass. Ameis. 101. *Leptothorax unifasciatus*, Mayr, Form. Austr. 172. *Stenamma albipennis*, Cur. Tr. Lin. Soc. xxi. 215.
4. **simillimus.**—*Myrmica simillima*, Smith, Brit. Form. 129; Nyland. Form. Fr. et d'Algér. 94. *Leptothorax affinis*, Mayr. Form. Austr. 170.

## STENAMMA.

Westw. Int. ii. synop. 83 (1840).

1. **Westwoodii.**—*Stenamma Westwoodii*, Ste. Cat. 356; Westw. Int. ii. 226, pl. 86, f. 11. *Myrmica nitidula*, Nyland, Mon. Form. Addit. 1058; Foerst. Hym. Stud. Form. 55; Smith, Brit. Foss. Hym. 32. *Formicoxenus nitidulus*, Mayr, Form. Austr. 146.

## DIPLORHOPTRUM.

Mayr, Form. Austr. 177 (1855).

1. **fugax.**—*Formica fugax*, Latr. Hist. Nat. Fourn. 265. *Myrmica fugax*, St. Farg. Hym. i. 184; Smith, Brit. Foss. Hym. 33; Schenck, Nass. Ameis. 107; Nyland. Form. Fr. et d'Algér. 99. *M. flavidula*, Nyland. Mon. Form. 33. *Diplorhoptrum fugax*, Mayr, Form. Austr. 178.
2. **domesticum.**—*Myrmica domestica*, Shuck. Mag. N. H. i. 293; Smith, Brit. Form. 130; Cur. Tr. Lin. Soc. xxi. 217; Nyland. Form. Fr. et d'Algér. 98; *M. molesta*, Smith, Brit. Foss. Hym. 34 (*nec Say.*).

## MYRMECINA.

Cur. B. E. vi. 226 (1829).

1. **Latreillii.**—*Myrmecina Latreillii*, Cur. B. E. vi. pl. 265; Smith, Brit. Form. 132, and Brit. Foss. Hym. 37; Mayr, Form. Austr. 149. *M. striatula*, Nyland. Mon. Form. 40. *M. bidens*, Foerst. Hym. Stud. Form. 50; Schenck, Nass. Ameis. 94.

## MUTILLIDÆ.

## MUTILLA.

Lin. S. N. i. 966 (1767).

1. **europaea.**—*Mutilla europaea*, Lin. S. N. i. 966; Schr. En. 415; Rossi, F. E. ii. 114; Fab. E. S. ii. 368; Panz. F. G. 76, 20; Shuck. Foss. Hym. 29; Smith, Brit. Foss. Hym. 40; Thoms. Opusc. Ent. 208.
2. **ephippium.**—*Mutilla ephippium*, Fab. E. S. ii. 370, ♀; Rossi, Mant. i. pl. 2; Panz. F. G. 46, 20; Cur. B. E. ii. 77, pl. 77; Shuck. Foss. Hym. 31; Smith, Brit. Foss. Hym. 41. *M. rufipes*, Fab. E. S. ii. 372, ♂; St. Farg. Hym. iii. 612; Wesm. Hym. Foss. Belg. 7. *Smicromyrme rufipes*, Thoms. Opusc. Ent. 208.

## MYRMOSA.

Latr. H. N. xiii. 266 (1805).

1. **melanocephala.**—*Mutilla melanocephala*, Fab. E. S. ii. 372, ♀. *Myrmosa melanocephala*, Latr. H. N. xiii. 266; Shuck. Foss. Hym. 33; Wesm. Hym. Foss. Belg. 21; Smith, Brit. Foss. Hym. 43; Thoms. Opusc. Ent. 208. *M. atra*, Panz. F. G. 85, 14, ♂. *M. nigra*, Latr. Gen. Crust. et Ins. iv. 120. *M. brunneipes*, St. Farg. Hym. iii. 590.

## METHOCA.

Latr. H. N. xiii. 268 (1805).

1. **ichneumonoides.**—*Methoca ichneumonoides*, Latr. H. N. xiii. 269, ♀; Cur. B. E. vii. pl. 329; Shuck. Foss. Hym. 36; St. Farg. Hym. iii. 573; Smith, Brit. Foss. Hym. 45; Wesm. Hym. Foss. Belg. 22; Thoms. Opusc. Ent. 210. *Tengyra Sanvitali*, Latr. Gen. Crust. et Ins. iv. 116, ♂; Lind. Obs. i. 13.

## FOSSORES.

## SCOLIIDÆ.

## TIPHIA.

Fab. E. S. ii. 223 (1793).

1. **femorata.**—*Tiphia femorata*, Fab. E. S. ii. 223; Rossi, F. E. ii. 67; Panz. F. G. 77, 14; Jurine, Hym. 149, pl. 9, f. 11, ♀; Lind. Obs. 279; Shuck. Foss. Hym. 39; Nyl. Ap. Bor. 19; Wesm. Hym. Foss. Belg. 23; Smith, Brit. Foss. Hym. 47; Thoms. Opusc. Ent. 211.
2. **minuta.**—*Tiphia minuta*, Lind. Obs. 12; Shuck. Foss. Hym. 42; Curt. Brit. Ent. xiv. pl. 644; St. Farg. Hym. iii. 558; Nyl. Ap. Bor. 24; Smith, Brit. Foss. Hym. 48; Thoms. Opusc. Ent. 211.

## SAPYGIDÆ.

## SAPYGA.

Latr. Préc. 134 (1796).

1. **quinquepunctata.**—*Scolia 5-punctata*, Fab. E. S. ii. 235. *Sapyyga punctata*, Klug, Mon. Sirc. Germ. 61, pl. 7, f. 4, 5, 6; Panz. F. G. 100, 17; Lind. Obs. 302; Shuck. Foss. Hym. 44; St. Farg. Hym. iii. 563; Wesm. Hym. Foss. Belg. 25; Smith, Brit. Foss. Hym. 50. *Hellus sexpunctatus* and *quadriguttatus*, Fab. Piez. 247. *Sapyyga decemguttata*, Jur. Hym. 160, pl. 9, f. 13, ♂.
2. **clavicornis.**—*Apis clavicornis*, Lin. S. N. i. 953. *Scolia prisma*,

Fab. E. S. ii. 236. *Masaris crabroniformis*, Panz. F. G. 47, 22, ♀.  
*Sapyyga prisma*, Klug, Mon. Siric. Germ. 63, pl. 7, f. 7; Lind. Obs. 303; Wesm. Hym. Foss. Belg. 25; St. Farg. Hym. iii. 566. *S. clavicornis*, Cur. B. E. xi. pl. 532; Shuck. Foss. Hym.; Smith, Brit. Foss. Hym. 52; Thoms. Opusc. Ent. 210.

## POMPILIDÆ.

### POMPILUS.

Fab. E. S. Supp. 246 (1798).

1. **fuscus.**—*Sphex fusca*, Lin. S. N. i. 944; Geer, Ins. ii. 822, pl. 28, f. 6. *S. viatica*, Scop. Ent. Car. 294; Fab. E. S. ii. 210. *Pompilus viaticus*, Fab. E. S. Supp. 246; Panz. F. G. 65, 16; Spin. Ins. Lig. i. 68; Lind. Obs. 342; Zett. I. L. 437; Dahlb. Mon. Pomp. 44; Shuck. Foss. Hym. 61; St. Farg. Hym. iii. 431; Wesm. Hym. Foss. Belg. 39; Thoms. Opusc. Ent. 222. *P. fuscus*, Schiödte, Kröy. Tids. i. 339; Smith, Brit. Foss. Hym. 54.
2. **gibbus.**—*Sphex gibba*, Lin. S. N. 946. *Pompilus gibbus*, Fab. E. S. Supp. 249; Panz. F. G. 77, 13; Lind. Obs. 338; Shuck. Foss. Hym. 62; Schiödte, Kröy. Tids. i. 336; St. Farg. Hym. iii. 435; Smith, Brit. Foss. Hym. 55.
3. **pectinipes.**—*Sphex pectinipes*, Lin. S. N. i. 944. *Pompilus pectinipes*, Lind. Obs. 341; Dahlb. Hym. Eur. i. 68; Wesm. Hym. Foss. Belg. 49; St. Farg. Hym. iii. 433; Smith, Brit. Foss. Hym. 56; Thoms. Opusc. Ent. 223. *P. crassicornis*, Shuck. Foss. Hym. 63.
4. **spissus.**—*Pompius spissus*, Schiödte, Kröy. Tids. i. 366; Dahlb. Hym. Eur. i. 70; Wesm. Hym. Foss. Belg. 35; Smith, Brit. Foss. Hym. 57; Thoms. Opusc. Ent. 218.
5. **plumbeus.**—*Sphex plumbea*, Fab. E. S. ii. 220. *Pompilus pulcher*, Fab. E. S. Supp. 249; Spin. Ins. Lig. i. 307; Shuck. Foss. Hym. 40; St. Farg. Hym. iii. 424. *P. plumbeus*, Dahlb. Hym. Eur. i. 42; Wesm. Hym. Foss. Belg. 33; Smith, Brit. Foss. Hym. 58; Thoms. Opusc. Ent. 217.
6. **niger.**—*Sphex nigra*, Fab. E. S. ii. 211. *Pompilus niger*, Fab. E. S. Supp. 247; Panz. F. G. 71, 19; Lind. Obs. 306; Shuck. Foss. Hym. 50; Dahlb. Hym. Eur. i. 45; Zett. I. L. 439; Schiödte, Kröy. Tids. i. 334; Wesm. Hym. Foss. Belg. 34; Smith, Brit. Foss. Hym. 59; Thoms. Opusc. Ent. 217.
7. **acuminatus.**—*Pompilus acuminatus*, Smith, Cat. Brit. Hym. 119, and Brit. Foss. Hym. 60.
8. **cinctellus.**—*Pompilus cinctellus*, Spin. Ins. Lig. ii. 39; Lind. Obs. 319; Shuck. Foss. Hym. 55; Schiödte. Kröy. Tids. i. 333; Dahlb.

### (POMPILUS.)

Hym. Eur. i. 38; Wesm. Hym. Foss. Belg. 40; Smith, Brit. Foss. Hym. 60; Thoms. Opusc. Ent. 216. *Anoplus cinctellus*, St. Farg. Hym. iii. 453.

9. **rufipes.**—*Sphex rufipes*, Lin. S. N. i. 945; Fab. E. S. ii. 214. *S. fusca*, Fab. E. S. ii. 212, and *Pompilus fuscatus*, E. S. Supp. 248. *P. rufipes*, Fab. *ibid.* 250; Panz. F. G. 65, 17; Spin. Ins. Lig. i. 69; Lind. Obs. 329; Cur. B. E. v. pl. 238; Shuck. Foss. Hym. 58; Dahlb. Hym. Eur. i. 50; St. Farg. Hym. iii. 421; Wesm. Hym. Foss. Belg. 29; Thoms. Opusc. Ent. 216. *Episiron rufipes*, Schiödte, Kröy. Tids. i. 343.

## PRIOCNEMIS.

Schiödte, Kröy. Tids. i. 321 (1837).

1. **sepicola.**—*Pompilus fuscus*, Fab. E. S. Supp. 246; Panz. F. G. 65, 15; Lind. Obs. i. 336; Shuck. Foss. Hym. 64; Zett. I. L. 437; Thoms. Opusc. Ent. 227. *Priocnemis fuscus*, Schiödte, Kröy. Tids. i. 328; Dahlb. Hym. Eur. i. 102; Wesm. Hym. Foss. Belg. 61. *Calicurgus fuscus*, St. Farg. Hym. iii. 412. *Pompilus sepicola*, Smith, Brit. Foss. Hym. 63.
2. **affinis.**—*Pompilus affinis*, Lind. Obs. 67; Shuck. Foss. Hym. 65; Smith, Brit. Foss. Hym. 65. *Priocnemis affinis*, Dahlb. Hym. Eur. i. 103; Wesm. Hym. Foss. Belg. 63. *Calicurgus affinis*, St. Farg. Hym. iii. 413.
3. **exaltatus.**—*Sphex exaltata*, Fab. E. S. ii. 251. *S. abdomaculata*, Schr. En. 383. *Pompilus exaltatus*, Fab. E. S. Supp. 251; Panz. F. G. 86, 10; Spin. Ins. Lig. i. 70; Lind. Obs. 334; Shuck. Foss. Hym. 66; Zett. I. L. 438; Smith, Brit. Foss. Hym. 66. *Priocnemis exaltatus*, Schiödte, Kröy. Tids. i. 330; Dahlb. Hym. Eur. i. 113; Wesm. Hym. Foss. Belg. 53; Thoms. Opusc. Ent. 227. *Pompilus ayilis*, Shuck. Foss. Hym. Append. 251; Smith, Brit. Foss. Hym. 66 (var.). *Calicurgus exaltatus*, St. Farg. Hym. iii. 410.
4. **notatus.**—*Sphex notata*, Rossi, F. E. i. 127. *Pompilus notatus*, Lind. Obs. 317; Shuck. Foss. Hym. 59; Ste. Ill. vii. Supp. 13, pl. 42; Smith, Brit. Foss. Hym. 67; Thoms. Opusc. Ent. 227. *P. sericatus*, Shuck. Foss. Hym. 60, ♂; Smith, Brit. Foss. Hym. 64. *Priocnemis sericatus*, Dahlb. Hym. Eur. i. 111. *Anoplus notatus*, St. Farg. Hym. iii. 462.
5. **hyalinatus.**—*Pompilus hyalinatus*, Fab. E. S. Supp. 248, ♂; Lind. Obs. 316; Shuck. Foss. Hym. 57; Wesm. Hym. Foss. Belg. 50; Smith, Brit. Foss. Hym. 68. *Priocnemis hyalinatus*, Schiödte, Kröy. Tids. i. 329. *Pompilus fasciatellus*, Spin. Ins. Lig. ii. 37, ♀; Lind. Obs. 335; Shuck. Foss. Hym. 67. *Priocnemis fasciatellus*, Schiödte, loc. cit. *Calicurgus fasciatellus*, St. Farg. Hym. iii. 415.

**AGENIA.**

Schiödte, Kröy. Tids. i. 324 (1837).

1. **bifasciata.**—*Pompilus bifasciatus*, Fab. E. S. Supp. 248; Panz. F. G. 86, 11; Spin. Ins. Lig. i. 69; Lind. Obs. 40; Shuck. Foss. Hym. 71; Smith, Brit. Foss. Hym. 71. *Agenia bifasciata*, Schiödte, Kröy. Tids. i. 323. *Pogonius bifasciatus*, Thoms. Opusc. Ent. 225. *Anoplus bifasciatus*, St. Farg. Hym. iii. 459.

2. **variegata.**—*Sphex variegata*, Lin. S. N. i. 944. *Pompilus hircana*, Fab. E. S. Supp. 251; Panz. F. G. 77, 12; Spin. Ins. Lig. ii. 172; Zett. I. L. 439. *P. variegatus*, Lind. Obs. 40; Shuck. Foss. Hym. 53; Smith, Brit. Foss. Hym. 72. *Agenia variegata*, Schiödte, Kröy. Tids. i. 322; Dahlb. Hym. Eur. i. 88. *Anoplus variegatus*, St. Farg. Hym. iii. 445; Thoms. Opusc. Ent. 226.

3. **punctum.**—*Sphex punctum*, Fab. S. I. i. 448, ♂. *Evania punctum*, Fab. E. S. ii. 194. *Ceropales punctum*, Fab. Piez. 187. *Pompilus punctum*, Panz. F. G. 86, 12; Lind. Obs. 315; Shuck. Foss. Hym. 56; Smith, Brit. Foss. Hym. 74. *P. petiolatus*, Lind. Obs. 314, ♀; Shuck. Foss. Hym. 54. *Agenia punctum*, Wesm. Hym. Foss. Belg. 66. *Anoplus albigena*, St. Farg. Hym. iii. 457, ♂, and *petiolatus*, 443, ♀; Thoms. Opusc. Ent. 226.

**CEROPALES.**

Latr. H. N. xiii. 283 (1805).

1. **maculata.**—*Evania maculata*, Fab. E. S. ii. 193. *Pompilus frontalis*, Panz. F. G. 71, 19. *Ceropales maculata*, Latr. H. N. xiii. 283; Fab. Piez. 185; Spin. Ins. Lig. ii. 171; Lind. Obs. 347; Shuck. Foss. Hym. 69; Dahlb. Hym. Eur. i. 32; Schiödte, Kröy. Tids. i. 320; St. Farg. Hym. iii. 465; Wesm. Hym. Foss. Belg. 26; Smith, Brit. Foss. Hym. 76; Thoms. Opusc. Ent. 215.
2. **variegata.**—*Evania variegata*, Latr. H. N. xiii. 284; Spin. Ins. Lig. i. 66; Lind. Obs. 347; Shuck. Foss. Hym. 71; Cur. B. E. xvi. pl. 756; Dahlb. Hym. Eur. i. 31; St. Farg. Hym. iii. 466; Wesm. Hym. Foss. Belg. 27; Smith, Brit. Foss. Hym. 77; Thoms. Opusc. Ent. 215.

**EVAGETHES.**

St. Farg. Hym. iii. 390 (1845).

- 1.—**bicolor.**—*Aporus bicolor*, St. Farg. Encyc. Méth. x. 183; Shuck. Foss. Hym. 72. *Evagethes bicolor*, St. Farg. Hym. iii. 390; Smith, Ent. Ann. 1865, 90.

**APORUS.**

Spin. Ins. Lig. ii. 33 (1806).

1. **unicolor.**—*Aporus unicolor*, Spin. Ins. Lig. ii. 33, ♂; St. Farg. Hym. iii. 389. *A. bicolor*, Spin. lib. cit. 34; Lind. Obs. 350; St. Farg. Hym. iii. 388; Wesm. Hym. Foss. Belg. 48; Smith, Brit. Foss. Hym. 79.
2. **femoralis.**—Lind. Obs. 349; St. Farg. Hym. iii. 389.

**SPHEGIDÆ.****AMMOPHILA.**

Kirby, Tr. Lin. Soc. iv. 195 (1798).

1. **sabulosa.**—*Sphex sabulosa*, Lin. S. N. i. 941; Scop. Ent. Car. 770; Fab. E. S. ii. 198; Schr. En. 377; Rossi, F. E. ii. 60; Panz. F. G. 60, 12; Zett. I. L. 435. *Ammophila vulgaris*, Kirby, Tr. Lin. Soc. iv. 195. *A. sabulosa*, Latr. Nouv. Dict. ed. 2, i. 450; Lind. Obs. 85; Shuck. Foss. Hym. 75; Dahlb. Hym. Eur. i. 9; St. Farg. Hym. iii. 376; Wesm. Hym. Foss. Belg. 69; Smith, Brit. Foss. Hym. 81; Thoms. Opusc. Ent. 230.
2. **viatica.**—*Sphex viatica*, Lin. S. N. i. 943; Latr. H. N. xiii. 293. *S. hirsuta*, Scop. Ent. Car. 772. *S. arenaria*, Fab. E. S. ii. 199; Rossi, F. E. ii. 60; Panz. F. G. 65, 13; Zett. I. L. 435. *Ammophila hirsuta*, Kirby, Tr. Lin. Soc. iv. 195; Lind. Obs. 89; Shuck. Foss. Hym. 77; St. Farg. Hym. iii. 364. *Psammophila viatica*, Dahlb. Hym. Eur. i. 18; Wesm. Hym. Foss. Belg. 69; Thoms. Opusc. Ent. 230. *Ammophila viatica*, Smith, Brit. Foss. Hym. 82.
3. **lutaria.**—*Sphex lutaria*, Fab. E. S. ii. 199. *Pepsis lutaria*, Fab. Piez. 208. *Ammophila affinis*, Kirby, Tr. Lin. Soc. iv. 195; Lind. Obs. 87; Shuck. Foss. Hym. 78; St. Farg. Hym. iii. 369. *Psammophila affinis*, Dahlb. Hym. Eur. i. 16; Wesm. Hym. Foss. Belg. 70; Thoms. Opusc. Ent. 230. *Ammophila lutaria*, Smith, Brit. Foss. Hym. 83.

**MISCUS.**

Jurine, Hym. 130 (1807).

1. **campestris.**—*Ammophila campestris*, Latr. Nouv. Dict. i. 450; St. Farg. Enc. Méth. x. 453; Cur. B. E. xiii. pl. 604. *Miscus campestris*, Lind. Obs. 92; Shuck. Foss. Hym. 80; Dahlb. Hym. Eur. i. 7; St. Farg. Hym. iii. 386; Wesm. Hym. Foss. Belg. 70; Smith, Brit. Foss. Hym. 84; Thoms. Opusc. Ent. 230.

**DOLICHURUS.**

Latr. Gen. Crust. et Ins. iv. 387 (1809).

1. **corniculus.**—*Pompilus corniculus*, Spin. Ins. Lig. ii. 52. *Pison ater*,

Latr. Gen. Crust. et Ins. iv. 58. *Dolichurus corniculus*, St. Farg. Enc. Méth. x. 450; Shuck. Foss. Hym. 85; Dahlb. Hym. Eur. i. 29; St. Farg. Hym. iii. 327; Smith, Brit. Foss. Hym. 87; Thoms. Opusec. Ent. 213.

## LARRIDÆ.

### TACHYTES.

Panz. Krit. Revis. ii. 129 (1806).

1. **pompiliformis.**—*Larra pompiliformis*, Panz. F. G. 89, 13; Spin. Ins. Lig. 173. *Tachytes pompiliformis*, Lind. Obs. 21; Shuck. Foss. Hym. 89; St. Farg. Hym. iii. 252; Wesm. Hym. Foss. Belg. 72; Smith, Brit. Foss. Hym. 88. *T. pectinipes*, Dahlb. Hym. Eur. i. 127; Thoms. Opusec. Ent. 241.
2. **unicolor.**—*Larra unicolor*, Panz. F. G. 106, 16. *Tachytes unicolor*, Shuck. Foss. Hym. 90; Dahlb. Hym. Eur. i. 129; St. Farg. Hym. iii. 240; Smith, Brit. Foss. Hym. 89; Thoms. Opusec. Ent. 242.

## MISCOPHUS.

Jurine, Hym. 206 (1807).

1. **bicolor.**—*Miscophus bicolor*, Jurine, Hym. 206, pl. 11, f. 25; Lind. Obs. 25; Shuck. Foss. Hym. 92; Smith, Zool. 1844, 697, and Brit. Foss. Hym. 91; Dahlb. Hym. Eur. i. 235; St. Farg. Hym. iii. 237; Ste. Ill. Supp. vii. 12, pl. 42, f. 3; Wesm. Hym. Foss. Belg. 72. *M. concolor*, Thoms. Opusec. Ent. 243.
2. **maritimus.**—*Miscophus maritimus*, Smith, Ent. Ann. 1857, 34, and Brit. Foss. Hym. 91. *M. spurius*, Dahlb. Hym. Eur. i. 237? *M. niger*, Thoms. Opusec. Ent. 242.

## DINETUS.

Jurine, Hym. 209 (1807).

1. **pictus.**—*Crabro pictus*, Fab. E. S. ii. 299, ♂, and 215, ♀. *Crabro ceraunius*, Rossi, Mant. 123. *Dinetus pictus*, Jurine, Hym. 209, pl. Hym. 94; Dahlb. Hym. Eur. i. 232; St. Farg. Hym. iii. 234; Wesm. Hym. Foss. Belg. 73.

## ASTATA.

Latr. Préc. (1796).

1. **boops.**—*Sphex boops*, Schr. En. 384; Rossi, F. E. i. 128. *Tiphia abdominalis*, Panz. 53, 5. *Astata abdominalis*, Latr. Gen. Crust. et Hym. Eur. i. 69. *A. boops*, Lind. Obs. 27; Shuck. Foss. Hym. 97; Dahlb. 73; Smith, Brit. Foss. Hym. 95; Thoms. Opusec. Ent. 240. *A. vactor*, Cur. B. E. vi. pl. 261.

## (ASTATA.)

2. **stigma.**—*Dimorpha stigma*, Panz. F. G. 107, 13. *Larra pinguis*, Zett. I. L. 436. *Astata stigma*, Lind. Obs. 29; Dahlb. Hym. Eur. i. 139; Smith, Brit. Foss. Hym. 96; Thoms. Opusec. Ent. 240. *A. jaculator*, Smith, Zool. 1846, 1157.

## NYSSONIDÆ.

### NYSSON.

Latr. Préc. 125 (1797).

1. **spinosus.**—*Crabro spinosus*, Fab. E. S. ii. 293; Panz. F. G. 62, 15, ♂. *Mellinus interruptus*, Panz. 72, 13, ♀. *Nysson spinosus*, Latr. Gen. Crust. et Ins. iv. 91; Lind. Obs. 30; Shuck. Foss. Hym. 100; Dahlb. Hym. Eur. i. 169; Wesm. Hym. Foss. Belg. 74; Smith, Brit. Foss. Hym. 97; Thoms. Opusec. Ent. 244.
2. **interruptus.**—*Nysson interruptus*, Latr. H. N. xiii. 306; Shuck. Foss. Hym. 101; St. Farg. Hym. iii. 45; Dahlb. Hym. Eur. i. 170; Wesm. Hym. Foss. Belg. 80; Smith, Brit. Foss. Hym. 98.
3. **trimaculatus.**—*Crabro trimaculatus*, Rossi, F. E. ii. 95. *Nysson trimaculatus*, Lind. Obs. 30; Shuck. Foss. Hym. 102; Dahlb. Hym. Eur. i. 169; Smith, Brit. Foss. Hym. 98.
4. **dimidiatus.**—*Nysson dimidiatus*, Jurine, Hym. pl. 10, f. 22; Spin. Ins. Lig. ii. 41; Lind. Obs. 33; Shuck. Foss. Hym. 104; Dahlb. Hym. Eur. i. 171; St. Farg. Hym. iii. 49; Wesm. Hym. Foss. Belg. 82; Smith, Brit. Foss. Hym. 101; Thoms. Opusec. Ent. 245. *N. guttatus*, Shuck. lib. cit. 103.

## GORYTES.

Latr. H. N. xiii. 308 (1805).

1. **mystaceus.**—*Sphex mystaceus*, Lin. S. N. i. 944, ♂, and *Vespa campestris*, 950, ♀. *Mellinus mystaceus*, Fab. E. S. ii. 285, ♂, and *M. campestris*, 287, ♀. *Arpactus campestris*, Panz. Krit. Revis. ii. 165. *A. mystaceus*, Jurine, Hym. 194. *Gorytes mystaceus*, Latr. Gen. Crust. et Ins. iv. 89; Lind. Obs. 94; Shuck. Foss. Hym. 211; Dahlb. Hym. Eur. i. 166; St. Farg. Hym. iii. 55; Wesm. Hym. Foss. Belg. 85; Smith, Brit. Foss. Hym. 102; Thoms. Opusec. Ent. 245.
2. **Fargei.**—*Mellinus quadrifasciatus*, Panz. F. G. 98, 17 (nec Fab.). *Gorytes campestris*, St. Farg. Hym. iii. 58; Dahlb. Hym. Eur. i. 168; Wesm. Hym. Foss. Belg. 85; Thoms. Opusec. Ent. 245. *G. Fargei*, Shuck. Foss. Hym. 214; Smith, Brit. Foss. Hym. 104.
3. **quadrifasciatus.**—*Mellinus 4-fasciatus*, Fab. Piez. 298. *Gorytes quadrifasciatus*, Latr. Gen. Crust. et Ins. iv. 90; Lind. Obs. 96;

## (GORYTES.)

Shuck. Foss. Hym. 215; Smith, Brit. Foss. Hym. 105. *Hoplisus quadrifasciatus*, Dahlb. Hym. Eur. i. 159; Wesm. Hym. Foss. Belg. 86; Thoms. Opusc. Ent. 245. *Gorytes quadrifasciatus*, Lind. loc. cit.; Shuck. loc. cit.; Smith, loc. cit.

4. **laticinctus.**—*Gorytes quadrifasciatus*, Spin. Ins. Lig. i. 93. *G. arenarius*, Lind. Obs. 97. *Eusponges laticinctus*, St. Farg. Hym. iii. 66. *Gorytes laticinctus*, Shuck. Foss. Hym. 217; Smith, Brit. Foss. Hym. 106. *Hoplisus laticinctus*, Dahlb. Hym. Eur. i. 161; Wesm. Hym. Foss. Belg. 86; Thoms. Opusc. Ent. 246.
5. **bicinctus.**—*Crabro bicinctus*, Rossi, F. E. App. 123. *Lestiphorus bicinctus*, St. Farg. Hym. iii. 73; Wesm. Hym. Foss. Belg. 94. *Gorytes bicinctus*, Lind. Obs. 937; Cur. B. E. v. pl. 524; Shuck. Foss. Hym. 219; Smith, Brit. Foss. Hym. 107.

**HARPACTUS.**

Shuck. Foss. Hym. 221 (1837).

1. **tumidus.**—*Pompilus tumidus*, Panz. F. G. 81, 15. *Gorytes tumidus*, Lind. Obs. 92. *Arpactus tumidus*, Jurine, Hym. 194; St. Farg. Hym. iii. 194; Shuck. Foss. Hym. 222; Dahlb. Hym. Eur. i. 149; Wesm. Hym. Foss. Belg. 95; Smith, Brit. Foss. Hym. 109; Thoms. Opusc. Ent. 246.

**DIDINEIS.**

Wesm. Hym. Foss. Belg. 96 (1852).

1. **unicornis.**—*Pompilus unicornis*, Fab. E. S. Supp. 249. *Alyson unicornis*, Latr. Gen. Crust. et Ins. iv. 86; Lind. Obs. 88; Shuck. Foss. Hym. 207; Dahlb. Hym. Eur. i. 142; St. Farg. Hym. iii. 86. *A. Kennedii*, Cur. B. E. xiii. pl. 584. *Didineis unicornis*, Wesm. Hym. Foss. Belg. 97; Smith, Brit. Foss. Hym. 111.

**MELLINUS.**

Fab. E. S. ii. 285 (1793).

1. **arvensis.**—*Vespa arvensis*, Lin. S. N. i. 950; Fab. S. E. 368; Christ. Hym. 234. *Crabro bipunctatus*, Fab. M. I. i. 296. *C. u-flavum*, Panz. F. G. 17, 20. *Mellinus bipunctatus*, Fab. E. S. ii. 286. *M. arvensis*, Fab. ibid. 287; Lind. Obs. 84; Zett. I. L. 440; Shuck. Foss. Hym. 203; St. Farg. Hym. iii. 91; Dahlb. Hym. Eur. i. 226; Wesm. Hym. Foss. Belg. 96; Smith, Brit. Foss. Hym. 113; Thoms. Opusc. Ent. 247.
2. **sabulosus.**—*Crabro sabulosus*, Fab. M. I. i. 296. *C. petiolatus*, Panz. F. G. 46, 11, ♂, and 46, 12, ♀. *Mellinus sabulosus*, Fab. E. S. ii.

286; Lind. Obs. 87; Shuck. Foss. Hym. 205; Cur. B. E. xiii. pl. 580; Dahlb. Hym. Eur. i. 230; Wesm. Hym. Foss. Belg. 96; Thoms. Opusc. Ent. 247. *M. ruficornis*, Fab. E. S. ii. 286, ♀; Panz. F. G. 77, 17. *M. fulvicornis*, Fab. Piez. 300, ♂; Panz. loc. cit. 98, 18; Lind. Obs. 86.

**CRABRONIDÆ.****TRYPOXYLON.**

Latr. Préc. 121 (1796).

1. **figulus.**—*Sphex figulus*, Lin. S. N. i. 942; Fab. E. S. ii. 203; Schr. F. B. ii. 322; Rossi, F. E. ii. 61; Panz. F. G. 80, 16. *Tryproxylon figulus*, Latr. H. N. xiii. 330; Fab. Piez. 181; Lind. Obs. 40; Shuck. Foss. Hym. 115; Zett. I. L. 445; Dahlb. Hym. Eur. i. 280; St. Farg. Hym. iii. 228; Wesm. Hym. Foss. Belg. 106; Smith, Brit. Foss. Hym. 117; Thoms. Opusc. Ent. 250.
2. **attenatum.**—*Tryproxylon attenatum*, Smith, Cat. Brit. Hym. App. 120; Thoms. Opusc. Ent. 250.
3. **clavicerum.**—*Tryproxylon clavicerum*, St. Farg. Enc. Méth. x. 750, and Hym. iii. 228; Shuck. Foss. Hym. 118; Cur. B. E. xiv. pl. 652; Dahlb. Hym. Eur. i. 279; Wesm. Hym. Foss. Belg. 107; Smith, Brit. Foss. Hym. 118.

**CRABRO.**

Fab. E. S. ii. 293 (1793).

1. **clavipes.**—*Sphex clavipes*, Lin. S. N. i. 94. *Crabro crassipes*, Fab. E. S. Supp. 270. *C. rufiventris*, Panz. F. G. 72, 12; Lind. Obs. 72; Shuck. Foss. Hym. 178. *Physosceles rufiventris*, St. Farg. Hym. iii. 207. *Rhopalum clavipes*, Dahlb. Hym. Eur. i. 291; Wesm. Hym. Foss. Belg. 126; Thoms. Opusc. Ent. 158.
2. **tibiale.**—*Crabro tibialis*, Fab. E. S. Supp. 271; Panz. F. G. 83, 24; Lind. Obs. 73; Shuck. Foss. Hym. 177; Zett. I. L. 442; Smith, Brit. Foss. Hym. 123. *Corynopus tibialis*, St. Farg. Hym. iii. 205. *Rhopalum tibiale*, Dahlb. Hym. Eur. i. 288; Cur. B. E. xiv. pl. 656; Wesm. Hym. Foss. Belg. 127; Thoms. Opusc. Ent. 158.
3. **dimidiatus.**—*Crabro dimidiatus*, Fab. E. S. ii. 298; Lind. Obs. 58; Shuck. Foss. Hym. 151; Dahlb. Hym. Eur. i. 345; Smith, Brit. Foss. Hym. 254. *C. signatus*, Thoms. Opusc. Ent. 169. *Blepharipus signatus*, St. Farg. Hym. iii. 136.
4. **signatus.**—*Crabro signatus*, Panz. F. G. 53, 15? Wesm. Hym. Foss. Belg. 128; Smith, Brit. Foss. Hym. 126.
5. **luteipalpis.**—*Crossocerus luteipalpis*, St. Farg. Hym. iii. 188. *Crabro elongatulus*, Lind. Obs. 62; Shuck. Foss. Hym. 154, ♀;

## (CRABRO.)

- Dahlb. Hym. Eur. i. 315; Wesm. Hym. Foss. Belg. 138; Thoms. Opuse. Ent. 167. *C. luteipalpis*, Shuck. Foss. Hym. 155, ♂; Smith, Brit. Foss. Hym. 127.
6. **proximus.**—*Crabro proximus*, Shuck. Foss. Hym. 156; Smith, Brit. Foss. Hym. 128.
7. **varius.**—*Crabro varius*, St. Farg. Hym. iii. 179; Wesm. Hym. Foss. Belg. 137; Smith, Brit. Foss. Hym. 124. *C. spinipectus*, Shuck. Foss. Hym. 163; Dahlb. Hym. Eur. i. 327; Thoms. Opuse. Ent. 166.
8. **transversalis.**—*Crabro transversalis*, Shuck. Foss. Hym. 162; Dahlb. Hym. Eur. i. 317; Smith, Brit. Foss. Hym. 130.
9. **leucostoma.**—*Sphex leucostoma*, Lin. S. N. i. 946. *Crabro leucostoma*, Fab. E. S. ii. 301; Rossi, F. E. ii. 91; Lind. Obs. 61; Shuck. Foss. Hym. 153; Zett. I. L. 444; Dahlb. Hym. Eur. i. 341; Wesm. Hym. Foss. Belg. 133; Smith, Brit. Foss. Hym. 132; Thoms. Opuse. Ent. 161. *Crossocerus leucostoma*, St. Farg. Hym. iii. 186. *Crabro bidens*, Halid. Ent. Mag. i. 516, ♂.
10. **exiguus.**—*Crabro exiguus*, Shuck. Foss. Hym. 174; Dahlb. Hym. Eur. i. 326. *C. anxius*, Wesm. Hym. Foss. Belg. 137; Smith, Brit. Foss. Hym. 133; Thoms. Opuse. Ent. 166.
11. **podagricus.**—*Crabro podagricus*, Lind. Obs. 60; Shuck. Foss. Hym. 157; Wesm. Hym. Foss. Belg. 130; Smith, Brit. Foss. Hym. 134; Thoms. Opuse. Ent. 164.
12. **Walkeri.**—*Crabro Walkeri*, Shuck. Foss. Hym. 170; Wesm. Hym. Foss. Belg. 140; Smith, Brit. Foss. Hym. 135.
13. **Wesmaeli.**—*Crabro Wesmaeli*, Lind. Obs. 63; Shuck. Foss. Hym. 164; Dahlb. Hym. Eur. i. 312; Wesm. Hym. Foss. Belg. 137; Smith, Brit. Foss. Hym. 136; Thoms. Opuse. Ent. 166.
14. **capitosus.**—*Crabro capitosus*, Shuck. Foss. Hym. 159; Dahlb. Hym. Eur. i. 317; Wesm. Hym. Foss. Belg. 129; Smith, Brit. Foss. Hym. 137; Thoms. Opuse. Ent. 160.
15. **bimaculatus.**—*Crossocerus bimaculatus*, St. Farg. Hym. iii. 191. *Crabro geniculatus*, Shuck. Foss. Hym. 169. *C. bimaculatus*, Dahlb. Hym. Eur. i. 310; Smith, Brit. Foss. Hym. 137.
16. **pubescens.**—*Crabro pubescens*, Shuck. Foss. Hym. 165; Dahlb. Hym. Eur. i. 311; Smith, Brit. Foss. Hym. 138; Thoms. Opuse. Ent. 162. *C. diversipes*, Wesm. Hym. Foss. Belg. 134.
17. **obliquus.**—*Crabro obliquus*, Shuck. Foss. Hym. 167; Dahlb. Hym. Eur. i. 315; Smith, Brit. Foss. Hym. 139.
18. **pallidipalpis.**—*Crossocerus pallidipalpis*, St. Farg. Hym. iii. 182. *Crabro propinquus*, Shuck. Foss. Hym. 168. *C. pallidipalpis*, Smith, Brit. Foss. Hym. 140.

## (CRABRO.)

19. **vagabundus.**—*Crabro vagabundus*, Panz. F. G. 53, 16; Lind. Obs. 57; Shuck. Foss. Hym. 149; Wesm. Hym. Foss. Belg. 132; Smith, Brit. Foss. Hym. 141; Thoms. Opuse. Ent. 169. *Blepharipus mediatus*, St. Farg. Hym. iii. 140. *Crabro subpunctatus*, Dahlb. Hym. Eur. i. 349, and 4-cinctus, 526.
20. **quadrimaculatus.**—*Crabro 4-maculatus*, Fab. E. S. ii. 294; Spin. Ins. Lig. ii. 177; Dahlb. Hym. Eur. i. 351; Wesm. Hym. Foss. Belg. 139; Smith, Brit. Foss. Hym. 142; Thoms. Opuse. Ent. 168. *Crossocerus subpunctatus*, St. Farg. Hym. iii. 170. *Crabro subpunctatus*, Lind. Obs. 58; Shuck. Foss. Hym. 147; Cur. B. E. xv. pl. 80.
21. **scutatus.**—*Crabro scutatus*, Fab. E. S. ii. 298; Panz. F. G. 15, 22; Lind. Obs. 44; Shuck. Foss. Hym. 129; Dahlb. Hym. Eur. i. 329; Wesm. Hym. Foss. Belg. 135; Smith, Brit. Foss. Hym. 143. *Crossocerus scutatus*, St. Farg. Hym. iii. 168.
22. **cetratus.**—*Crabro cetratus*, Shuck. Foss. Hym. 131; Dahlb. Hym. Eur. i. 337; Wesm. Hym. Foss. Belg. 133; Smith, Brit. Foss. Hym. 145; Thoms. Opuse. Ent. 161. *C. melanarius*, Bold, Zool. 1857, 5631.
23. **cephalotes.**—*Crabro cephalotes*, Panz. F. G. 62, 16; Fab. Piez. 308; Lind. Obs. 55; Shuck. Foss. Hym. 135; Dahlb. Hym. Eur. i. 408; St. Farg. Hym. iii. 100; Wesm. Hym. Foss. Belg. 151; Smith, Brit. Foss. Hym. 147. *C. sexcinctus*, Lind. Obs. 55 (var.); Shuck. Foss. Hym. 137.
24. **cribrarius.**—*Vespa cribraria*, Lin. F. S. 416, and *Sphex cribraria*, Lin. S. N. i. 945; Schr. En. 381; Christ. Hym. 281, pl. 27, f. 1, ♂. *Crabro cribrarius*, Fab. E. S. ii. 299; Panz. F. G. 15, 18, ♂, 19, ♀; Lind. Obs. 40; Shuck. Foss. Hym. 126; Zett. I. L. 444; Dahlb. Hym. Eur. i. 353; Wesm. Hym. Foss. Belg. 146; Smith, Brit. Foss. Hym. 149; Thoms. Opuse. Ent. 170. *Thyreopus cribrarius*, St. Farg. Hym. iii. 158.
25. **patellatus.**—*Crabro patellatus*, Panz. F. G. 46, 4, ♂, and *C. dentipes*, 46, 9, ♀; Lind. Obs. 43; Shuck. Foss. Hym. 128; Dahlb. Hym. Eur. i. 356; Wesm. Hym. Foss. Belg. 145; Smith, Brit. Foss. Hym. 151. *Thyreopus patellatus*, St. Farg. Hym. iii. 161.
26. **palmipes.**—*Sphex palmipes*, Lin. S. N. i. 944. *Crabro palmipes*, Lind. Obs. 47; St. Farg. Hym. iii. 169; Dahlb. Hym. Eur. i. 332; Wesm. Hym. Foss. Belg. 135; Smith, Brit. Foss. Hym. 152. *C. tar-satus*, Shuck. Foss. Hym. 133.
27. **clypeatus.**—*Sphex clypeata*, Lin. S. N. i. 945, ♂; Schr. En. 386; Christ. Hym. 285, pl. 27, f. 5. *Crabro clypeatus*, Fab. E. S. ii. 297; Rossi, F. E. ii. 90. *C. vexillatus*, Panz. F. G. 46, 5; Lind. Obs. 45, 6, ♂; Shuck. Foss. Hym. 132; Dahlb. Hym. Eur. i. 375;

## (CRABRO.)

- Wesm. Hym. Foss. Belg. 147; Smith, Brit. Foss. Hym. 153; Thoms. Opusc. Ent. 175. *C. lapidarius*, Fab. Piez. 309. *Thyreopus clypeatus*, St. Farg. Hym. iii. 164, ♂, and *Solenius lapidarius*, ibid. 117.
28. **vagus.**—*Sphex vaga*, Lin. S. N. i. 964. *Crabro vagus*, Fab. E. S. ii. 298; Panz. F. G. 46, 10; Rossi, F. E. ii. 91; Lind. Obs. 57; Shuck. Foss. Hym. 145; Zett. I. L. 442; Dahlb. Hym. Eur. i. 392; Wesm. Hym. Foss. Belg. 147; Smith, Brit. Foss. Hym. 155; Thoms. Opusc. Ent. 172. *Solenius vagus*, St. Farg. Hym. iii. 147.
29. **chrysostomus.**—*Crabro chrysostomus*, St. Farg. Hym. iii. 107, and Ann. Soc. Fr. iii. 704, 1<sup>re</sup> sér. *C. xylurgus*, Shuck. Foss. Hym. 139. *C. chrysostomus*, Smith, Brit. Foss. Hym. 156; Thoms. Opusc. Ent. 174.
30. **Lindenius.**—*Crabro Lindenius*, Shuck. Foss. Hym. 143; Smith, Brit. Foss. Hym. 157. *Ceratocalus striatus*, St. Farg. Hym. iii. 149?; Dahlb. Hym. Eur. i. 321; Wesm. Hym. Foss. Belg. 156.
31. **albilabris.**—*Crabro albilabris*, Fab. E. S. ii. 302; Lind. Obs. 55; Shuck. Foss. Hym. 171; Zett. I. L. 444. *C. leucostoma*, Panz. F. G. 15, 24. *Lindenius albilabris*, St. Farg. Hym. iii. 197; Dahlb. Hym. Eur. i. 300; Wesm. Hym. Foss. Belg. 124; Thoms. Opusc. Ent. 159.
32. **Panzeri.**—*Crabro Panzeri*, Lind. Obs. 67; Shuck. Foss. Hym. 173; Smith, Brit. Foss. Hym. 160. *Lindenius Panzeri*, St. Farg. Hym. iii. 201; Dahlb. Hym. Eur. i. 302; Wesm. Hym. Foss. Belg. 121.
33. **brevis.**—*Crabro brevis*, Lind. Obs. 70; Shuck. Foss. Hym. 175; Smith, Brit. Foss. Hym. 160. *Lindenius brevis*, St. Farg. Hym. iii. 202. *Entomognathus brevis*, Dahlb. Hym. Eur. i. 295; Wesm. Hym. Foss. Belg. 124; Thoms. Opusc. Ent. 159.

## OXYBELUS.

Latr. H. N. xiii. 307 (1805).

1. **uniglumis.**—*Vespa uniglumis*, Lin. S. N. i. 951. *Crabro uniglumis*, Fab. E. S. ii. 300; Rossi, F. E. ii. 92; Panz. F. G. 64, 14. *Oxybelus uniglumis*, Latr. H. N. xiii. 307; Fab. Piez. 316; Lind. Obs. 35; Shuck. Foss. Hym. 107; Zett. I. L. 446; Dahlb. Hym. Eur. i. 273; Wesm. Hym. Foss. Belg. 157; Smith, Brit. Foss. Hym. 162; Thoms. Opusc. Ent. 178.
2. **mucronatus.**—*Crabro mucronatus*, Fab. Ent. Syst. ii. 300. *Oxybelus mucronatus*, Fab. Piez. 318; Dahlb. Hym. Eur. i. 266; Wesm. Hym. Foss. Belg. 157; Smith, Brit. Foss. Hym. 163; Thoms. Opusc. Ent. 179. *O. ferox*, Shuck. Foss. Hym. 108, ♂. *O. argentatus*, Cur. B. E. x. pl. 480, ♀; Shuck. lib. cit. 111.

## (OXYBELUS.)

3. **nigripes.**—*Oxybelus nigripes*, Oliv. Enc. Méth. viii. 596; Shuck. Foss. Hym. 109; St. Farg. Hym. iii. 217; Smith, Brit. Foss. Hym. 164; Thoms. Opusc. Ent. 177.
4. **bellicosus.**—*Oxybelus bellicosus*, Oliv. Enc. Méth. viii. 595; Shuck. Foss. Hym. 110; Lind. Obs. 36; Dahlb. Hym. Eur. i. 269; St. Farg. Hym. iii. 217; Smith, Brit. Foss. Hym. 165.
5. **quatuordecim-notatus.**—*Oxybelus 14-notatus*, Oliv. Enc. Méth. viii. 596; Lind. Obs. 37; St. Farg. Hym. iii. 220; Smith, Brit. Foss. Hym. 165. *O. 14-guttatus*, Shuck. Foss. Hym. 112; Thoms. Opusc. Ent. 179.
6. **nigricornis.**—*Oxybelus nigricornis*, Shuck. Foss. Hym. 112; Dahlb. Hym. Eur. i. 267; Smith, Brit. Foss. Hym. 166.
7. **bipunctatus.**—*Oxybelus bipunctatus*, Oliv. Enc. Méth. viii. 597; Lind. Obs. 38; St. Farg. Hym. iii. 220; Wesm. Hym. Foss. Belg. 160; Smith, Brit. Foss. Hym. 167. *O. nigro-aeneus*, Shuck. Foss. Hym. 113; Dahlb. Hym. Eur. i. 272.

## SPILOMENA.

Shuck. Tr. Ent. Soc. ii. 79 (1840).

1. **troglodytes.**—*Celia troglodytes*, Shuck. Foss. Hym. 182, and *Spilomena troglodytes*, Tr. Ent. Soc. ii. 79; Wesm. Hym. Foss. Belg. 123; Smith, Brit. Foss. Hym. 168; Thoms. Opusc. Ent. 239. *Stigmus troglodytes*, Lind. Obs. 74; St. Farg. Hym. iii. 99.

## STIGMUS.

Jurine, Hym. 139 (1807).

1. **pendulus.**—*Stigmus pendulus*, Panz. F. G. 14, 7; Lind. Obs. 74; Shuck. Foss. Hym. 181; Dahlb. Hym. Eur. i. 1; St. Farg. Hym. iii. 98; Wesm. Hym. Foss. Belg. 122; Smith, Brit. Foss. Hym. 169; Thoms. Opusc. Ent. 239. *S. ater*, Jurine, Hym. 232, pl. 9.

## DIODONTUS.

Cur. B. E. xi. 496 (1836).

1. **minutus.**—*Crabro minutus*, Fab. E. S. ii. 302, and *Pemphredon minutus*, Piez. 316; Lind. Obs. 78; St. Farg. Hym. iii. 96. *Cemonus minutus*, Jur. Hym. 214. *Stigmus minutus*, Latr. Gen. Crust. et Ins. iv. 84. *Diodontus minutus*, Cur. B. E. xi. 496; Shuck. Foss. Hym. 185; Dahlb. Hym. Eur. i. 252; Wesm. Hym. Foss. Belg. 121; Smith, Brit. Foss. Hym. 170; Thoms. Opusc. Ent. 236.
2. **luperus.**—*Diodontus luperus*, Shuck. Foss. Hym. 186; Dahlb. Hym. Eur. i. 254; Smith, Brit. Foss. Hym. 171.

## (DIODONTUS.)

3. **tristis.**—*Pemphredon tristis*, Lind. Obs. 76. *Diodontus tristis*, Shuck. Foss. Hym. 187; Dahlb. Hym. Eur. i. 249; Wesm. Hym. Foss. Belg. 120; Smith, Brit. Foss. 172; Thoms. Opusc. Ent. 236.

## PASSALÆCUS.

Shuck. Foss. Hym. 188 (1837).

1. **insignis.**—*Pemphredon insignis*, Lind. Obs. 79. *Diodontus insignis*, Cur. B. E. xi. 796. *Passalæcus insignis*, Shuck. Foss. Hym. 189; Dahlb. Hym. Eur. i. 248; Wesm. Hym. Foss. Belg. 122; Smith, Brit. Foss. Hym. 173; Thoms. Opusc. Ent. 237.
2. **gracilis.**—*Diodontus gracilis*, Cur. B. E. xl. pl. 496. *Passalæcus gracilis*, Shuck. Foss. Hym. 190; Dahlb. Hym. Eur. i. 242; Wesm. Hym. Foss. Belg. 121; Smith, Brit. Foss. Hym. 174; Thoms. Opusc. Ent. 238.
3. **cornigera.**—*Passalæcus cornigera*, Shuck. Foss. Hym. 191; Dahlb. Hym. Eur. i. 145; Smith, Brit. Foss. Hym. 174; Thoms. Opusc. Ent. 237.
4. **monilicornis.**—*Passalæcus monilicornis*, Dahlb. Hym. Eur. i. 243; Bold, Ent. Mo. Mag. iv. 226; Thoms. Opusc. Ent. 238.

## PEMPHREDON.

Latr. H. N. xiii. 325 (1805).

1. **lugubris.**—*Crabro lugubris*, Fab. E. S. ii. 302. *Cemonus unicolor*, Panz. Krit. Revis. ii. 187, and F. G. 52, 24; Jurine, Hym. pl. 11. *Pemphredon lugubris*, Latr. H. N. xiii. 325; Fab. Piez. 315; Lind. Obs. 80; Shuck. Foss. Hym. 196; Zett. I. L. 441; Dahlb. Hym. Eur. i. 259; Wesm. Hym. Foss. Belg. 118; Smith, Brit. Foss. Hym. 175; Thoms. Opusc. Ent. 235. *P. luctuosus*, Shuck. Foss. Hym. 197 (var.).

## CERATOPHORUS.

Shuck. Foss. Hym. 195 (1837).

1. **morio.**—*Pemphredon morio*, Lind. Obs. 82. *Ceratophorus morio*, Shuck. Foss. Hym. 198; Dahlb. Hym. Eur. i. 256; Wesm. Hym. Foss. Belg. 118; Smith, Brit. Foss. Hym. 177. *C. anthracinus*, Smith, lib. cit. 177 (var.).

## CEMONUS.

Jurine, Hym. 214 (1807).

1. **unicolor.**—*Pemphredon unicolor*, Lind. Obs. 83; Zett. I. L. 441; Cur.

## (CEMONUS.)

B. E. xiv. pl. 632; Thoms. Opusc. Ent. 234. *Cemonus unicolor*, Shuck. Foss. Hym. 200; Dahlb. Hym. Eur. i. 255; St. Farg. Hym. iii. 942; Wesm. Hym. Foss. Belg. 119; Smith, Brit. Foss. Hym. 178.

2. **lethifer.**—*Cemonus lethifer*, Shuck. Foss. Hym. 201; Dahlb. Hym. Eur. i. 254; Wesm. Hym. Foss. Belg. 119; Smith, Brit. Foss. Hym. 179.

## PSEN.

Latr. Préc. 122 (1796).

1. **ater.**—*Sphex atra*, Fab. E. S. Supp. 244; Panz. F. G. 72, 7. *Psen atra*, Panz. Krit. Revis. ii. 108. *P. ater*, Lind. Obs. 102; Shuck. Foss. Hym. 225; St. Farg. Hym. iii. 40; Smith, Brit. Foss. Hym. 180. *Mimesa atra*, Dahlb. Hym. Eur. i. 2. *Mesopora atra*, Wesm. Hym. Foss. Belg. 116.
2. **pallipes.**—*Sphex pallipes*, Panz. F. G. 52, 22. *Psen atratus*, Lind. Obs. 103; Shuck. Foss. Hym. 227; Dahlb. Hym. Eur. i. 5; St. Farg. Hym. iii. 40; Wesm. Hym. Foss. Belg. 116; Thoms. Opusc. Ent. 233; *P. pallipes*, Smith, Brit. Foss. Hym. 181.

## MIMESA.

Shuck. Foss. Hym. 228 (1837).

1. **equestris.**—*Psen equestris*, Lind. Obs. 107; Cur. B. E. i. pl. 25. *Mimesa equestris*, Shuck. Foss. Hym. 229; Dahlb. Hym. Eur. i. 4; Wesm. Hym. Foss. Belg. 109; Smith, Brit. Foss. Hym. 182; Thoms. Opusc. Ent. 232.
2. **bicolor.**—*Psen bicolor*, Jurine, Hym. pl. 13. *Mimesa bicolor*, Shuck. Foss. Hym. 230; Wesm. Hym. Foss. Belg. 113; Smith, Brit. Foss. Hym. 183; Thoms. Opusc. Ent. 232.
3. **Dahlbomi.**—*Mimesa unicolor*, Dahlb. Hym. Eur. i. 1 (*nec* Lind.). *Psen unicolor*, St. Farg. Hym. iii. 44. *Mimesa Dahlbomi*, Wesm. Hym. Foss. Belg. 108; Smith, Brit. Foss. Hym. 184; Thoms. Opusc. Ent. 234.
4. **unicolor.**—*Psen unicolor*, Lind. Obs. 105. *Mimesa unicolor*, Shuck. Foss. Hym. 231; Wesm. Hym. Foss. Belg. 108; Smith, Brit. Foss. Hym. 185. *Pemphredon unicolor*, Cur. B. E. xiv. pl. 632.

## PHILANTHIDÆ.

## PHILANTHUS.

Fab. E. S. ii. 288 (1793).

1. **triangulum.**—*Vespa triangulum*, Fab. S. E. 372; Christ. Hym. 136;

Oliv. Enc. Méth. vi. 693. *Crabro androgynus*, Rossi, F. E. i. 138. *Philanthus pictus*, Panz. F. G. 63, 18, ♂. *P. apivorus*, Latr. Hist. Nat. Fourn. 317, pl. 12, fig. 2. *P. triangulum*, Fab. E. S. ii. 289; Lind. Obs. 122; Shuck. Foss. Hym. 246; Dahlb. Hym. Eur. i. 10; Smith, Brit. Foss. Hym. 187; Thoms. Opusc. Ent. 241. *Simblephilus diadema*, Jurine, Hym. pl. 10, f. 18. *Philanthus androgynus*, Cur. B. E. vi. pl. 273.

### CERCERIS.

Latr. H. N. xiii. 315 (1805).

1. **arenaria.**—*Sphex arenaria*, Lin. S. N. i. 946. *Crabro 5-cinctus*, Fab. M. I. i. 295, and *C. arenarius*, 297. *Philanthus arenarius*, Fab. E. S. ii. 290. *P. laetus*, Fab. lib. cit. 291; Panz. F. G. 63, 11. *Cerceris laeta*, Cur. B. E. vi. pl. 269. *C. arenaria*, Lind. Obs. 109; Shuck. Foss. Hym. 233; Dahlb. Hym. Eur. i. 205; St. Farg. Hym. iii. 16; Wesm. Hym. Foss. Belg. 100; Smith, Brit. Foss. Hym. 190; Thoms. Opusc. Ent. 248.
2. **labiatus.**—*Crabro labiatus*, Fab. E. S. ii. 269. *Philanthus labiatus*, Panz. F. G. 46, 2. *Cerceris nasuta*, Latr. Gen. Crust. et Ins. iv. 94. *C. labiata*, Lind. Obs. 111; Shuck. Foss. Hym. 236; Dahlb. Hym. Eur. i. 217; Wesm. Hym. Foss. Belg. 104; Smith, Brit. Foss. Hym. 191; Thoms. Opusc. Ent. 249.
3. **quinquefasciata.**—*Crabro 5-fasciata*, Rossi, F. E. i. 139. *Philanthus 5-cinctus*, Panz. F. G. 63, 12. *P. interruptus*, Panz. lib. cit. 17. *Cerceris 5-fasciata*, Lind. Obs. 115; Wesm. Hym. Foss. Belg. 103; Smith, Brit. Foss. Hym. 193; Thoms. Opusc. Ent. 249. *C. interrupta*, Shuck. Foss. Hym. 238; St. Farg. Hym. iii. 7.
4. **ornata.**—*Philanthus ornatus*, Fab. E. S. ii. 290; Panz. F. G. 63, 10. *Cerceris ornata*, Lind. Obs. 117; Shuck. Foss. Hym. 239; Wesm. Hym. Foss. Belg. 105; Smith, Brit. Foss. Hym. 193; Thoms. Opusc. Ent. 248.
5. **sabulosa.**—*Philanthus sabulosus*, Panz. F. G. 63, 13, ♂, and *P. quadricinctus*, 63, 15, ♀. *Cerceris quadricincta*, Lind. Obs. 144; Shuck. Foss. Hym. 243; Dahlb. Hym. Eur. i. 212; St. Farg. Hym. iii. 23; Wesm. Hym. Foss. Belg. 102. *C. sabulosa*, Shuck. Foss. Hym. 244; Smith, Brit. Foss. Hym. 195.

### DIPLOPTERA.

#### EUMENIDÆ.

##### EUMENES.

Latr. H. N. xiii. (1805).

1. **coarctata.**—*Vespa coarctata*, Lin. S. N. i. 950; Fab. E. S. ii. 276. *V. pedunculata*, Panz. F. G. 63, 12. *Eumenes atricornis*, Cur. B. E. i. pl. 13. *E. coarctata*, Smith, Cat. Brit. Hym. 44, and Brit. Foss. Hym. 197; Sauss. Mon. Guêp. sol. ii. 31; Thoms. Opusc. Ent. 83.

### ODYNERUS.

Latr. H. N. xiii. (1805).

1. **crassicornis.**—*Vespa parietum*, Fab. E. S. ii. 265 (nec Lin.). *Odynerus parietum*, Latr. H. N. xiii. 347; Spin. Ins. Lig. ii. 180; *Vespa crassicornis*, Panz. F. G. 53, 8. *Odynerus crassicornis*, Wesm. Odyn. Belg. 39; St. Farg. Hym. ii. 663; Sauss. Mon. Guêp. sol. 123; Smith, Brit. Foss. Hym. 200.
2. **sinuatus.**—*Vespa sinuata*, Fab. E. S. ii. 270. *Odynerus bifasciatus*, Wesm. Odyn. Belg. 45; St. Farg. Hym. ii. 665; Sauss. Mon. Guêp. sol. 124, and *O. sinuatus*, ibid. Supp. 192. *Symmorphus bifasciatus*, Wesm. Odyn. Belg. Supp. 10. *Odynerus connexus*, Cur. B. E. iii. pl. 138. *O. sinuatus*, Sauss. Mon. Guêp. sol. Supp. 192; Smith, Brit. Foss. Hym. 201.
3. **gracilis.**—*Odynerus gracilis*, Brullé, Exp. Mor. iii. pl. 50, f. 3. *O. elegans*, Wesm. Odyn. Belg. 42; St. Farg. Hym. ii. 665; Sauss. Mon. Guêp. sol. 124; Smith, Brit. Foss. Hym. 202; Thoms. Opusc. Ent. 89.
4. **spinipes.**—*Vespa spinipes*, Lin. S. N. i. 950; Fab. E. S. ii. 268; Rossi, F. E. ii. 86; Panz. F. G. 17, 18. *Odynerus spinipes*, Spin. Ins. Lig. i. 89; Wesm. Odyn. Belg. 6; Shuck. Loud. Mag. n. s. i. 490; St. Farg. Hym. ii. 608; Sauss. Mon. Guêp. sol. 223; Smith, Brit. Foss. Hym. 203; Thoms. Opusc. Ent. 84.
5. **laevipes.**—*Odynerus laevipes*, Shuck. Loud. Mag. n. s. i. 490; Sauss. Mon. Guêp. sol. 228; Smith, Brit. Foss. Hym. 204; Thoms. Opusc. Ent. 84. *O. rubicola*, Duf. Ann. Sci. Nat. sér. 2me. xi. 102.
6. **melanocephalus.**—*Vespa melanocephala*, Gmel. S. N. v. 2760. *V. albo-fasciata*, Rossi, F. E. ii. 143. *Odynerus melanocephalus*, Wesm. Odyn. Belg. 12; Sauss. Mon. Guêp. sol. 224; Smith, Brit. Foss. Hym. 205; Thoms. Opusc. Ent. 84. *Oplopus melanocephalus*, Wesm. Odyn. Belg. Supp. 2.
7. **parietum.**—*Vespa parietum*, Lin. S. N. i. 949. *V. emarginata*, Fab. E. S. ii. 267. *V. angulata*, Don. B. I. xiv. 71, pl. 495, f. 1. *V. aucta*, Panz. F. G. 81, 17. *Odynerus parietinus*, Cur. B. E. iii. 137; Wesm. Odyn. Belg. 16; Zett. I. L. 455; St. Farg. Hym. ii. 656; Sauss. Mon. Guêp. sol. 130; Smith, Brit. Foss. Hym. 206; Thoms. Opusc. Ent. 88.
8. **quadratus.**—*Vespa quadrata*, Panz. F. G. 63, 3. *Odynerus quadratus*, Smith, Brit. Foss. Hym. 207. *O. parietum* (var.) Sauss. Mon. Guêp. sol. 130.
9. **trifasciatus.**—*Vespa trifasciata*, Oliv. Enc. Méth. vi. 688; Fab. Piez. 264. *Odynerus trifasciatus*, Spin. Ins. Lig. ii. 184; Wesm. Odyn. Belg. 7; Sauss. Mon. Guêp. sol. 129; Smith, Brit. Foss. Hym. 208.

## (ODYNERUS.)

10. **trimarginatus.**—*Odynerus trimarginatus*, Zett. I. L. 456; Sauss. Mon. Guêp. sol. Supp. 212, pl. 10, f. 9; Smith, Brit. Foss. Hym. 209. *O. scoticus*, Cur. B. E. iii. pl. 138.
11. **pictus.**—*Odynerus pictus*, Cur. B. E. iii. 138; Sauss. Mon. Guêp. sol. Supp. 210, pl. 10, f. 10; Smith, Brit. Foss. Hym. 209.
12. **Antilope.**—*Vespa Antilope*, Panz. F. G. 53, 9, *Odynerus Antilope*, Wasm. Odyn. Belg. 32; St. Farg. Hym. iii. 649; Sauss. Mon. Guêp. sol. 132; Smith, Brit. Foss. Hym. 210; Thoms. Opusc. Ent. 88.

## VESPIDÆ.

## VESPA.

Lin. S. N. i. 948 (1766).

1. **crabro.**—*Vespa crabro*, Lin. S. N. i. 948; Réau. Mém. vi. 215, pl. 18, f. 1; Fab. E. S. ii. 255; Scop. Ent. Car. 308; Schr. En. 786; Zett. I. L. 35; St. Farg. Hym. i. 509; Sauss. Mon. Guêp. soc. 130; Smith, Brit. Foss. Hym. 222; Thoms. Opusc. Ent. 79.
2. **vulgaris.**—*Vespa vulgaris*, Lin. S. N. i. 949; Scop. Ent. Car. 308; Fab. E. S. ii. 256; Christ. Hym. 236, pl. 22, f. 2; Panz. F. G. 49, 19; Don. B. I. vii. pl. 266; Kirby, Faun. Bor. Amer. 263; St. Farg. Hym. i. 516; Zett. I. L. 453; Smith, Zool. 1843, 162, f. c, and 1851, Append. clxxvi., and Brit. Foss. Hym. 215; Sauss. Mon. Guêp. soc. 113, pl. 14, f. 3; Thoms. Opusc. Ent. 81.
3. **germanica.**—*Vespa germanica*, Fab. E. S. ii. 256; Panz. F. G. 49, 20; Smith, Zool. 1851, Append. clxxvii., and Brit. Foss. Hym. 216; Sauss. Mon. Guêp. soc. 116, pl. 14, f. 4; Thoms. Opusc. Ent. 82.
4. **rufa.**—*Vespa rufa*, Lin. S. N. i. 949; Fab. E. S. ii. 258; Schr. En. 390; Christ. Hym. 236, pl. 22, f. 3; Zett. I. L. 454; St. Farg. Hym. i. 517; Cur. B. E. xvi. pl. 760; Smith, Zool. 1843, 167, and Brit. Foss. Hym. 217; Sauss. Mon. Guêp. soc. 120, pl. 14, f. 5; Thoms. Opusc. Ent. 82.
5. **sylvestris.**—*Vespa sylvestris*, Scop. Ent. Car. 309; Christ. Hym. 235, pl. 22, f. 1; Smith, Cat. Hym. Ins. 115, and Brit. Foss. Hym. 219; Sauss. Mon. Guêp. soc. 123, pl. 14, f. 6. *V. holsatica*, Fab. E. S. ii. 257; Smith, Zool. 1843, 168; Thoms. Opusc. Ent. 80.
6. **arborea.**—*Vespa arborea*, Smith, Zool. 1849, Append. lx., and Brit. Foss. Hym. 218; Sauss. Mon. Guêp. soc. 122, pl. 14, f. 8.
7. **norvegica.**—*Vespa norvegica*, Fab. E. S. ii. 258; Oliv. Enc. Méth. vi. 680; Panz. F. G. 81, 16; Zett. I. L. 454; Smith, Zool. 1852, 3703, and Brit. Foss. Hym. 220; Sauss. Mon. Guêp. soc. 128, pl. 14, f. 7; Thoms. Opusc. Ent. 81. *V. britannica*, Leach, Zool. Misc. i. 111, pl. 50, f. 1—3; Smith, Zool. 1843, 169.

## ANTHOPHILA.

## ANDRENIDÆ.

## COLLETES.

Latr. H. N. xiii. 359 (1805).

1. **succincta.**—*Apis succincta*, Lin. S. N. i. 955. *Andrena succincta*, Fab. Piez. 323. *Melitta succincta*, Kirby, Mon. Ap. Engl. ii. 32. *Evodia calendarum*, Panz. F. G. 83, 19; Spin. Ins. Lig. ii. 197. *Colletes fodiens*, Cur. B. E. ii. f. 85 (ne Kirby). *C. succincta*, Smith, Bees Gt. Brit. 3; Nyland. Ap. Bor. Revis. 248; Thoms. Opusc. Ent. 314.
  2. **cunicularia.**—*Apis cunicularia*, Lin. S. N. i. 957. *Colletes hirta*, St. Farg. Hym. ii. 296. *C. cunicularia*, Nyland. Ap. Bor. Revis. 249; Smith, Ent. Ann. 1870, 21; Thoms. Opusc. Ent. 314.
  3. **fodiens.**—*Melitta fodiens*, Kirby, Mon. Ap. Engl. ii. 34, pl. 15, f. 1, 2. *Colletes fodiens*, Smith, Bees Gt. Brit. 4; Nyland. Ap. Bor. 206.
  4. **marginata.**—*Colletes marginata*, Smith, Bees Gt. Brit. 5; Nyland. Ap. Bor. Revis. 248; Thoms. Opusc. Ent. 314.
  5. **Daviesana.**—*Colletes Daviesana*, Smith, Bees Gt. Brit. 6; Nyland. Ap. Bor. Revis. 249; Shuck. Brit. Bees, pl. 1, f. 1; Thoms. Opusc. Ent. 315.
- PROSOPIS.
- Fab. Piez. 293 (1804).
1. **communis.**—*Melitta annulata*, Kirby, Mon. Ap. Engl. ii. 36. *Hyaleus communis*, Nyland. Ap. Bor. Revis. 234; Thoms. Opusc. Ent. 307. *Prosopis communis*, Smith, Bees Gt. Brit. 8; Schenck, Nass. Bien. 321.
  2. **dilatata.**—*Melitta dilatata*, Kirby, Mon. Ap. Engl. ii. 39, ♂, and *M. annularis*, Kirby, lib. cit. 38, ♀. *Hyaleus dilatatus*, Cur. B. E. viii. pl. 273; Nyland. Ap. Bor. 94. *Prosopis dilatata*, Smith, Bees Gt. Brit. 9; Schenck, Nass. Bien. 318; Shuck. Brit. Bees, pl. 1, f. 2.
  3. **cornuta.**—*Prosopis cornuta*, Smith, Bees Gt. Brit. 10.
  4. **punctulatissima.**—*Prosopis punctulatissima*, Smith, Bees Gt. Brit. 11, ♀.
  5. **signata.**—*Sphecodes signata*, Panz. F. G. 53, 2. *Melitta signata*, Kirby, Mon. Ap. Engl. ii. 41. *Prosopis signata*, Smith, Bees Gt. Brit. 12; Nyland. Ap. Bor. 190; Schenck, Nass. Bien. 318; Shuck. Brit. Bees, pl. 1, f. 3.
  6. **hyalinata.**—*Prosopis hyalinata*, Smith, Bees Gt. Brit. 13.
  7. **varipes.**—*Prosopis varipes*, Smith, Bees Gt. Brit. 14.

## (PROSOPIS.)

8. **perforator.**—*Prosopis rubicola*, Smith, Ent. Ann. 1869, 74 (nec Saunders).
9. **variegata.**—*Prosopis variegata*, Fab. Piez. 295; St. Farg. Hym. ii. 534; Smith, Bees Gt. Brit. 14; Schenck, Nass. Bien. 318.
10. **bifasciata.**—*Prosopis bifasciata*, Jurine, Hym. 220, pl. 11, f. 30; St. Farg. Hym. ii. 536; Smith, Entom. 1867, 309.

## SPHECODES.

Latr. H. N. xiii. 368 (1805).

1. **gibbus.**—*Sphex gibba*, Lin. S. N. i. 946. *Melitta sphecodes*, Kirby, Mon. Ap. Angl. ii. 46, ♀, and *M. monilicornis*, ii. 47, ♂. *Sphecodes gibbus*, Smith, Bees Gt. Brit. 16; Nyland. Ap. Bor. 193; Schenck, Nass. Bien. 302; Sichel, Ann. Soc. Fr. 1865, 413; Thoms. Opusc. Ent. 98.
2. **rufiventris.**—*Nomada gibba*, Fab. Piez. 393 (nec Lin.). *Melitta gibba*, Kirby, Mon. Ap. Angl. ii. 42. *Sphecodes rufiventris*, Wesm. Obs. Sphec. 8; Sichel, Ann. Soc. Fr. 1865, 413; Schenck, Nass. Bien. 302; Smith, Entom. 1867, 36. *S. rufescens*, Smith, Bees Gt. Brit. 17.
3. **subquadratus.**—*Sphecodes subquadratus*, Smith, Bees Gt. Brit. 18; Nyland. Ap. Bor. 235; Schenck, Nass. Bien. 304; Sichel, Ann. Soc. Fr. 1865, 414; Thoms. Opusc. Ent. 98.
4. **ephippius.**—*Sphex ephippia*, Lin. S. N. i. 944. *Melitta divisa*, Kirby, Mon. Ap. Angl. ii. 49, ♂, and *M. Geoffrella*, Kirby, lib. cit. 45, ♀. *Sphecodes Geoffroyellus*, St. Farg. Hym. ii. 544; Wesm. Obs. Sphec. 7; Nyland. Ap. Bor. Revis. 194; Thoms. Opusc. Ent. 100. *Sphecodes ephippius*, Smith, Bees Gt. Brit. 19; Schenck, Nass. Bien. 305.

## HALICTUS.

Latr. H. N. xiii. 364 (1805).

1. **rubicundus.**—*Melitta rubicundus*, Kirby, Mon. Ap. Angl. ii. 53. *Apis flavipes*, Panz. F. G. 56, 17. *Halictus rubicundus*, Smith, Bees Gt. Brit. 23; Nyland. Ap. Bor. Revis. 198; Schenck, Nass. Bien. 263; Thoms. Opusc. Ent. 310.
2. **quadricinctus.**—*Hylaeus quadricinctus*, Fab. Piez. 319; Schenck, Nass. Bien. 264. *Melitta quadricincta*, Kirby, Mon. Ap. Angl. ii. 51. *Halictus quadricinctus*, Smith, Bees Gt. Brit. 27; Nyland. Ap. Bor. 193.
3. **maculatus.**—*Halictus maculatus*, Smith, Bees Gt. Brit. 29; Nyland. Ap. Bor. Revis. 241.
4. **tumulorum.**—*Apis tumulorum*, Lin. S. N. i. 953. *Hylaeus flavipes*, Fab.; Schenck, Nass. Bien. *Melitta flavipes*, Kirby, Mon. Ap. Angl.

## (HALICTUS.)

- ii. 55, ♂, and 57, ♀. *Halictus tumulorum*, Smith, Entom. 1869, 247; Thoms. Opusc. Ent. 312. *H. flavipes*, Smith, Bees Gt. Brit. 34; Nyland. Ap. Bor. Revis. 247; Shuck. Brit. Bees, pl. iv. 2.
5. **gramineus.**—*Halictus gramineus*, Smith, Bees Gt. Brit. 36.
6. **fasciatus.**—*Halictus fasciatus*, Nyland. Ap. Bor. 275; Smith, Entom. 1869, 248.
7. **xanthopus.**—*Melitta xanthopus*, Kirby, Mon. Ap. Angl. ii. 78. *Lasioglossum trinagulum*, Cur. B. E. x. pl. 448; St. Farg. Hym. ii. 278; Smith, Bees Gt. Brit. 24; Nyland. Ap. Bor. Revis. 238; Shuck. Brit. Bees, pl. iv. 1. *Hylaeus xanthopus* Schenck, Nass. Bien. 281.
8. **leucozonius.**—*Apis leucozonia*, Schr. En. 406; Rossi, Mant. 319. *Melitta leucozonia*, Kirby, Mon. Ap. Angl. ii. 76. *Halictus leucozonius*, St. Farg. Hym. ii. 275; Smith, Bees Gt. Brit. 25; Nyland. Ap. Bor. Revis. 240; Thoms. Opusc. Ent. 308; *Hylaeus leucozonius*, Schenck, Nass. Bien. 266.
9. **zonulus.**—*Halictus zonulus*, Smith, Bees Gt. Brit. 26; Nyland. Ap. Bor. Revis. 241. *Hylaeus zonulus*, Schenck, Nass. Bien. 266.
10. **sexnotatus.**—*Melitta sexnotata*, Kirby, Mon. Ap. Angl. ii. 82. *Halictus sexnotatus*, Walck. Mém. Haliet. 72; St. Farg. Hym. ii. 273; Smith, Bees Gt. Brit. 28; Nyland. Ap. Bor. Revis. 239; Thoms. Opusc. Ent. 308. *Hylaeus sexnotatus*, Schenck, Nass. Bien. 265.
11. **quadrinotatus.**—*Melitta quadrinotatus*, Kirby, Mon. Ap. Angl. ii. 79. *Halictus quadrinotatus*, Smith, Bees Gt. Brit. 29; Nyland. Ap. Bor. Revis. 240; Thoms. Opusc. Ent. 309. *Hylaeus 4-notatus*, Schenck, Nass. Bien. 266.
12. **cylindricus.**—*Hylaeus cylindricus*, Fab. Piez. 319; Schenck, Nass. Bien. 274. *H. abdominalis*, Panz. F. G. 55, 18. *H. annulatus*, Panz. lib. cit. 53, 3. *Melitta abdominalis*, Kirby, Mon. Ap. Angl. ii. 73, ♂. *M. fulvocincta*, Kirby, lib. cit. 73, ♀. *Halictus cylindricus*, Smith, Bees Gt. Brit. 30; Nyland. Ap. Bor. 242.
13. **malachurus.**—*Melitta malachura*, Kirby, Mon. Ap. Angl. ii. 67. *Halictus malachurus*, Smith, Entom. 1869, 257. *Hylaeus malachurus*, Schenck, Nass. Bien. 267.
14. **albipes.**—*Prosopis albipes*, Fab. Piez. 294. *Hylaeus albipes*, Schenck, Nass. Bien. 267. *Melitta albipes*, Kirby, Mon. Ap. Angl. ii. 71, ♂. *M. obovata*, Kirby, lib. cit. 75, ♀. *Halictus albipes*, St. Farg. Hym. ii. 287; Smith, Bees Gt. Brit. 32. *H. obovalus*, Thoms. Opusc. Ent. 309.
15. **villosulus.**—*Melitta villosula*, Kirby, Mon. Ap. Angl. ii. 62, ♂. *M. punctata*, Kirby, lib. cit. 66, ♀. *Halictus villosulus*, Smith, Entom. 1869, 258.
16. **lævis.**—*Melitta lævis*, Kirby, Mon. Ap. Angl. ii. 65. *Halictus lævis*, Smith, Bees Gt. Brit. 40. *Hylaeus lævis*, Schenck, Nass. Bien. 288.

## (PROSOPIS.)

8. **perforator.**—*Prosopis rubicola*, Smith, Ent. Ann. 1869, 74 (nec Saunders).
9. **variegata.**—*Prosopis variegata*, Fab. Piez. 295; St. Farg. Hym. ii. 534; Smith, Bees Gt. Brit. 14; Schenck, Nass. Bien. 318.
10. **bifasciata.**—*Prosopis bifasciata*, Jurine, Hym. 220, pl. 11, f. 30; St. Farg. Hym. ii. 536; Smith, Entom. 1867, 309.

## SPHECODES.

Latr. H. N. xiii. 368 (1805).

1. **gibbus.**—*Sphex gibba*, Lin. S. N. i. 946. *Melitta sphecodes*, Kirby, Mon. Ap. Angl. ii. 46, ♀, and *M. monilicornis*, ii. 47, ♂. *Sphecodes gibbus*, Smith, Bees Gt. Brit. 16; Nyland. Ap. Bor. 193; Schenck, Nass. Bien. 302; Sichel, Ann. Soc. Fr. 1865, 413; Thoms. Opusc. Ent. 98.
2. **rufiventris.**—*Nomada gibba*, Fab. Piez. 393 (nec Lin.). *Melitta gibba*, Kirby, Mon. Ap. Angl. ii. 42. *Sphecodes rufiventris*, Wesm. Obs. Sphec. 8; Sichel, Ann. Soc. Fr. 1865, 413; Schenck, Nass. Bien. 302; Smith, Entom. 1867, 36. *S. rufescens*, Smith, Bees Gt. Brit. 17.
3. **subquadratus.**—*Sphecodes subquadratus*, Smith, Bees Gt. Brit. 18; Nyland. Ap. Bor. 235; Schenck, Nass. Bien. 304; Sichel, Ann. Soc. Fr. 1865, 414; Thoms. Opusc. Ent. 98.
4. **ephippius.**—*Sphex ephippia*, Lin. S. N. i. 944. *Melitta divisa*, Kirby, Mon. Ap. Angl. ii. 49, ♂, and *M. Geoffrella*, Kirby, lib. cit. 45, ♀. *Sphecodes Geoffroyellus*, St. Farg. Hym. ii. 544; Wesm. Obs. Sphec. 7; Nyland. Ap. Bor. Revis. 194; Thoms. Opusc. Ent. 100. *Sphecodes ephippius*, Smith, Bees Gt. Brit. 19; Schenck, Nass. Bien. 305.

## HALICTUS.

Latr. H. N. xiii. 364 (1805).

1. **rubicundus.**—*Melitta rubicundus*, Kirby, Mon. Ap. Angl. ii. 53. *Apis flavipes*, Panz. F. G. 56, 17. *Halictus rubicundus*, Smith, Bees. Gt. Brit. 23; Nyland. Ap. Bor. Revis. 198; Schenck, Nass. Bien. 263; Thoms. Opusc. Ent. 310.
2. **quadricinctus.**—*Hylaeus quadricinctus*, Fab. Piez. 319; Schenck, Nass. Bien. 264. *Melitta quadricincta*, Kirby, Mon. Ap. Angl. ii. 51. *Halictus quadricinctus*, Smith, Bees. Gt. Brit. 27; Nyland. Ap. Bor. 193.
3. **maculatus.**—*Halictus maculatus*, Smith, Bees Gt. Brit. 29; Nyland. Ap. Bor. Revis. 241.
4. **tumulorum.**—*Apis tumulorum*, Lin. S. N. i. 953. *Hylaeus flavipes*, Fab.; Schenck, Nass. Bien. *Melitta flavipes*, Kirby, Mon. Ap. Angl.

## (HALICTUS.)

- ii. 55, ♂, and 57, ♀. *Halictus tumulorum*, Smith, Entom. 1869, 247; Thoms. Opusc. Ent. 312. *H. flavipes*, Smith, Bees Gt. Brit. 34; Nyland. Ap. Bor. Revis. 247; Shuck. Brit. Bees, pl. iv. 2.
5. **gramineus.**—*Halictus gramineus*, Smith, Bees Gt. Brit. 36.
6. **fasciatus.**—*Halictus fasciatus*, Nyland. Ap. Bor. 275; Smith, Entom. 1869, 248.
7. **xanthopus.**—*Melitta xanthopus*, Kirby, Mon. Ap. Angl. ii. 78. *Lasioglossum trinagulum*, Cur. B. E. x. pl. 448; St. Farg. Hym. ii. 278; Smith, Bees Gt. Brit. 24; Nyland. Ap. Bor. Revis. 238; Shuck. Brit. Bees, pl. iv. 1. *Hylaeus xanthopus* Schenck, Nass. Bien. 281.
8. **leucozonius.**—*Apis leucozonia*, Schr. En. 406; Rossi, Mant. 319. *Melitta leucozonia*, Kirby, Mon. Ap. Angl. ii. 76. *Halictus leucozonius*, St. Farg. Hym. ii. 275; Smith, Bees Gt. Brit. 25; Nyland. Ap. Bor. Revis. 240; Thoms. Opusc. Ent. 308; *Hylaeus leucozonius*, Schenck, Nass. Bien. 266.
9. **zonulus.**—*Halictus zonulus*, Smith, Bees Gt. Brit. 26; Nyland. Ap. Bor. Revis. 241. *Hylaeus zonulus*, Schenck, Nass. Bien. 266.
10. **sexnotatus.**—*Melitta sexnotata*, Kirby, Mon. Ap. Angl. ii. 82. *Halictus sexnotatus*, Walek. Mém. Haliet. 72; St. Farg. Hym. ii. 273; Smith, Bees Gt. Brit. 28; Nyland. Ap. Bor. Revis. 239; Thoms. Opusc. Ent. 308. *Hylaeus sexnotatus*, Schenck, Nass. Bien. 265.
11. **quadrinotatus.**—*Melitta quadrinotatus*, Kirby, Mon. Ap. Angl. ii. 79. *Halictus quadrinotatus*, Smith, Bees Gt. Brit. 29; Nyland. Ap. Bor. Revis. 240; Thoms. Opusc. Ent. 309. *Hylaeus 4-notatus*, Schenck, Nass. Bien. 266.
12. **cylindricus.**—*Hylaeus cylindricus*, Fab. Piez. 319; Schenck, Nass. Bien. 274. *H. abdominalis*, Panz. F. G. 55, 18. *H. annulatus*, Panz. lib. cit. 53, 3. *Melitta abdominalis*, Kirby, Mon. Ap. Angl. ii. 73, ♂. *M. fulvocincta*, Kirby, lib. cit. 73, ♀. *Halictus cylindricus*, Smith, Bees Gt. Brit. 30; Nyland. Ap. Bor. 242.
13. **malachurus.**—*Melitta malachura*, Kirby, Mon. Ap. Angl. ii. 67. *Halictus malachurus*, Smith, Entom. 1869, 257. *Hylaeus malachurus*, Schenck, Nass. Bien. 267.
14. **albipes.**—*Prosopis albipes*, Fab. Piez. 294. *Hylaeus albipes*, Schenck, Nass. Bien. 267. *Melitta albipes*, Kirby, Mon. Ap. Angl. ii. 71, ♂. *M. obovata*, Kirby, lib. cit. 75, ♀. *Halictus albipes*, St. Farg. Hym. ii. 287; Smith, Bees Gt. Brit. 32. *H. obovalus*, Thoms. Opusc. Ent. 309.
15. **villosulus.**—*Melitta villosula*, Kirby, Mon. Ap. Angl. ii. 62, ♂. *M. punctata*, Kirby, lib. cit. 66, ♀. *Halictus villosulus*, Smith, Entom. 1869, 258.
16. **laevis.**—*Melitta laevis*, Kirby, Mon. Ap. Angl. ii. 65. *Halictus laevis*, Smith, Bees Gt. Brit. 40. *Hylaeus laevis*, Schenck, Nass. Bien. 288.

## (HALICTUS.)

17. **longulus.**—*Halictus longulus*, Smith, Bees Gt. Brit. 39.
18. **lævigatus.**—*Melitta lærigata*, Kirby, Mon. Ap. Engl. ii. 75, ♀.  
*M. fulvicornis*, Kirby, lib. cit. 67, ♂. *Halictus lugubris*, Smith, Bees Gt. Brit. 33.
19. **prasinus.**—*Halictus prasinus*, Smith, Bees Gt. Brit. 33.
20. **interruptus.**—*Hylaeus interruptus*, Panz. F. G. 55, 4. *Halictus interruptus*, St. Farg. Hym. ii. 228; Smith, Bees Gt. Brit. 43. *Hylaeus interruptus*, Schenck, Nass. Bien. 282.
21. **nitidiusculus.**—*Melitta nitidiuscula*, Kirby, Mon. Ap. Engl. ii. 64. *Halictus nitidiusculus*, Smith, Bees Gt. Brit. 43; Nyland. Ap. Bor. Revis. 246; Thoms. Opusc. Ent. 311. *Hylaeus nitidiusculus*, Schenck, Nass. Bien. 290.
22. **subfasciatus.**—*Halictus subfasciatus*, Nyland. Ap. Bor. 200; Smith, Bees Gt. Brit. 41.
23. **minutus.**—*Melitta minuta*, Kirby, Mon. Ap. Engl. ii. 61. *Halictus minutus*, St. Farg. Hym. ii. 277; Smith, Bees Gt. Brit. 42; Nyland. Ap. Bor. 202; Thoms. Opusc. Ent. 311. *Hylaeus minutus*, Schenck, Nass. Bien. 269.
24. **atricornis.**—*Halictus atricornis*, Smith, Ent. Ann. 1870, 26.
25. **minutissimus.**—*Melitta minutissimus*, Kirby, Mon. Ap. Engl. ii. 61. *Halictus minutissimus*, Smith, Bees Gt. Brit. 44; Nyland. Ap. Bor. Revis. 246; Thoms. Opusc. Ent. 312. *Hylaeus minutissimus*, Schenck, Nass. Bien. 291; Shuck. Brit. Bees, pl. 4, f. 3.
26. **Smeathmanellus.**—*Melitta Smeathmanella*, Kirby, Mon. Ap. Engl. ii. 375. *Halictus Smeathmanellus*, Smith, Bees Gt. Brit. 36; Nyland. Ap. Bor. Revis. 247. *Hylaeus Smeathmanellus*, Schenck, Nass. Bien. 294.
27. **œratus.**—*Melitta œrata*, Kirby, Mon. Ap. Engl. ii. 58. *Halictus œratus*, Smith, Bees Gt. Brit. 37.
28. **morio.**—*Hylaeus morio*, Fab. Piez. 321; Schenck, Nass. Bien. 295. *Melitta morio*, Kirby, Mon. Ap. Engl. ii. 60. *Halictus morio*, Smith, Bees Gt. Brit. 38; Nyland. Ap. Bor. 204; Thoms. Opusc. Ent. 313.
29. **leucopus.**—*Melitta leucopus*, Kirby, Mon. Ap. Engl. ii. 59. *Halictus leucopus*, Smith, Bees Gt. Brit. 39; Nyland. Ap. Bor. 247; Thoms. Opusc. Ent. 313.

## ANDRENA.

Fab. Piez. 321 (1804).

1. **Hattorfiana.**—*Nomada Hattorfiana*, Fab. E. S. ii. 349. *Andrena equestris*, Panz. F. G. 46, 17. *A. Hattorfiana*, Fab. Piez. 325; Spin. Ins. Lig. i. 121; St. Farg. Hym. ii. 254; Smith, Bees Gt. Brit. 50; Nyland. Ap. Bor. 208; Thoms. Opusc. Ent. 142. *Melitta Lathamana*, Kirby, Mon. Ap. Engl. ii. 83. *M. haemorrhoidalis*, Kirby, lib. cit. 141 (var.).

## (ANDRENA.)

2. **rosæ.**—*Andrena rosæ*, Panz. F. G. 74, 10; Spin. Ins. Lig. i. 192; Smith, Bees Gt. Brit. 51; Shuck. Brit. Bees, pl. 3, f. 1. *Melitta rosæ*, Kirby, Mon. Ap. Engl. ii. 83, ♀. *M. zonalis*, Kirby, lib. cit. 87, ♂.
3. **spinigera.**—*Melitta spinigera*, Kirby, Mon. Ap. Engl. ii. 123, pl. 15, f. 10. *Andrena eximia*, Smith, Bees Gt. Brit. 52.
4. **florea.**—*Andrena florea*, Fab. Piez. 324; St. Farg. Hym. ii. 259; Nyland. Ap. Bor. Revis. 251. *Melitta rosæ*, Kirby, Mon. Ap. Engl. ii. 85 (nec Panz.)
5. **decorata.**—*Andrena decorata*, Smith, Bees Gt. Brit. 55.
6. **Cetii.**—*Apis Cetii*, Schr. En. 405. *Andrena marginata*, Fab. Piez. 326; Panz. F. G. 72, 15; St. Farg. Hym. ii. 255; Nyland. Ap. Bor. Revis. 251; Thoms. Opusc. Ent. 142. *Melitta Schrankella*, Kirby, Mon. Ap. Engl. ii. 90, and *M. affinis*, Kirby, lib. cit. 92 (var.). *Andrena Cetii*, Smith, Bees Gt. Brit. 55.
7. **cingulata.**—*Nomada cingulata*, Fab. Piez. 394; Rossi, Mant. 326. *Apis albilabris*, Panz. F. G. 56, 23, ♂, and *A. sphegooides*, 56, Panz. lib. cit. 24, ♀. *Melitta cingulata*, Kirby, Mon. Ap. Engl. ii. 88. *Andrena cingulata*, St. Farg. Hym. ii. 257; Smith, Bees Gt. Brit. 57; Nyland. Ap. Bor. 251; Shuck. Brit. Bees, pl. 3, f. 3; Thoms. Opusc. Ent. 143.
8. **ferox.**—*Apis ferox*, Smith, Bees Gt. Brit. 57.
9. **cineraria.**—*Apis cineraria*, Lin. S. N. i. 953; Fab. E. S. ii. 329. *Melitta cineraria*, Kirby, Mon. Ap. Engl. ii. 98. *Andrena cineraria*, Fab. Piez. 323; Spin. Ins. Lig. i. 117; St. Farg. Hym. ii. 238; Smith, Bees Gt. Brit. 59; Nyland. Ap. Bor. 211; Lucas, Expl. d'Algér. iii. 169; Shuck. Brit. Bees, pl. 2, f. 2; Thoms. Opusc. Ent. 145.
10. **pilipes.**—*Andrena pilipes*, Fab. Piez. 322; Rossi, F. E. ii. 98; Spin. Ins. Lig. i. 191; St. Farg. Hym. ii. 236; Smith, Bees Gt. Brit. 59; Nyland. Ap. Bor. 210. *Melitta pilipes*, Kirby, Mon. Ap. Engl. ii. 96, ♀. *M. pratensis*, Kirby, lib. cit. 100, ♂. *Andrena aterima*, Panz. F. G. 64, 19. *A. pratensis*, Thoms. Opusc. Ent. 146.
11. **thoracica.**—*Apis thoracica*, Fab. E. S. ii. 328; Christ. Hym. 178, pl. 14, f. 6, ♂. *Melitta thoracica*, Kirby, Mon. Ap. Engl. ii. 101, ♀, and *M. melanocephala*, Kirby, lib. cit. 103, ♂. *Andrena thoracica*, Fab. Piez. 322; Spin. Ins. Lig. i. 120; St. Farg. Hym. ii. 239; Smith, Bees Gt. Brit. 60; Nyland. Ap. Bor. Supp. 98; Thoms. Opusc. Ent. 146. *A. melanocephala*, Thoms. Opusc. Ent. 146 (var.).
12. **nitida.**—*Melitta nitida*, Kirby, Mon. Ap. Engl. ii. 104. *Andrena nitida*, Spin. Ins. Lig. i. 122; St. Farg. Hym. ii. 237; Smith, Bees Gt. Brit. 61; Nyland. Ap. Bor. 253; Shuck. Brit. Bees, pl. 2, f. 3; Thoms. Opusc. Ent. 147.

## (ANDRENA.)

13. **vitrea.**—*Andrena vitrea*, Smith, Bees Gt. Brit. 62.
14. **albicans.**—*Melitta albicans*, Kirby, Mon. Ap. Angl. ii. 94. *Andrena albicans*, St. Farg. Hym. ii. 242; Smith, Bees Gt. Brit. 62; Nyland. Ap. Bor. 215; Thoms. Opusc. Ent. 144.
15. **similis.**—*Andrena similis*, Smith, Bees Gt. Brit. 63 (*albicans* var.?).
16. **fulva.**—*Apis fulva*, Schr. En. 400. *A. vestita*, Fab. E. S. 329; Panz. F. G. 55, 9. *A. vulpina*, Christ. Hym. 161, pl. 12, f. 13. *Melitta armata*, Kirby, Mon. Ap. Angl. ii. 121, ♂. *M. fulva*, Kirby, lib. cit. 128, ♀. *Andrena vestita*, Fab. Piez. 323. *A. fulva*, St. Farg. Hym. ii. 245; Smith, Bees Gt. Brit. 64; Nyland. Ap. Bor. 214; Shuck. Brit. Bees, pl. 2, f. 1.
17. **Clarkella.**—*Melitta Clarkella*, Kirby, Mon. Ap. Angl. ii. 130. *Andrena dispar*, Zett. I. L. 460. *A. bicolor*, St. Farg. Hym. ii. 243. *A. Clarkella*, Smith, Bees Gt. Brit. 65; Nyland. Ap. Bor. 212; Thoms. Opusc. Ent. 148.
18. **Gwynana.**—*Melitta Gwynana*, Kirby, Mon. Ap. Angl. ii. 120, ♀. *M. pilosula*, Kirby, lib. cit. 164, ♂. *Andrena Gwynana*, Smith, Bees Gt. Brit. 67; Nyland. Ap. Bor. 213.
19. **bicolor.**—*Andrena bicolor*, Fab. Piez. 326; Nyland. Ap. Bor. Revis. 253; Smith, Bees Gt. Brit. 67; Thoms. Opusc. Ent. 150.
20. **helvola.**—*Apis helvola*, Lin. S. N. i. 955; Fab. E. S. ii. 310. *Andrena helvola*, Fab. Piez. 326; Rossi, F. E. ii. 97; Spin. Ins. Lig. i. 122; Smith, Bees Gt. Brit. 68; Nyland. Ap. Bor. Revis. 254; Thoms. Opusc. Ent. 149. *Melitta helvola*, Kirby, Mon. Ap. Angl. ii. 119, ♀. *M. angulosa*, Kirby, lib. cit. 127, ♂.
21. **varians.**—*Apis varians*, Rossi, Mant. 317; Panz. F. G. 56, 12. *Melitta varians*, Kirby, Mon. Ap. Angl. ii. 117. *Andrena varians*, Smith, Bees Gt. Brit. 69; Nyland. Ap. Bor. 253; Thoms. Opusc. Ent. 149.
22. **atriceps.**—*Melitta atriceps*, Kirby, Mon. Ap. Angl. ii. 114, ♂. *M. tibialis*, Kirby, lib. cit. 107, ♀. *Andrena tibialis*, Nyland. Ap. Bor. Supp. 18; Thoms. Opusc. Ent. 144. *A. atriceps*, Smith, Bees Gt. Brit. 70. *A. conjuncta*, Smith, Bees Gt. Brit. 73 (var. ♀).
23. **Mouffetella.**—*Melitta Mouffetella*, Kirby, Mon. Ap. Angl. ii. 108; *Andrena Mouffetella*, Smith, Bees Gt. Brit. 71.
24. **nigro-ænea.**—*Melitta nigro-ænea*, Kirby, Mon. Ap. Angl. ii. 109. *Andrena nigro-ænea*, Smith, Bees Gt. Brit. 71; Thoms. Opusc. Ent. 146.
25. **Trimmerana.**—*Melitta Trimmerana*, Kirby, Mon. Ap. Angl. ii. 116. *Andrena Trimmerana*, Smith, Bees Gt. Brit. 72; Nyland. Ap. Bor. Revis. 252.

## (ANDRENA.)

26. **picicornis.**—*Melitta picicornis*, Kirby, Mon. Ap. Angl. ii. 123, ♀. *M. Lewinella*, Kirby, lib. cit. 149, ♂. *Andrena picicornis*, Smith, Bees Gt. Brit. 75.
27. **bimaculata.**—*Melitta bimaculata*, Kirby, Mon. Ap. Angl. ii. 115, ♂. *Andrena bimaculata*, Smith, Bees Gt. Brit. 76.
28. **Smithella.**—*Melitta Smithella*, Kirby, Mon. Ap. Angl. ii. 131. *Andrena Smithella*, Smith, Bees Gt. Brit. 76.
29. **lapponica.**—*Andrena lapponica*, Zett. I. L. 460; Smith, Bees Gt. Brit. 77; Nyland. Ap. Bor. Revis. 254.
30. **nigriceps.**—*Melitta nigriceps*, Kirby, Mon. Ap. Angl. ii. 134. *Andrena nigriceps*, Smith, Bees Gt. Brit. 78; Nyland. Ap. Bor. Supp. 99.
31. **simillima.**—*Andrena simillima*, Smith, Bees Gt. Brit. 78.
32. **pubescens.**—*Melitta pubescens*, Kirby, Mon. Ap. Angl. ii. 141, ♂. *M. fuscipes*, Kirby, lib. cit. 136, ♀. *Andrena pubescens*, Smith, Bees Gt. Brit. 79. *A. fuscipes*, Nyland. Ap. Bor. Revis. 256; Thoms. Opusc. Ent. 148.
33. **tridentata.**—*Melitta tridentata*, Kirby, Mon. Ap. Angl. ii. 132, ♂. *M. rufitarsis*, Kirby, lib. cit. 135, ♀. *Andrena tridentata*, Smith, Bees Gt. Brit. 82.
34. **angustior.**—*Melitta angustior*, Kirby, Mon. Ap. Angl. ii. 122. *Andrena angustior*, Smith, Bees Gt. Brit. 80; Nyland. Ap. Bor. 254.
35. **denticulata.**—*Melitta denticulata*, Kirby, Mon. Ap. Angl. ii. 133, ♂. *M. Listerella*, Kirby, lib. cit. 137, ♀. *M. Lewinella*, Kirby, lib. cit. 149, ♂ (var.). *Andrena denticulata*, Smith, Bees Gt. Brit. 81; Nyland. Ap. Bor. 219; Thoms. Opusc. Ent. 148.
36. **fucata.**—*Andrena fucata*, Smith, Bees Gt. Brit. 82; Nyland. Ap. Bor. Revis. 254; Thoms. Opusc. Ent. 149.
37. **picipes.**—*Melitta picipes*, Kirby, Mon. Ap. Angl. ii. 127. *Andrena picipes*, Smith, Bees Gt. Brit. 83.
38. **clypeata.**—*Andrena clypeata*, Smith, Bees Gt. Brit. 84.
39. **constricta.**—*Andrena constricta*, Smith, Bees Gt. Brit. 84.
40. **frontalis.**—*Andrena frontalis*, Smith, Bees Gt. Brit. 85.
41. **aprilina.**—*Andrena aprilina*, Smith, Bees Gt. Brit. 85.
42. **fulvicrus.**—*Melitta fulvicrus*, Kirby, Mon. Ap. Angl. ii. 138, ♀. *M. contigua*, Kirby, lib. cit. 140, ♂. *Andrena fulvicrus*, Smith, Bees Gt. Brit. 86.
43. **extricata.**—*Andrena extricata*, Smith, Bees Gt. Brit. 87.
44. **polita.**—*Andrena polita*, Smith, Bees Gt. Brit. 87.

## (ANDRENA.)

45. **fulvago.**—*Melitta fulvago*, Kirby, Mon. Ap. Engl. ii. 93. *Andrena fulvago*, St. Farg. Hym. ii. 243; Smith, Bees Gt. Brit. 88; Nyland. Ap. Bor. Revis. 255; Thoms. Opusc. Ent. 156.
46. **fulvescens.**—*Andrena fulvescens*, Smith, Bees Gt. Brit. 89; Schenck, Nass. Bien. 241.
47. **longipes.**—*Andrena longipes*, Smith, Bees Gt. Brit. 90; Shuck. Brit. Bees, pl. 3, f. 2. *A. bucephala*, Ste. Ill. M. vii. Supp. 17, pl. 43, f. 6.
48. **albicerus.**—*Melitta albicerus*, Kirby, Mon. Ap. Engl. ii. 156. *M. barbilabris*, Kirby, lib. cit. 151. *Andrena albicerus*, Smith, Bees Gt. Brit. 91; Thoms. Opusc. Ent. 152.
49. **labialis.**—*Melitta labialis*, Kirby, Mon. Ap. Engl. ii. 148. *Andrena labialis*, Smith, Bees Gt. Brit. 92; Nyland. Ap. Bor. Revis. 256. *A. separata*, Smith, Zool. 1847, 1922.
50. **chrysosceles.**—*Melitta chrysosceles*, Kirby, Mon. Ap. Engl. ii. 143. *Andrena chrysosceles*, Smith, Bees Gt. Brit. 93; Nyland. Ap. Bor. Revis. 257.
51. **Coitana.**—*Melitta Coitana*, Kirby, Mon. Ap. Engl. ii. 147, ♂. *M. Shawella*, Kirby, lib. cit. 160, ♀. *Andrena Coitana*, Smith, Bees Gt. Brit. 94; Nyland. Ap. Bor. 221. *A. Shawella*, Thoms. Opusc. Ent. 152.
52. **analis.**—*Andrena analis*, Panz. F. G. 90, 14, ♂, 15, ♀; Smith, Bees Gt. Brit. 95. *A. tarsata*, Nyland. Ap. Bor. Revis. 259.
53. **parvula.**—*Melitta parvula*, Kirby, Mon. Ap. Engl. ii. 161. *M. minutula*, Kirby, lib. cit. 162, (var.?). *Andrena parvula*, Smith, Bees Gt. Brit. 96; Nyland. Ap. Bor. Revis. 258; Thoms. Opusc. Ent. 153.
54. **nana.**—*Melitta nana*, Kirby, Mon. Ap. Engl. ii. 161, ♀. *Andrena nana*, Smith, Bees Gt. Brit. 97, ♀; Nyland. Ap. Bor. 221; Thoms. Opusc. Ent. 153.
55. **argentata.**—*Andrena argentata*, Smith, Bees Gt. Brit. 98; Nyland. Ap. Bor. Revis. 256.
56. **dorsata.**—*Melitta dorsata*, Kirby, Mon. Ap. Engl. ii. 144. *M. combinata*, Kirby, lib. cit. 153. *Andrena dorsata*, Smith, Bees Gt. Brit. 99.
57. **connectens.**—*Melitta connectens*, Kirby, Mon. Ap. Engl. ii. 157, ♀. *M. subincana*, Kirby, lib. cit. 158, ♂. *Andrena connectens*, Smith, Bees Gt. Brit. 100.
58. **fuscata.**—*Melitta fuscata*, Kirby, Mon. Ap. Engl. ii. 167. *Andrena fuscata*, Smith, Bees Gt. Brit. 100.
59. **Afzeliella.**—*Melitta Afzeliella*, Kirby, Mon. Ap. Engl. ii. 169. *Andrena Afzeliella*, Smith, Bees Gt. Brit. 101.

## (ANDRENA.)

60. **convexiuscula.**—*Melitta convexiuscula*, Kirby, Mon. Ap. Engl. ii. 166. *Andrena convexiuscula*, Smith, Bees Gt. Brit. 102; Nyland. Ap. Bor. Revis. 257; Thoms. Opusc. Ent. 154. *A. xanthura*, Nyland. Ap. Bor. Supp. 100.
61. **Collinsonana.**—*Melitta Collinsonana*, Kirby, Mon. Ap. Engl. ii. 153, ♂. *M. proxima*, Kirby, lib. cit. 146, ♀. *Andrena Collinsonana*, Smith, Bees Gt. Brit. 104.
62. **xanthura.**—*Melitta xanthura*, Kirby, Mon. Ap. Engl. ii. 164. *M. ovatula*, Kirby, lib. cit. 149, ♂. *M. Wilkella*, ii. 145, ♀ var. *Andrena xanthura*, Smith, Bees Gt. Brit. 106; Nyland. Ap. Bor. 218; Thoms. Opusc. Ent. 143.

## CILISSA.

Leach, Ed. Enc. ix. 155 (1815).

1. **haemorrhoidalis.**—*Andrena haemorrhoidalis*, Fab. Piez. 327; Panz. F. G. 65, 20; Zett. I. L. 459. *Melitta chrysura*, Kirby, Mon. Ap. Engl. ii. 172. *Cilissa haemorrhoidalis*, Leach, Ed. Enc. ix. 155; Nyland. Ap. Bor. 246; Smith, Bees Gt. Brit. 109. *Kirbya chrysura*, St. Farg. Hym. ii. 146.
2. **leporina.**—*Apis leporina*, Panz. F. G. 63, 22. *Melitta tricincta*, Kirby, Mon. Ap. Engl. ii. 171. *Cilissa tricincta*, Leach, Ed. Enc. ix. 155; Nyland. Ap. Bor. Revis. 267; Shuck. Brit. Bees, pl. 5, f. 1. *Kirbya tricincta*, St. Farg. Hym. ii. 145. *Cilissa leporina*, Smith, Bees Gt. Brit. 110.

## MACROPIS.

Panz. F. G. 107 (1809).

1. **labiata.**—*Macropis labiata*, Panz. F. G. 107, 16; Smith, Bees Gt. Brit. 107; Nyland. Ap. Bor. 248; Shuck. Brit. Bees, pl. 5, f. 2. *Megilla labiata*, Fab. Piez. 333; Duf. Ann. Soc. Fr. vii. 288, pl. 9, f. 3. *M. fulvipes*, Fab. Piez. 332.

## DASYPODA.

Latr. H. N. xiii. 369 (1805).

1. **hirtipes.**—*Andrena hirtipes*, Fab. E. S. ii. 312. *A. plumipes*, Panz. F. G. 46, 16. *Apis farfarisequa*, Panz. lib. cit. 55, 14. *Dasyopoda hirta*, Fab. Piez. 336. *Melitta Swammerdamella*, Kirby, Mon. Ap. Engl. ii. 174. *Dasyopoda hirtipes*, Latr. H. N. xiii. 369; St. Farg. Hym. ii. 229; Nyland. Ap. Bor. 225; Smith, Bees Gt. Brit. 112. Shuck. Brit. Bees, pl. 5, f. 3. *D. Swammerdamella*, Cur. B. E. viii. pl. 367.

## APIDÆ.

## PANURGUS.

Panz. Krit. Revis. 211 (1805).

1. **calcaratus.**—*Apis calcarata*, Scop. Ent. Car. 301. *A. ursina*, Kirby, Mon. Ap. Angl. ii. 178, var. ♀. *A. Linneella*, Kirby, lib. cit. 179, ♂. *Andrena lobata*, Panz. F. G. 72, 16. *Panurgus lobatus*, Latr. Enc. Méth. viii. 719; St. Farg. Hym. ii. 225; Cur. B. E. iii. pl. 102; Nyland. Ap. Bor. 224. *P. calcaratus*, Smith, Bees Gt. Brit. 114.
2. **Banksianus.**—*Apis Banksiana*, Kirby, Mon. Ap. Angl. ii. 179, ♂. *A. ursina*, Kirby, lib. cit. 178, ♀. *Trachusa atra*, Panz. F. G. 96. *Panurgus ater*, Latr. Enc. Méth. viii. 720; Spin. Ins. Lig. i. 196; St. Farg. Hym. ii. 226; Nyland. Ap. Bor. 224. *Panurgus ursinus*, Cur. B. E. iii. pl. 101. *P. Banksianus*, Smith, Bees Gt. Brit. 115; Shuck. Brit. Bees, pl. 6, f. 1.

## EUCERA.

Scop. Annus Hist. Nat. iv. 8 (1769).

1. **longicornis.**—*Apis longicornis*, Lin. S. N. i. 953; Scop. Ent. Car. 298; Rossi, F. E. ii. 922; Kirby, Mon. Ap. Angl. ii. 278. *Eucera longicornis*, Scop. Annus Hist. Nat. iv. 8, ♂; Fab. E. S. ii. 343; Zett. I. L. 469; St. Farg. Hym. ii. 118; Lucas, Expl. d'Algér. iii. 159; Smith, Bees Gt. Brit. 197; Nyland. Ap. Bor. 249; Shuck. Brit. Bees, pl. 6, f. 2.

## NOMADA.

Fab. E. S. ii. 345 (1793).

1. **ruficornis.**—*Apis ruficornis*, Lin. S. N. i. 958; Kirby, Mon. Ap. Angl. ii. 210. *Nomada ruficornis*, Fab. E. S. ii. 347; Rossi, F. E. ii. 112; Panz. F. G. 55, 18; St. Farg. Hym. ii. 498; Smith, Bees Gt. Brit. 118; Nyland. Ap. Bor. 118; Thoms. Opusc. Ent. 96. *N. flava*, Panz. F. G. 53, 21 (var.); Fab. Piez. 391; Lucas, Expl. d'Algér. iii. 221. *Apis flava*, Kirby, Mon. Ap. Angl. ii. 186, ♂. *A. leucophthalma*, Kirby, lib. cit. 197, ♂ (var.). *Nomada conjungens*, Schäff. Germ. Zeits. i. 279.
2. **lateralis.**—*Nomada lateralis*, Panz. F. G. 96, 20; Schäff. Germ. Zeits. i. 227; Smith, Bees Gt. Brit. 120; Shuck. Brit. Bees, pl. 10, f. 3.
3. **baccata.**—*Nomada baccata*, Smith, Bees Gt. Brit. 121; Nyland. Ap. Bor. Revis. 281.
4. **ochrostoma.**—*Apis ochrostoma*, Kirby, Mon. Ap. Angl. ii. 209. *Nomada ochrostoma*, Schäff. Germ. Zeits. i. 280; Smith, Bees Gt. Brit. 122; Nyland. Ap. Bor. Revis. 229. *A. Hillana*, Kirby, Mon. Ap. Angl. ii. 208, ♂.

## (NOMADA.)

5. **borealis.**—*Nomada borealis*, Zett. I. L. 470; Smith, Bees Gt. Brit. 123; Nyland. Ap. Bor. 181.
6. **signata.**—*Nomada signata*, Jurine, Hym. pl. 11, gen. 31; St. Farg. Enc. Méth. 370; Smith, Bees Gt. Brit. 125; Shuck. Brit. Bees, pl. 9, f. 1.
7. **Lathburiana.**—*Apis Lathburiana*, Kirby, Mon. Ap. Angl. ii. 183, ♂. *A. rufiventris*, Kirby, lib. cit. 187, ♀. *Nomada Lathburiana*, Smith, Bees Gt. Brit. 126; Shuck. Brit. Bees, pl. 8, f. 2.
8. **varia.**—*Nomada varia*, Panz. F. G. 55, 20, ♂; Spin. Ins. Lig. i. 152; St. Farg. Hym. ii. 489, pl. 24, f. 3, 4; Smith, Bees Gt. Brit. 127. *Apis varia*, Kirby, Mon. Ap. Angl. ii. 184, ♂. *A. fucata*, Kirby, lib. cit. 195, ♀. *Nomada fucata*, Panz. F. G. 55, 19, ♀; Fab. Piez. 390; Spin. Ins. Lig. i. 151; Schäff. Germ. Zeits. i. 284.
9. **xanthosticta.**—*Apis xanthosticta*, Kirby, Mon. Ap. Angl. ii. 212. *Nomada xanthosticta*, Smith, Bees Gt. Brit. 128; Schenck, Nass. Bien. 391. *N. mistura*, Smith, lib. cit. 133 (var.).
10. **flavo-guttata.**—*Apis flavo-guttata*, Kirby, Mon. Ap. Angl. ii. 215. *Nomada flavo-guttata*, Smith, Bees Gt. Brit. 128; Schenck, Nass. Bien. 391; Shuck. Brit. Bees, pl. 9, f. 3.
11. **Roberjeotiana.**—*Nomada Roberjeotiana*, Panz. F. G. 72, 18, ♂, 19, ♀; Fab. Piez. 391; Schäff. Germ. Zeits. i. 283; Smith, Bees Gt. Brit. 129; Nyland. Ap. Bor. 178; Schenck, Nass. Bien. 392; Thoms. Opusc. Ent. 92.
12. **armata.**—*Nomada armata*, Schäff. Germ. Zeits. i. 279; Smith, Bees Gt. Brit. 130; Schenck, Nass. Bien. 189. *N. Kirbii*, Ste. Ill. M. vii. pl. 42, f. 1, ♂. *N. cincticornis*, Nyland. Ap. Bor. 182; Thoms. Opusc. Ent. 94.
13. **rubra.**—*Nomada rubra*, Smith, Bees Gt. Brit. 131.
14. **furva.**—*Nomada furva*, Panz. F. G. 55, 23; St. Farg. Hym. ii. 495; Smith, Bees Gt. Brit. 132. *Apis rufo-cincta*, Kirby, Mon. Ap. Angl. ii. 216. *A. Sheppardana*, Kirby, lib. cit. 217. *Nomada minutula*, Fab. Piez. 394; Nyland. Ap. Bor. 184. *N. Dalii*, Cur. B. E. ix. pl. 419.
15. **Fabriciana.**—*Apis Fabriciana*, Lin. S. N. i. 955; Rossi, Mant. 324; Kirby, Mon. Ap. Angl. ii. 213, pl. 16, f. 3, ♀. *A. quadrinotata*, Kirby, lib. cit. ii. 214, ♂. *Nomada Fabriciana*, Fab. Piez. 393; Spin. Ins. Lig. i. 152; Schäff. Germ. Zeits. i. 277; Smith, Bees Gt. Brit. 133; Nyland. Ap. Bor. 183; Shuck. Brit. Bees, pl. 9, f. 2; Schenck, Nass. Bien. 391; Thoms. Opusc. Ent. 95.
16. **germanica.**—*Nomada germanica*, Panz. F. G. 72, 17; Fab. Piez.

## (NOMADA.)

- 394; St. Farg. Hym. ii. 477; Smith, Bees Gt. Brit. 134. *N. ferruginata*, Schäff. Germ. Zeits. i. 275; Nyland. Ap. Bor. 183; Thoms. Opusc. Ent. 94. *Apis ferruginata*, Kirby, Mon. Ap. Engl. ii. 218, pl. 16, f. 4, ♂. *Nomada atrata*, Smith, Bees Gt. Brit. 135 (var. ♂).
17. *solidaginis*.—*Nomada solidaginis*, Panz. F. G. 72, 18; St. Farg. Hym. ii. 472; Smith, Bees Gt. Brit. 136; Nyland. Ap. Bor. 176; Shuck. Brit. Bees, pl. 10, f. 2; Thoms. Opusc. Ent. 93. *Apis solidaginis*, Kirby, Mon. Ap. Engl. ii. 204. *A. picta*, Kirby, lib. cit. 206. *A. rufo-picta*, Kirby, lib. cit. 207.
18. *jacobææ*.—*Nomada jacobææ*, Panz. F. G. 72, 17; St. Farg. Hym. ii. 479; Smith, Bees Gt. Brit. 137; Nyland. Ap. Bor. 594; Shuck. Brit. Bees, pl. 10, f. 1; Thoms. Opusc. Ent. 92. *Apis jacobææ*, Kirby, Mon. Ap. Engl. ii. 201, ♂. *A. flavopicta*, Kirby, lib. cit. 202, ♀.
19. *lineola*.—*Nomada lineola*, Panz. F. G. 53, 23. *N. cornigera*, St. Farg. Hym. ii. 481; Smith, Bees Gt. Brit. 138; Schenck, Nass. Bien. 198; Thoms. Opusc. Ent. 97. *Apis cornigera*, Kirby, Mon. Ap. Engl. ii. 190. *A. sub-cornuta*, Kirby, lib. cit. 192. *A. caprea*, Kirby, lib. cit. 193. *A. lineola*, Kirby, lib. cit. 194.
20. *alternata*.—*Apis alternata*, Kirby, Mon. Ap. Engl. ii. 185, ♂. *A. Marshamella*, Kirby, lib. cit. 188, ♀. *Nomada alternata*, Smith, Bees Gt. Brit. 140; Schenck, Nass. Bien. 175.
21. *sexfasciata*.—*Nomada sexfasciata*, Panz. F. G. 62, 18; St. Farg. Hym. ii. 471; Lucas, Expl. d'Algér. iii. 218; Smith, Bees Gt. Brit. 141; Schenck, Nass. Bien. 197; Shuck. Brit. Bees, pl. 8, f. 3; Thoms. Opusc. Ent. 97. *Apis connexa*, Kirby, Mon. Ap. Engl. ii. 199, ♂. *A. Schaefferella*, Kirby, lib. cit. 199, ♀.
22. *succincta*.—*Nomada succincta*, Panz. F. G. 55, 21; Smith, Bees Gt. Brit. 142; Nyland. Ap. Bor. 175; Schenck, Nass. Bien. 196; Thoms. Opusc. Ent. 97. *Apis Goodeniana*, Kirby, Mon. Ap. Engl. ii. 180.

## EPEOLUS.

Latr. H. N. xiv. 49 (1805).

1. *variegatus*.—*Apis variegata*, Lin. S. N. i. 957; Kirby, Mon. Ap. Engl. ii. 222, pl. 16, f. 6. *Nomada variegata*, Fab. E. S. ii. 347. *Epeolus variegatus*, Latr. H. N. xiv. 49; Fab. Piez. 388; Jurine, Hym. pl. 14, f. 5; Cur. B. E. pl. 516; St. Farg. Hym. ii. 462, pl. 17, f. 5; Smith, Bees Gt. Brit. 143; Nyland. Ap. Bor. 174; Gerst. Stett. Zeit. 1869, 156; Thoms. Opusc. Ent. 90. *Nomada crucigera*, Panz. F. G. 61, 20. *Epeolus transitorius*, Eversm. Bull. Mosc. xxv. 102.

## MELECTA.

Latr. H. N. xiv. 48 (1805).

1. *punctata*.—*Apis punctata*, Fab. E. S. ii. 337. *A. luctuosa*, Scop. Annus Hist. Nat. iv. 9. *Melecta punctata*, Fab. Piez. 387; Latr. H. N. xiv. 48; St. Farg. Hym. ii. 441. *M. Atropos* et *M. Lachesis*, Newm. Ent. Mag. ii. 514. *M. luctuosa*, Smith, Bees Gt. Brit. 155.
2. *armata*.—*Apis punctata*, Kirby, Mon. Ap. Engl. ii. 219. *Andrena armata*, Panz. F. G. 70, 22. *Melecta punctata*, Cur. B. E. pl. 125; Shuck. Brit. Bees, pl. 11, f. 1. *M. armata*, Smith, Bees Gt. Brit. 156. *M. Clotho*, *M. Alecto*, *M. Tisiphone*, et *M. Megæra*, Newm. Ent. Mag. ii. 513.

## STELIS.

Panz. Krit. Revis. ii. 246 (1806).

1. *aterrima*.—*Apis punctatissima*, Kirby, Mon. Ap. Engl. ii. 231, pl. 16, f. 9. *Megachile punctatissima*, Latr. H. N. xiv. 54; Spin. Ins. Lig. i. 135. *Apis aterrima*, Panz. F. G. 66, 17. *Stelis aterrima*, St. Farg. Hym. ii. 527; Smith, Bees Gt. Brit. 151; Nyland. Ap. Bor. 275; Shuck. Brit. Bees, pl. 11, f. 3.
2. *phæoptera*.—*Apis phæoptera*, Kirby, Mon. Ap. Engl. ii. 232. *Megachile phæoptera*, Latr. H. N. xiv. 54; Spin. Ins. Lig. i. 136. *Stelis phæoptera*, St. Farg. Hym. ii. 527; Smith, Bees Gt. Brit. 152; Nyland. Ap. Bor. 274.
3. *octomaculata*.—*Stelis 8-maculata*, Smith, Bees Gt. Brit. 153. *S. ornatula*, Nyland. Ap. Bor. Supp. 106.

## CÆLIOXYS.

Latr. Gen. Crust. et Ins. iv. 166 (1809).

1. *quadridentata*.—*Apis quadridentata*, Lin. S. N. i. 958, ♂. *A. conica*, Lin. lib. cit. 958, ♀. *Anthophora quadridentata*, Fab. Piez. 379. *A. conica*, Fab. lib. cit. 380. *Cælioxys conica*, Latr. Gen. Crust. et Ins. iv. 167; Zett. I. L. 468; Gerst. Stett. Zeit. 1869, 170. *C. acuta*, Nyland. Ap. Bor. 250. *C. quadridentata*, Smith, Bees Gt. Brit. 146; Thoms. Opusc. Ent. 42.
2. *simplex*.—*Apis conica*, Kirby, Mon. Ap. Engl. ii. 222, pl. 16, f. 7, 8 (nec Lin.). *A. inermis*, Kirby, lib. cit. 229. *Anthophora conica*, Fab. Piez. 380. *Cælioxys conica*, Cur. B. E. 349. *C. simplex*, Nyland. Ap. Bor. Revis. 279; Smith, Bees Gt. Brit. 147. *C. sponsa*, Smith, lib. cit. 147, ♂. *C. elongata*, Gerst. Stett. Zeit. 1869, 170.
3. *rufescens*.—*Cælioxys rufescens*, St. Farg. Hym. ii. 519; Blan. H. N. iii. 413; Smith, Bees Gt. Brit. 149; Nyland. Ap. Bor. Revis. 279; Gerst. Stett. Zeit. 1869, 165. *C. hebes*, Nyland. Ap. Bor. 251.

## (CŒLIOXYS.)

4. **umbrina.**—*Cœlioxys umbrina*, Smith, Bees Gt. Brit. 148; Schenck, Nass. Bien. 353.
5. **mandibularis.**—*Cœlioxys mandibularis*, Nyland. Ap. Bor. 252, ♀; Smith, Bees Gt. Brit. 147 (var. *C. simplex*), ♂; Thoms. Opuse. Ent. 43.
6. **Vectis.**—*Cœlioxys Vectis*, Cur. B. E. viii. pl. 349; Smith, Bees Gt. Brit. 150; Shuck. Brit. Bees, pl. 12, f. 1, ♂. *C. temporalis*, Nyland. Ap. Bor. 253; Thoms. Opuse. Ent. 41. *C. punctata*, St. Farg. Hym. ii. 520; Schenck, Nass. Bien. 368. *C. conoidea*, Gerst. Stett. Zeit. 1869, 169.

## MEGACHILE.

Latr. H. N. xiv. 51 (1805).

1. **centuncularis.**—*Apis centuncularis*, Lin. S. N. i, 953; Scop. Ent. Car. 300; Fab. E. S. ii. 337; Schr. En. 404; Rossi, F. E. 927; Kirby, Mon. Ap. Angl. ii. 237. *Anthophora centuncularis*, Fab. Piez. 378. *Megachile centuncularis*, Latr. Gen. Crust. et Ins. iv. 166; Spin. Ins. Lig. i. 142; St. Farg. Hym. ii. 337, pl. 21, f. 3; Guér. Icon. 449, pl. 73, f. 7; Smith, Bees Gt. Brit. 175; Nyland. Ap. Bor. 258.
2. **ligniseca.**—*Apis ligniseca*, Kirby, Mon. Ap. Angl. ii. 243, pl. 16, f. 11. *Megachile ligniseca*, Smith, Bees Gt. Brit. 176; Nyland. Ap. Bor. Supp. 102.
3. **versicolor.**—Smith, Bees Gt. Brit. 177.
4. **pyrina.**—*Megachile pyrina*, St. Farg. Hym. ii. 334, 8; Smith, Bees Gt. Brit. 177. *M. rufitarsis*, Smith, Zool. 1844, 695, ♂. *M. fasciata*, Smith, loc. cit. 694, ♀.
5. **odontura.**—Smith, Bees Gt. Brit. 178.
6. **argentata.**—*Apis argentata*, Fab. E. S. ii. 336. *Anthophora argentea*, Fab. Piez. 377; Panz. F. G. 99, 16. *Megachile Leachella*, Cur. B. E. v. 219; Nyland. Ap. Bor. 276. *M. argentata*, St. Farg. Hym. ii. 343; Spin. Ins. Lig. i. 140; Lucas, Expl. d'Algér. iii. 196; Smith, Bees Gt. Brit. 179; Shuck. Brit. Bees, pl. 12, f. 3.
7. **circumcincta.**—*Apis circumcincta*, Kirby, Mon. Ap. Angl. ii. 246, pl. 16, f. 10. *Megachile circumcincta*, St. Farg. Hym. ii. 335; Smith, Bees Gt. Brit. 180; Nyland. Ap. Bor. 103.
8. **Willughbiella.**—*Apis Willughbiella*, Kirby, Mon. Ap. Angl. ii. 233. *Megachile Willughbiella*, Latr. H. N. xiv. 57; Cur. B. E. pl. 218; St. Farg. Hym. ii. 333; Smith, Bees Gt. Brit. 181; Nyland. Ap. Bor. 256.
9. **maritima.**—*Apis maritima*, Kirby, Mon. Ap. Angl. ii. 242. *A. lagapoda*, Panz. F. G. 35, 7 (neq Lin.). *Megachile maritima*, Smith, Bees Gt. Brit. 182; Shuck. Brit. Bees, pl. 12, f. 2.

## ANTHIDIUM.

Fab. Piez. 364 (1804).

1. **manicatum.**—*Apis manicata*, Lin. S. N. i. 958; Fab. E. S. ii. 330; Rossi, F. E. ii. 103; Kirby, Mon. Ap. Angl. ii. 248, pl. 16, f. 12, 13. *Anthidium manicatum*, Fab. Piez. 364; Cur. B. E. iv. pl. 61; Latr. Ann. Mus. H. N. 1809, 212; St. Farg. Hym. ii. 355; Smith, Bees Gt. Brit. 185; Nyland. Ap. Bor. 265; Shuck. Brit. Bees, pl. 13, f. 1.

## CHELOSTOMA.

Latr. Gen. Crust. et Ins. iv. 161 (1809).

1. **florisomne.**—*Apis florisonnis*, Lin. S. N. i. 954, ♂; Scop. Ent. Car. 299; Fab. E. S. ii. 387; Kirby, Mon. Ap. Angl. ii. 253. *A. maxillosa*, Lin. S. N. i. 954; Kirby, lib. cit. 251. *Hylaeus florisonnis*, Fab. E. S. 303. *H. maxillosus*, Fab. lib. cit. 304. *Megachile maxillosa*, Spin. Ins. Lig. i. 134. *Chelostoma maxillosa*, Latr. Gen. Crust. et Ins. iv. 162; St. Farg. Hym. ii. 407. *C. florisonnis*, Cur. B. E. xiv. pl. 628; Smith, Bees Gt. Brit. 189. *Heriades maxillosa*, Zett. I. L. 467; Nyland. Ap. Bor. Revis. 277.

## HERIADES.

Spin. Ins. Lig. ii. 9 (1809).

1. **truncorum.**—*Apis truncorum*, Lin. S. N. i. 955; Kirby, Mon. Ap. Angl. ii. 258. *Hylaeus truncorum*, Fab. E. S. ii. 305. *Heriades truncorum*, Spin. Ins. Lig. ii. 9; Cur. B. E. pl. 504; St. Farg. Hym. ii. 404; Zett. I. L. 467; Smith, Bees Gt. Brit. 192; Nyland. Ap. Bor. Revis. 278; Shuck. Brit. Bees, pl. 13, f. 2.
2. **campanularum.**—*Apis campanularum*, Kirby, Mon. Ap. Angl. ii. 256, pl. 16, f. 14, 15. *Heriades campanularum*, Spin. Ins. Lig. ii. 198; St. Farg. Hym. 405; Nyland. Ap. Bor. 273. *Chelostoma campanularum*, Smith, Bees Gt. Brit. 190.

## OSMIA.

Panz. Krit. Revis. ii. 230 (1806).

1. **rufa.**—*Apis rufa*, Lin. S. N. i. 954; Fab. E. S. ii. 334; Rossi, F. E. 103; Panz. F. G. 56, 10. *A. bicornis*, Lin. S. N. i. 954; Fab. E. S. ii. 334; Kirby, Mon. Ap. Angl. ii. 271. *Anthophora bicornis*, Fab. Piez. 375; Zett. I. L. 466. *Osmia bicornis*, Latr. Enc. Méth. viii. 576; St. Farg. Hym. ii. 745. *O. rufa*, Smith, Bees Gt. Brit. 162; Nyland. Revis. Ap. Bor. 269.
2. **aurulenta.**—*Apis aurulenta*, Panz. F. G. 63, 22, ♀. *A. hæmatoda*, Panz. F. G. 81, 20, ♂. *A. tunensis*, Kirby, Mon. Ap. Angl. ii. 269

## (OSMIA.)

- (*nec* Fab.). *Osmia aurulenta*, Latr. Enc. Méth. viii. 584; St. Farg. Hym. ii. 323; Smith, Bees Gt. Brit. 163; Nyland. Ap. Bor. Supp. 103. *O. tunensis*, Brullé, Exp. Mor. 388; Lucas, Expl. d'Algér. iii. 189.
3. **bicolor**.—*Apis bicolor*, Schr. En. 806; Kirby, Mon. Ap. Engl. ii. 277. *A. fusca*, Panz. F. G. 56, 11. *Osmia bicolor*, Latr. Enc. Méth. viii. 580; St. Farg. Hym. ii. 318; Smith, Bees Gt. Brit. 164; Nyland. Ap. Bor. Supp. 103; Shuck. Brit. Bees, pl. 14, f. 1.
4. **xanthomelana**.—*Apis xanthomelana*, Kirby, Mon. Ap. Engl. ii. 246. *Osmia atricapilla*, Cur. B. E. v. 222; Waterh. Zool. 1844, 403. *O. nigritraversis*, Zett. I. L. 465. *O. xanthomelana*, Smith, Zool. 1844, 745; Bees Gt. Brit. 165; Steph. Ill. M. vii. Supp. 16, pl. 43, f. 2; Nyland. Ap. Bor. Supp. 270.
5. **parietina**.—*Osmia parietina*, Cur. B. E. v. pl. 222; Smith, Zool. 1844, 743; Bees Gt. Brit. 166.
6. **pillornis**.—Smith, Zool. 1846, 1567; Bees Gt. Brit. 167.
7. **fulviventris**.—*Apis fulviventris*, Panz. F. G. 56, 18. *A. Leiana*, Kirby, Mon. Ap. Engl. ii. 263. *Osmia Leiana*, Spin. Ins. Lig. 200; Nyland. Ap. Bor. 262. *O. fulviventris*, Latr. Enc. Méth. viii. 578; St. Farg. Hym. ii. 319; Brullé, H. N. Canar. ii. 85; Lucas, Expl. d'Algér. iii. 192; Smith, Bees Gt. Brit. 168; Nyland. Ap. Bor. Revis. 272.
8. **spinulosa**.—*Apis spinulosa*, Kirby, Mon. Ap. Engl. ii. 261. *Osmia spinulosa*, Smith, Bees Gt. Brit. 169.
9. **aenea**.—*Apis aenea*, Lin. S. N. i. 955, ♂. *A. cerulescens*, Lin. lib. cit. 955, ♀; Kirby, Mon. Ap. Engl. ii. 264. *Andrena cerulescens*, Fab. E. S. ii. 307; Rossi, F. E. ii. 86; Panz. F. G. 65, 18. *A. aenea*, Rossi, lib. cit. 96. *Megachile cerulescens*, Spin. Ins. Lig. i. 145. *Osmia cerulescens*, Latr. Enc. Méth. viii. 581; St. Farg. Hym. ii. 325; Lucas, Expl. d'Algér. iii. 190; Nyland. Ap. Bor. 262. *O. aenea*, Smith, Bees Gt. Brit. 170.
10. **leucomelana**.—*Apis leucomelana*, Kirby, Mon. Ap. Engl. ii. 260. *Osmia leucomelana*, Smith, Bees Gt. Brit. 171; Nyland. Ap. Bor. Supp. 105.

## CERATINA.

Latr. H. N. xiv. 50 (1805).

1. **cyanæa**.—*Apis cyanæa*, Kirby, Mon. Ap. Engl. ii. 308, pl. 17, f. 7, 8. *Ceratina cyanæa*, St. Farg. Hym. ii. 505; Gerst. Stett. Zeit. 1869, 180. 4 sér. vi. 455; Shuck. Brit. Bees, pl. 7, f. 3.

## SAROPODA.

Latr. Gen. Crust. et Ins. iv. 177 (1809).

1. **bimaculata**.—*Apis bimaculata*, Panz. F. G. 55, pl. 17, ♀; Kirby, Mon. Ap. Engl. ii. 286. *A. rotundata*, Panz. lib. cit. 56, pl. 9, ♂; Kirby, lib. cit. 291. *Anthophora bimaculata*, Spin. Ins. Lig. i. 127; St. Farg. Hym. ii. 36. Smith, Bees Gt. Brit. 199; Cur. B. E. pl. 361, ♂; Shuck. Brit. Bees, pl. 7, f. 2.

## ANTHOPHORA.

Latr. Gen. Crust. et Ins. iv. 174 (1809).

1. **retusa**.—*Apis retusa*, Lin. S. N. i. 194, ♀. *A. Haworthana*, Kirby, Mon. Ap. Engl. ii. 307, ♂. *Anthophora Haworthana*, Cur. B. E. viii. pl. 357, ♂. *A. retusa*, Smith, Bees Gt. Brit. 203; Nyland. Ap. Bor. 265; Dours, Mon. Anth. 172; Shuck. Brit. Bees, pl. 6, f. 3.
2. **acervorum**.—*Apis acervorum*, Fab. E. S. ii. 322. *A. retusa*, Kirby, Mon. Ap. Engl. ii. 296 (*nec* Lin.). *Megilla acervorum*, Fab. Piez. 328; Nyland. Ap. Bor. 266. *Anthophora retusa*, Blan. II. N. 406, pl. 7, f. 2 (*nec* Lin.). *A. acervorum*, Smith, Bees Gt. Brit. 204. *A. retusa*, Dours, Mon. Anth. 172 (var.).
3. **furcata**.—*Apis furcata*, Panz. F. G. 56, f. 8, ♂; Kirby, Mon. Ap. Engl. ii. 288. *Saropoda furcata*, Cur. B. E. viii. 361. *Megilla furcata*, Nyland. Ap. Bor. 245. *Anthophora furcata*, Smith, Bees Gt. Brit. 206; Dours, Mon. Anth. 110; Shuck. Brit. Bees, pl. 7, f. 1.
4. **quadrimaculata**.—*Apis 4-maculata*, Panz. F. G. 56, pl. 7, ♂. *A. vulpina*, Kirby, Mon. Ap. Engl. ii. 290. *A. subglobosa*, Kirby, lib. cit. 295. *Megilla 4-maculata*, Fab. Piez. 331; Nyland. Ap. Bor. 244. *Anthophora 4-maculata*, St. Farg. Hym. ii. 84; Smith, Bees Gt. Brit. 205; Dours, Mon. Anth. 145.

## APATHUS.

Newm. Ent. Mag. ii. 404 (1834).

1. **rupestris**.—*Apis rupestris*, Fab. E. S. ii. 320, ♀; Kirby, Mon. Ap. Engl. ii. 369. *A. Albinella*, Kirby, lib. cit. 361, ♂. *Bombus rupestris*, Fab. Piez. 348. *Psithyrus rupestris*, St. Farg. Hym. i. 426; Drews. og Schiödte, Kröy, Tids. ii. 125; Cur. B. E. x. pl. 468; Nyland. Ap. Bor. 241. *Apathus rupestris*, Smith, Bees Gt. Brit. 234; Thoms. Opusc. Ent. 259; Shuck. Brit. Bees, pl. 15, f. 1.
2. **vestalis**.—*Apis vestalis*, Foure. E. P. ii. 450; Kirby, Mon. Ap. Engl. ii. 347. *Bremus vestalis*, Panz. F. G. 89, pl. 16. *Psithyrus vestalis*, St. Farg. Hym. i. 430. *P. vestalis*, Drews. og Schiödte, Kröy, Tids. ii. 123; Nyland. Ap. Bor. 241. *Apathus vestalis*, Smith, Bees Gt. Brit. 238; Thoms. Opusc. Ent. 259; Shuck. Brit. Bees, pl. 15, f. 2.

## (APATHUS.)

3. **campestris.**—*Apis campestris*, Panz. F. G. 74, pl. 11; Kirby, Mon. Ap. Engl. ii. 335, ♀. *A. Rossiella*, Kirby, lib. cit. 331, ♂. *A. Francisanana*, Kirby, lib. cit. 334, ♂. *A. subteranea*, Kirby, lib. cit. 371, ♂. *Bombus campestris*, Fab. Piez. 344; Dahlb. Bomb. Scand. 51. *Psithyrus campestris*, St. Farg. Hym. i. 433; Drews. og Schiödte, Kröy, Tids. ii. 123. *P. Rossiellus* and *Francisanus*, Drews. og Schiödte, lib. cit. 125; Nyland. Ap. Bor. 241. *Apathus campestris*, Smith, Bees Gt. Brit. 235; Thoms. Opusc. Ent. 259; Shuck. Brit. Bees, pl. 15, f. 2.
4. **Barbutellus.**—*Apis Barbutella*, Kirby, Mon. Ap. Engl. ii. 343. *Psithyrus quadricolor*, St. Farg. Hym. i. 428. *Apathus quadricolor*, Thoms. Opusc. Ent. 260. *A. Barbutellus*, Smith, Bees Gt. Brit. 237.

**BOMBUS.**

Latr. H. N. xiv. 63 (1805).

1. **muscorum.**—*Apis muscorum*, Lin. S. N. i. 960, ♀; Fab. E. S. ii. 321; Rossi, F. E. ii. 100. *A. floralis*, Kirby, Mon. Ap. Engl. ii. 321, ♀, pl. 17, f. 14, ♂. *A. Beckwithella*, Kirby, lib. cit. Kirby, lib. cit. 323, ♀. *A. Sowerbiana*, Kirby, lib. cit. 322, ♂. *A. Curtisella*, Kirby, lib. cit. 324, ♂. *A. Francillonella*, Kirby, lib. cit. 319, ♀. *A. Fosterella*, Kirby, lib. cit. 325, ♀. *A. agrorum*, Kirby, lib. cit. 326, ♀ (nec Fab.). *Bombus muscorum*, Latr. H. N. xiv. 65; Dahlb. Bomb. Scand. 47; Drews. og Schiödte, Kröy, Tids. ii. 107; Smith, Bees Gt. Brit. 212; Thoms. Opusc. Ent. 252.
2. **senilis.**—*Apis muscorum*, Kirby, Mon. Ap. Engl. ii. 317 (nec Lin.). *Bombus muscorum*, Westw. Nat. Lib. vi. 253, pl. 16, f. 3. *B. senilis*, Smith, Bees Gt. Brit. 214.
3. **Smithianus.**—*Bombus arcticus*, Dahlb. Bomb. Scand. 50, f. 20 (nec Kirby); Zett. I. L. 476; Nyland. Ap. Bor. 228. *B. Smithianus*, White, Proc. Lin. Soc. ii. 157.
4. **fragrans.**—*Apis fragrans*, Pall. Reise, i. 474; Kirby, Mon. Ap. Engl. ii. 329. *A. pratorum*, Fab. E. S. ii. 322. *Bombus fragrans*, Dahlb. Bomb. Scand. 46; St. Farg. Hym. i. 464; Drews. og Schiödte, Kröy, Tids. ii. 171; Smith, Bees Gt. Brit. 216; Thoms. Opusc. Ent. 251; Shuck. Brit. Bees, pl. 15, f. 3.

5. **sylvarum.**—*Apis sylvarum*, Lin. S. N. i. 960; Fab. E. S. ii. 321; Schr. En. 400; Rossi, F. E. ii. 906; Kirby, Mon. Ap. Engl. ii. 326, pl. 17, f. 15, 16. *Bombus sylvarum*, Latr. H. N. xiv. 65; Fab. Piez. 348; Spin. Ins. Lig. i. 131; Dahlb. Bomb. Scand. 44; St. Farg. Hym. i. 463; Drews. og Schiödte, Kröy, Tids. ii. 109; Smith, Bees Gt. Brit. 217; Nyland. Ap. Bor. 236; Thoms. Opusc. Ent. 256; Shuck. Brit. Bees, pl. 16, f. 3.

## (BOMBUS.)

6. **lapponicus.**—*Apis lapponica*, Fab. E. S. ii. 253. *Bombus lapponicus*, Fab. Piez. 345; Dahlb. Bomb. Scand. 41; Zett. I. L. 474; St. Farg. Hym. i. 459; Nyland. Ap. Bor. 235; Smith, Bees Gt. Brit. 218; Thoms. Opusc. Ent. 255; Shuck. Brit. Bees, pl. 16, f. 2. *B. regelationis*, Newm. Ent. Mag. ii. 327.
7. **pomorum.**—*Bremus pomorum*, Panz. F. G. 89, f. 1, ♂. *Bombus pomorum*, Smith, Ent. Ann. 1865, 85.
8. **Derhamellus.**—*Apis Derhamella*, Kirby, Mon. Ap. Engl. ii. 363, ♂. *A. Raiella*, Kirby, lib. cit. 367, ♂. *Bombus Raiellus*, Dahlb. Bomb. Scand. 33; Drews. og Schiödte, Kröy, Tids. ii. 115; Nyland. Ap. Bor. 238. *B. Derhamellus*, Dahlb. Bomb. Scand. 44; Smith, Bees Gt. Brit. 219.
9. **pratorum.**—*Apis pratorum*, Lin. S. N. i. 960; Schr. En. 396; Kirby, Mon. Ap. Engl. ii. 360, ♀. *A. subinterrupta*, Kirby, lib. cit. 356, ♀. *A. Burrellana*, Kirby, lib. cit. 358, ♀. *Bombus subinterruptus*, Dahlb. Bomb. Scand. 35, ♀. *B. pratorum*, Dahlb. lib. cit. 36; Drews. og Schiödte, Kröy, Tids. ii. 3; Smith, Bees Gt. Brit. 219. *B. Lullianus*, Nyland. Ap. Bor. 276. *B. Burrellanus*, Thoms. Opusc. Ent. 258.
10. **nivalis.**—*Apis alpina*, Fab. Faun. Grön. 199 (nec Lin.). *Bombus nivalis*, Dahlb. Bomb. Scand. 40; Zett. I. L. 474; Nyland. Ap. Bor. Revis. 262; Smith, Bees Gt. Brit. 222. *B. balteatus*, Dahlb. Bomb. Scand. 36. *B. tricolor*, Dahlb. lib. cit. 40.
11. **Cullumanus.**—*Apis Cullumana*, Kirby, Mon. Ap. Engl. ii. 359, ♂. *A. Donoranella*, Kirby, lib. cit. 357, ♀. *Bombus Cullumanus*, Smith, Entom. 1867, 283.
12. **Scrimshiranus.**—*A. Scrimshirana*, Kirby, Mon. Ap. Engl. ii. 342. *Bombus Scrimshiranus*, Dahlb. Bomb. Scand. 39; Drews. og Schiödte, Kröy, Tids. ii. 118; Smith, Bees Gt. Brit. 222; Thoms. Opusc. Ent. 254. *Apis Jonella*, Kirby, lib. cit. 338, ♂.
13. **soroensis.**—*Bombus soroensis*, Fab. Piez. 345; Dahlb. Bomb. Scand. 43; Drews. og Schiödte, Kröy, Tids. ii. 112; Nyland. Ap. Bor. 239; Smith, Entom. 1867, 284; Thoms. Opusc. Ent. 254. *Bombus collinus*, Smith, Bees Gt. Brit. 223; Shuck. Brit. Bees, pl. 15, f. 4.
14. **lapidarius.**—*Apis lapidaria*, Lin. S. N. i. 960; Fab. E. S. ii. 329; Scop. Ent. Car. 305; Schr. En. 396; Kirby, Mon. Ap. Engl. ii. 363. *Bombus lapidarius*, Latr. H. N. xiv. 62; Dahlb. Bomb. Scand. 30; Drews. og Schiödte, Kröy, Tids. ii. 116; St. Farg. Hym. i. 460; Westw. Nat. Lib. vi. 252, pl. 16, f. 1, 2; Smith, Bees Gt. Brit. 228; Nyland. Ap. Bor. 238; Thoms. Opusc. Ent. 257.

## (BOMBUS.)

15. **terrestris**.—*Apis terrestris*, Kirby, Mon. Ap. Engl. ii. 350 (*nec* Lin.). *A. virginialis*, Kirby, *lib. cit.* 349, ♂. *Bombus terrestris*, Smith, Bees Gt. Brit. 224; Nyland. Ap. Bor. Revis. 262.
16. **lucorum**.—*Apis lucorum*, Lin. S. N. i. 961, ♂; Fab. E. S. ii. 322; Schr. En. 401; Kirby, Mon. Ap. Engl. ii. 336. *A. terrestris*, Lin. S. N. i. 960, ♀; Christ. Hym. 127, pl. 7, f. 2. *Bombus terrestris*, Latr. H. N. xiv. 64; Fab. Piez. 343; Dahlb. Bomb. Scand. 34; Zett. I. L. 473; Drews. og Schiödte, Kröy. Tids. ii. 118; Nyland. Ap. Bor. 232; Thoms. Opusc. Ent. 254. *B. lucorum*, Smith, Bees Gt. Brit. 225; Nyland. Ap. Bor. Revis. 262. *B. ericetorum*, Cur. B. E. xii. pl. 564, ♂ (var.)
17. **hortorum**.—*Apis hortorum*, Lin. S. N. i. 960; Fab. E. S. 320; Kirby, Mon. Ap. Engl. ii. 339; Schr. En. 797. *Bombus hortorum*, Latr. H. N. xiv. 65; Fab. Piez. 347; Dahlb. Bomb. Scand. 38; St. Farg. Hym. i. 466; Drews. og Schiödte, Kröy. Tids. ii. 120; Smith, Bees Gt. Brit. 230; Nyland. Ap. Bor. 231; Thoms. Opusc. Ent. 253.
18. **Latreillellus**.—*Apis Latreillella*, Kirby, Mon. Ap. Engl. ii. 330, ♂. *A. Tunstallana*, Kirby, *lib. cit.* 346, ♀. *Bombus Latreillellus*, Dahlb. Bomb. Scand. 39, ♂; Drews. og Schiödte, Kröy. Tids. ii. 120; Smith, Bees Gt. Brit. 231, ♀, ♂. *Bombus Tunstallanus*, Drews. og Schiödte, *loc. cit.* 119, ♀.
19. **subterraneus**.—*Apis subterranea*, Lin. S. N. i. 961; Fab. E. S. ii. 322. *A. Harrisella*, Kirby, Mon. Ap. Engl. ii. 373. *A. soroensis*, Kirby, *lib. cit.* 354 (*nec* Fab.). *Bombus subterraneus*, Fab. Piez. 350; Dahlb. Bomb. Scand. 38; Drews. og Schiödte, Kröy. Tids. ii. 116; Smith, Bees Gt. Brit. 233; Nyland. Ap. Bor. 239. *Bombus Harrisellus*, Westw. Nat. Lib. vi. 256, pl. 18, f. 1, ♂; Shuck. Brit. Bees, pl. 16. f. 1.

## APIS.

Lin. S. N. i. 953 (1767).

1. **mellifica**.—*Apis mellifica*, Lin. S. N. i. 955; Fab. Piez. 368; Rossi, F. E. ii. 103; Kirby, Mon. Ap. Engl. ii. 312, pl. xvii. f. 10, 11, 12; Cur. B. E. xvi. pl. 769. *A. cerifera*, Scop. Annus Hist. Nat. iv. 16. *A. domestica*, Ray, H. I. 240. *A. ligustica*, Spin. Ins. Lig. i. 35.

## ERRATA.

Page 2, line 15 from bottom, *for 1804 read 1809.*" " " 5 " " *for 1804 read 1809.*" 3, " 14 " " *for lippula read lippulum.*" 11, " 9 " top, *for 1797 read 1796.*" 13, " 16 " " *for attenuatum read attenuatum, and for attenatum read attenuatum.*" " 13 " bottom, *for tibiale read tibialis.*" 22, " 13 " top, *for 1766 read 1767.*

## SUMMARY.

ACULEATA.	Genera.	Species.
HETEROGYNA .....	12	35
FOSORES .....	34	119
DIPLOPTERA .....	3	20
ANTHOPHILA .....	26	204
Total.....	75	378

## INDEX.

	PAGE		PAGE
Agenia	8	Melecta	35
Ammophila	9	Mellinus	12
Andrena	26	Methoca	5
Anthidium	37	Mimesa	19
Anthophora	39	Miscophus	10
Apatus	39	Micus	9
Apis	42	Mutilla	4
Aporus	9	Myrmecina	4
Astata	10	Myrmica	2
Bombus	40	Myrmosa	5
Cemonus	18	Nomada	32
Ceratina	30	Nysson	11
Ceratophorus	18	Odynerus	21
Cerceris	20	Osmia	37
Ceropales	8	Oxybelus	16
Chelostoma	37	Panurgus	32
Cilissa	31	Passalaeus	18
Celioxys	35	Pemphredon	18
Colletes	23	Philanthus	19
Crabro	13	Pompilus	6
Dasypoda	31	Ponera	2
Didineis	12	Priocnemis	7
Dinetus	10	Prosopis	23
Diodontus	17	Psen	19
Diplorhoptrum	4	Sapyga	5
Dolichurus	9	Saropoda	39
Epeolus	34	Sphecodes	24
Eucera	32	Spilomena	17
Eumenes	20	Stelis	35
Evagethes	8	Stenamma	4
Formica	1	Stigmus	17
Gorytes	11	Tachytes	10
Halictus	24	Tapinoma	2
Harpactus	12	Tetramorium	3
Heriades	37	Tiphia	5
Leptothorax	3	Trypoxylon	13
Macropis	31	Vespa	22
Megachile	36		

THE

## TRANSACTIONS

OF THE

## ENTOMOLOGICAL SOCIETY OF LONDON.

1834-1870.

	To the Public.	To Members.
First Series (1834-1849) ....	} 15 vols.....	£25 0 0    £18 15 0
Second Series (1850-1861) ....		
Third Series (1862-1869) ....		
Second Series, 5 vols. ....	8 0 0	6 0 0
Third Series, 5 vols. ....	11 0 0	8 5 0

The Volum  
of the First S  
The Transacti  
**595.794 S647B P34066**  
Smith              Biology Dept. Library  
Catalogue of British  
Hymenoptera Aculeata

Par  
Proced  
Me  
who  
a cop  
they  
King  
Me  
don,  
the p  
Libra  
Th  
on th  
and c

**595.794 S647B P34066**  
Biology Dept. Library