

LEPTOMYRMEX

aitchisoni. *Leptomyrmex aitchisoni* Smith, D.J. & Shattuck, 2009: 59, figs. 1-3, 19-21 (w.) AUSTRALIA (New South Wales, Queensland).

angusticeps. *Leptomyrmex varians* st. *angusticeps* Santschi, 1929f: 93, fig. 3 (m.) AUSTRALIA (Queensland).

Subspecies of *varians*: Taylor & Brown, 1985: 105; Taylor, 1987a: 36; Shattuck, 1994: 120; Bolton, 1995b: 234.

Junior synonym of *varians*: Lucky & Ward, 2010: 58.

basirufus. *Leptomyrmex erythrocephalus* subsp. *basirufus* Wheeler, W.M. 1934c: 90 (w.) AUSTRALIA (Queensland).

Subspecies of *erythrocephalus*: Taylor & Brown, 1985: 104; Taylor, 1987a: 35; Bolton, 1995b: 234.

Subspecies of *darlingtoni*: Shattuck, 1994: 116.

Junior synonym of *rufithorax*: Lucky & Ward, 2010: 53.

brunneiceps. *Leptomyrmex erythrocephalus* subsp. *brunneiceps* Wheeler, W.M. 1934c: 88 (w.) AUSTRALIA (New South Wales).

Subspecies of *erythrocephalus*: Taylor & Brown, 1985: 104; Taylor, 1987a: 35; Bolton, 1995b: 234.

Subspecies of *darlingtoni*: Shattuck, 1994: 116.

Junior synonym of *cnemidatus*: Lucky & Ward, 2010: 26.

burwelli. *Leptomyrmex burwelli* Smith, D.J. & Shattuck, 2009: 60, figs. 4-6, 19-21 (w.q.m.) AUSTRALIA (Queensland, New South Wales).

clarki. *Leptomyrmex erythrocephalus* subsp. *clarki* Wheeler, W.M. 1934c: 117 (w.) AUSTRALIA (Queensland).

Subspecies of *erythrocephalus*: Taylor & Brown, 1985: 104; Taylor, 1987a: 35; Bolton, 1995b: 234.

Subspecies of *darlingtoni*: Shattuck, 1994: 116.

Junior synonym of *erythrocephalus*: Lucky & Ward, 2010: 30.

cnemidatus. *Leptomyrmex erythrocephalus* var. *cnemidatus* Wheeler, W.M. 1915d: 268 (w.) AUSTRALIA (New South Wales).

Wheeler, W.M. 1934c: 92 (m.).

Subspecies of erythrocephalus: Wheeler, W.M. 1934c: 92; Taylor & Brown, 1985: 104; Taylor, 1987a: 35; Shattuck, 1994: 116; Bolton, 1995b: 234.

Status as species: Lucky & Ward, 2010: 26 (redescription).

Senior synonym of brunneiceps: Lucky & Ward, 2010: 26.

Senior synonym of venustus: Lucky & Ward, 2010: 26.

contractus. *Leptomyrmex contractus* Donisthorpe, 1947c: 586 (w.) NEW GUINEA (Papua New Guinea).

Status as species: Chapman & Capco, 1951: 186; Shattuck, 1994: 115; Bolton, 1995b: 234.

Junior synonym of *melanoticus*: Lucky & Ward, 2010: 38.

darlingtoni. *Leptomyrmex darlingtoni* Wheeler, W.M. 1934c: 104, fig. 13 (w.m.) AUSTRALIA (Queensland).

Status as species: Taylor & Brown, 1985: 103; Taylor, 1987a: 35; Shattuck, 1994: 115; Bolton, 1995b: 234; Lucky & Ward, 2010: 29 (redescription).

Senior synonym of fascigaster: Lucky & Ward, 2010: 29.

Senior synonym of *jucundus*: Lucky & Ward, 2010: 29.

decipiens. *Leptomyrmex erythrocephalus* var. *decipiens* Wheeler, W.M. 1915d: 268 (w.) AUSTRALIA (Queensland).

Wheeler, W.M. 1934c: 90 (m.).

Subspecies of *erythrocephalus*: Wheeler, W.M. 1934c: 90; Taylor & Brown, 1985: 104; Taylor, 1987a: 35; Shattuck, 1994: 116; Bolton, 1995b: 234.

Junior synonym of *varians*: Lucky & Ward, 2010: 58.

***dolichoscapus*.** *Leptomyrmex dolichoscapus* Smith, D.J. & Shattuck, 2009: 61, figs. 7-9, 19, 20, 22 (w.) AUSTRALIA (Queensland).

***erythrocephalus*.** *Formica erythrocephala* Fabricius, 1775: 391 (w.) AUSTRALIA (no state data, "Habitat in nova Hollandia").

[Misspelled as *erytrocephala* by Latreille, 1802c: 277.]

Emery, 1891a: 152 (m.); Wheeler, W.M. 1934c: 85 (m.); Wheeler, G.C. & Wheeler, J. 1951: 179 (l.); Imai, Crozier & Taylor, 1977: 345 (k.).

Combination in *Atta*: Fabricius, 1804: 423;

combination in *Leptomyrmex*: Mayr, 1862: 696.

Status as species: Fabricius, 1782: 489; Fabricius, 1787: 307; Gmelin, 1790: 2797; Christ, 1791: 508; Olivier, 1792: 491; Fabricius, 1793: 351; Latreille, 1802c: 277; Fabricius, 1804: 423; Mayr, 1862: 696 (redescription); Roger, 1863b: 10; Mayr, 1863: 426; Lowne, 1865a: 278; Mayr, 1876: 77; Emery, 1887a: 252; Emery, 1891a: 152; Dalla Torre, 1893: 162; Emery, 1895g: 351; Forel, 1902h: 474; Stitz, 1911a: 368; Emery, 1913a: 16; Wheeler, W.M. 1915d: 265 (redescription); Clark, 1929: 122; Wheeler, W.M. 1934c: 85; Taylor & Brown, 1985: 103; Taylor, 1987a: 35; Shattuck, 1994: 116; Bolton, 1995b: 234; Lucky & Ward, 2010: 30 (redescription).

Senior synonym of *clarki*: Lucky & Ward, 2010: 30.

Senior synonym of *froggatti*: Lucky & Ward, 2010: 30.

Senior synonym of *mandibularis*: Lucky & Ward, 2010: 30.

Senior synonym of *unctus*: Lucky & Ward, 2010: 30.

fascigaster. *Leptomyrmex darlingtoni* subsp. *fascigaster* Wheeler, W.M. 1934c: 107 (w.) AUSTRALIA (Queensland).

Subspecies of *darlingtoni*: Taylor & Brown, 1985: 103; Taylor, 1987a: 35; Shattuck, 1994: 115; Bolton, 1995b: 234.

Junior synonym of *darlingtoni*: Lucky & Ward, 2010: 29.

femorata. *Leptomyrmex fragilis* var. *femorata* Santschi, 1932b: 17, fig. 3 (w.) NEW GUINEA (Indonesia).

Subspecies of *fragilis*: Wheeler, W.M. 1934c: 113; Chapman & Capco, 1951: 186; Shattuck, 1994: 118; Bolton, 1995b: 234.

Junior synonym of *fragilis*: Lucky & Ward, 2010: 34.

***flavitarsus*.** *Formica flavitarsus* Smith, F. 1859a: 136 (w.) INDONESIA (Aru Is.).

Lucky & Ward, 2010: 34 (m.).

Combination in *Camponotus*: Roger, 1863b: 4;

combination in *Camponotus (Tanaemyrmex)*: Emery, 1925b: 90;

combination in *Leptomyrmex*: Shattuck, 1992c: 114.

Status as species: Mayr, 1863: 415; Roger, 1863b: 4; Smith, F. 1871a: 307; Dalla Torre, 1893: 231; Emery, 1896d: 378 (in list); Emery, 1925b: 90; Donisthorpe, 1932c: 452;

Chapman & Capco, 1951: 245; Shattuck, 1994: 117; Bolton, 1995b: 234; Lucky & Ward, 2010: 33 (redescription).

fragilis. *Formica fragilis* Smith, F. 1859a: 136 (w.) INDONESIA (Aru Is).

Emery, 1897d: 571 (m.); Stitz, 1912: 507 (m.); Lucky & Ward, 2010: 36 (ergatoid q.).

Combination in *Leptomyrmex*: Emery, 1897d: 571.

Status as species: Smith, F. 1863: 12; Mayr, 1863: 415; Smith, F. 1871a: 307; Dalla Torre, 1893: 196; Emery, 1897d: 571; Emery, 1911b: 532; Emery, 1911c: 249; Stitz, 1912: 507; Emery, 1913a: 16; Viehmeyer, 1914a: 113; Viehmeyer, 1914c: 530; Wheeler, W.M. 1915d: 275; Karavaiev, 1926d: 432; Donisthorpe, 1932c: 452; Wheeler, W.M. 1934c: 113; Donisthorpe, 1943d: 454; Chapman & Capco, 1951: 186; Baroni Urbani & Wilson, 1987: 2; Shattuck, 1994: 117; Bolton, 1995b: 234; Lucky & Ward, 2010: 34 (redescription).

Senior synonym of femoratus: Lucky & Ward, 2010: 34.

Senior synonym of gracillimus: Baroni Urbani & Wilson, 1987: 2; Shattuck, 1994: 117; Lucky & Ward, 2010: 34.

Senior synonym of maculatus: Lucky & Ward, 2010: 34.

Senior synonym of wheeleri: Lucky & Ward, 2010: 34.

froggatti. *Leptomyrmex froggatti* Forel, 1910b: 57 (w.m.) AUSTRALIA (New South Wales).

Status as species: Emery, 1913a: 17; Wheeler, W.M. 1915d: 269; Wheeler, W.M. 1934c: 101; Taylor & Brown, 1985: 104; Taylor, 1987a: 36; Shattuck, 1994: 118; Bolton, 1995b: 234.

Junior synonym of *erythrocephalus*: Lucky & Ward, 2010: 30.

garretti. *Leptomyrmex garretti* Smith, D.J. & Shattuck, 2009: 63, figs. 10-12, 19, 20, 22 (w.) AUSTRALIA (Queensland).

geniculatus. *Leptomyrmex pallens* var. *geniculata* Emery, 1914f: 418 (w.) NEW CALEDONIA.

Subspecies of pallens: Wheeler, W.M. 1915d: 278; Wheeler, W.M. 1934c: 109; Wheeler, W.M. 1935g: 34; Taylor, 1987a: 36; Shattuck, 1994: 119; Bolton, 1995b: 234.

Status as species: Lucky & Ward, 2010: 36 (redescription).

gracillimus. *Leptomyrmex gracillimus* Wheeler, W.M. 1934c: 115, fig. 16 (w.) NEW GUINEA (Papua New Guinea).

Status as species: Chapman & Capco, 1951: 187.

Junior synonym of *fragilis*: Baroni Urbani & Wilson, 1987: 2; Shattuck, 1994: 117; Lucky & Ward, 2010: 34.

hackeri. *Leptomyrmex nigriventris* subsp. *hackeri* Wheeler, W.M. 1934c: 99 (w.) AUSTRALIA (Queensland).

Subspecies of *nigriventris*: Taylor & Brown, 1985: 105; Taylor, 1987a: 36; Shattuck, 1994: 119; Bolton, 1995b: 234.

Junior synonym of *tibialis*: Lucky & Ward, 2010: 55.

jucundus. *Leptomyrmex darlingtoni* subsp. *jucundus* Wheeler, W.M. 1934c: 107 (w.) AUSTRALIA (Queensland).

Subspecies of *darlingtoni*: Taylor & Brown, 1985: 103; Taylor, 1987a: 35; Shattuck, 1994: 115; Bolton, 1995b: 234.

Junior synonym of *darlingtoni*: Lucky & Ward, 2010: 29.

lugubris. *Leptomyrmex lugubris* Wheeler, W.M. 1934c: 110, fig. 14c,d (w.) NEW GUINEA (Papua New Guinea).

Status as species: Chapman & Capco, 1951: 187; Shattuck, 1994: 118; Bolton, 1995b: 234.

Junior synonym of *niger*: Lucky & Ward, 2010: 40.

maculata. *Leptomyrmex fragilis* var. *maculata* Stitz, 1938: 108 (w.) NEW GUINEA (Papua New Guinea).

Subspecies of *fragilis*: Chapman & Capco, 1951: 187; Shattuck, 1994: 118; Bolton, 1995b: 234.

Junior synonym of *fragilis*: Lucky & Ward, 2010: 34.

mandibularis. *Leptomyrmex erythrocephalus* var. *mandibularis* Wheeler, W.M. 1915d: 268 (w.) AUSTRALIA (New South Wales).

Subspecies of *erythrocephalus*: Wheeler, W.M. 1934c: 87; Taylor & Brown, 1985: 104; Taylor, 1987a: 35; Shattuck, 1994: 117; Bolton, 1995b: 234.

Junior synonym of *erythrocephalus*: Lucky & Ward, 2010: 30.

**maravignae* Emery, 1891; see under *LEPTOMYRMULA.

melanoticus. *Leptomyrmex fragilis* subsp. *melanoticus* Wheeler, W.M. 1934c: 113, fig. 15 (w.m.) NEW GUINEA (Papua New Guinea).

Subspecies of *fragilis*: Donisthorpe, 1941h: 60; Donisthorpe, 1943d: 454; Chapman & Capco, 1951: 187; Shattuck, 1994: 118; Bolton, 1995b: 234.

Status as species: Lucky & Ward, 2010: 38 (redescription).

Senior synonym of *contractus*: Lucky & Ward, 2010: 38.

mjobergi. *Leptomyrmex mjobergi* Forel, 1915b: 84 (w.) AUSTRALIA (Queensland).

Lucky & Ward, 2010: 39 (ergatoid q., m.).

Status as species: Wheeler, W.M. 1915d: 285; Wheeler, W.M. 1934c: 108; Taylor & Brown, 1985: 105; Taylor, 1987a: 36; Shattuck, 1994: 118; Bolton, 1995b: 234; Lucky & Ward, 2010: 39 (redescription).

***neotropicus**. **Leptomyrmex neotropicus* Baroni Urbani, 1980d: 4, figs. 1-5 (w.) DOMINICAN AMBER (Dominican Republic, Miocene).

Baroni Urbani & Wilson, 1987: 5 (m.).

Combination in *Camponotus*: Wilson, 1985c: 34;

combination in *Leptomyrmex*: Baroni Urbani & Wilson, 1987: 2.

Status as species: Keilbach, 1982: 278; Wilson, 1985c: 34; Baroni Urbani & Wilson, 1987: 2; Brandão, 1991: 349; Shattuck, 1994: 118; Bolton, 1995b: 234; Lucky & Ward, 2010: 62; Barden, *et al.* 2017: 776.

niger. *Leptomyrmex niger* Emery, 1900c: 333, pl. 8, figs. 3, 4 (w.) NEW GUINEA (Papua New Guinea).

Karavaiev, 1926d: 430 (m.).

Status as species: Stitz, 1911a: 367; Emery, 1911c: 249; Emery, 1913a: 17; Viehmeyer, 1914c: 530; Wheeler, W.M. 1915d: 274 (redescription); Karavaiev, 1926d: 430; Santschi, 1932b: 16; Wheeler, W.M. 1934c: 109 (redescription); Donisthorpe, 1947c: 586; Chapman & Capco, 1951: 187; Shattuck, 1994: 119; Bolton, 1995b: 234; Lucky & Ward, 2010: 40 (redescription).

Senior synonym of *lugubris*: Lucky & Ward, 2010: 40.

nigriceps. *Leptomyrmex pallens* var. *nigriceps* Emery, 1914f: 418 (w.) NEW CALEDONIA.

Lucky & Ward, 2010: 42 (m.).

Subspecies of *pallens*: Wheeler, W.M. 1915d: 278 (redescription); Wheeler, W.M. 1934c: 109; Wheeler, W.M. 1935g: 34; Taylor, 1987a: 36; Shattuck, 1994: 120; Bolton, 1995b: 234.

Status as species: Lucky & Ward, 2010: 42 (redescription).

***nigriventris*.** *Formica nigriventris* Guérin-Méneville, 1831, pl. 8, fig. 4; Guérin-Méneville, 1838: 203 (w.) AUSTRALIA (New South Wales).

Wheeler, W.M. 1915d: 261 (l.); Wheeler, W.M. 1934c: 95 (m.).

Combination in *Leptomyrmex*: Mayr, 1862: 696.

Junior synonym of *erythrocephalus*: Mayr, 1876: 77.

Subspecies of *erythrocephalus*: Emery, 1887a: 252; Dalla Torre, 1893: 162.

Status as species: Smith, F. 1858b: 40; Mayr, 1863: 418; Roger, 1863b: 10; Emery, 1895g: 351; Stitz, 1912: 507; Emery, 1913a: 17; Wheeler, W.M. 1915d: 270 (redescription); Wheeler, W.M. 1934c: 95; Taylor & Brown, 1985: 105; Taylor, 1987a: 36; Shattuck, 1994: 119; Bolton, 1995b: 234; Lucky & Ward, 2010: 42 (redescription).

***pallens*.** *Leptomyrmex pallens* Emery, 1883: 147, fig. (w.) NEW CALEDONIA.

André, 1887: 290 (m.).

Status as species: André, 1887: 290; Dalla Torre, 1893: 162; Forel, 1902h: 474; Stitz, 1911a: 368; Stitz, 1912: 507; Emery, 1913a: 17; Emery, 1914f: 418; Wheeler, W.M. 1915d: 276 (redescription); Wheeler, W.M. 1934c: 108; Wheeler, W.M. 1935g: 34; Chapman & Capco, 1951: 187; Taylor, 1987a: 36; Shattuck, 1994: 119; Bolton, 1995b: 235; Lucky & Ward, 2010: 44 (redescription).

***pictus*.** *Leptomyrmex wiburdi* var. *pictus* Wheeler, W.M. 1915d: 273 (w.) AUSTRALIA (New South Wales).

Wheeler, G.C. & Wheeler, J. 1966: 728 (l.).

Subspecies of *wiburdi*: Wheeler, W.M. 1934c: 101; Taylor & Brown, 1985: 106; Taylor, 1987a: 36; Shattuck, 1994: 121; Bolton, 1995b: 235.

Junior synonym of *wiburdi*: Lucky & Ward, 2010: 60.

***pilosus*.** *Leptomyrmex pilosus* Smith, D.J. & Shattuck, 2009: 63, figs. 13-15, 19, 20, 22 (w.) AUSTRALIA (Queensland).

***puberulus*.** *Leptomyrmex puberulus* Wheeler, W.M. 1934c: 112, fig. 14e, 14f (w.) NEW GUINEA (Papua New Guinea).

Lucky & Ward, 2010: 46 (m.).

Status as species: Chapman & Capco, 1951: 187; Shattuck, 1994: 120; Bolton, 1995b: 235; Lucky & Ward, 2010: 45 (redescription).

***quadricolor*.** *Leptomyrmex varians* subsp. *quadricolor* Wheeler, W.M. 1934c: 104 (w.) AUSTRALIA (Queensland).

Subspecies of *varians*: Taylor & Brown, 1985: 105; Taylor, 1987a: 36; Shattuck, 1994: 120; Bolton, 1995b: 235.

Junior synonym of *rufipes*: Lucky & Ward, 2010: 50.

***ramorniensis*.** *Leptomyrmex ramorniensis* Smith, D.J. & Shattuck, 2009: 66, figs. 16-18, 19, 21, 24 (w.) AUSTRALIA (New South Wales).

***relictus*.** *Leptomyrmex relictus* Boudinot, et al. 2016: 663, figs. 1-5, S1, S2 (w.m.l.) BRAZIL (Goiás, Tocantins).

Status as species: Barden, et al. 2017: 776.

***rothneyi*.** *Leptomyrmex varians* var. *rothneyi* Forel, 1902h: 473 (w.) AUSTRALIA (Queensland).

Lucky & Ward, 2010: 48 (m.).

Subspecies of varians: Emery, 1913a: 17; Forel, 1915b: 83; Wheeler, W.M. 1915d: 281 (redescription); Wheeler, W.M. 1934c: 102; Taylor & Brown, 1985: 105; Taylor, 1987a: 36; Shattuck, 1994: 120; Bolton, 1995b: 235.

Status as species: Lucky & Ward, 2010: 47 (redescription).

ruficeps. *Leptomyrmex varians* var. *ruficeps* Emery, 1895g: 352 (w.) AUSTRALIA (Queensland).

Forel, 1915b: 84 (m.); Wheeler, W.M. 1915d: 261 (l.).

Subspecies of varians: Forel, 1902h: 474; Emery, 1913a: 17; Emery, 1914b: 180; Forel, 1915b: 83; Wheeler, W.M. 1915d: 280 (redescription); Wheeler, W.M. 1934c: 102; Taylor & Brown, 1985: 105; Taylor, 1987a: 36; Shattuck, 1994: 121; Bolton, 1995b: 235.

Status as species: Lucky & Ward, 2010: 48 (redescription).

rufipes. *Leptomyrmex varians* var. *rufipes* Emery, 1895g: 352 (w.) AUSTRALIA (Queensland).
Lucky & Ward, 2010: 52 (ergatoid q., m.).

Subspecies of varians: Forel, 1902h: 473; Wheeler, W.M. 1908d: 389; Emery, 1913a: 17; Emery, 1914b: 180; Forel, 1915b: 83; Wheeler, W.M. 1915d: 279 (redescription); Wheeler, W.M. 1934c: 104; Taylor & Brown, 1985: 105; Taylor, 1987a: 36; Shattuck, 1994: 121; Bolton, 1995b: 235.

Status as species: Lucky & Ward, 2010: 50 (redescription).

Senior synonym of quadricolor: Lucky & Ward, 2010: 50.

rufithorax. *Leptomyrmex erythrocephalus* var. *rufithorax* Forel, 1915b: 83 (w.) AUSTRALIA (Queensland).

Wheeler, W.M. 1934c: 91 (m.); Lucky & Ward, 2010: 54 (ergatoid q.).

Subspecies of erythrocephalus: Wheeler, W.M. 1915d: 285; Wheeler, W.M. 1934c: 91; Taylor & Brown, 1985: 104; Taylor, 1987a: 36; Shattuck, 1994: 117; Bolton, 1995b: 235.

Status as species: Lucky & Ward, 2010: 53 (redescription).

Senior synonym of basirufus: Lucky & Ward, 2010: 53.

tibialis. *Leptomyrmex nigriventris* var. *tibialis* Emery, 1895g: 351 (w.) AUSTRALIA (Queensland).

Wheeler, W.M. 1934c: 96 (ergatoid q., m.).

Subspecies of nigriventris: Emery, 1913a: 17; Forel, 1915b: 84; Wheeler, W.M. 1915d: 272 (redescription); Wheeler, W.M. 1934c: 96; Taylor & Brown, 1985: 105; Taylor, 1987a: 36; Shattuck, 1994: 119; Bolton, 1995b: 235.

Status as species: Lucky & Ward, 2010: 55 (redescription).

Senior synonym of hackeri: Lucky & Ward, 2010: 55.

unctus. *Leptomyrmex erythrocephalus* subsp. *unctus* Wheeler, W.M. 1934c: 87 (w.) AUSTRALIA (Australian Capital Territory).

Subspecies of erythrocephalus: Taylor & Brown, 1985: 104; Taylor, 1987a: 36; Shattuck, 1994: 117; Bolton, 1995b: 235.

Junior synonym of erythrocephalus: Lucky & Ward, 2010: 30.

unicolor. *Leptomyrmex unicolor* Emery, 1895g: 352, fig. 4 (w.) AUSTRALIA (Queensland).

Wheeler, W.M. 1915d: 261 (l.); Wheeler, G.C. & Wheeler, J. 1951: 180 (l.); Lucky & Ward, 2010: 58 (m.).

Status as species: Forel, 1902h: 474; Emery, 1913a: 17; Wheeler, W.M. 1915d: 282 (redescription); Wheeler, W.M. 1934c: 108; Taylor & Brown, 1985: 105; Taylor, 1987a: 36; Shattuck, 1994: 120; Bolton, 1995b: 235; Lucky & Ward, 2010: 58 (redescription).

varians. *Leptomyrmex varians* Emery, 1895g: 352, fig. 3 (w.) AUSTRALIA (Queensland).

Status as species: Emery, 1913a: 17; Wheeler, W.M. 1915d: 278 (redescription); Wheeler, W.M. 1934c: 101; Taylor & Brown, 1985: 105; Taylor, 1987a: 36; Shattuck, 1994: 120; Bolton, 1995b: 235; Lucky & Ward, 2010: 58 (redescription).

Senior synonym of *angusticeps*: Lucky & Ward, 2010: 58.

Senior synonym of *decipiens*: Lucky & Ward, 2010: 58.

***venustus*.** *Leptomyrmex erythrocephalus* subsp. *venustus* Wheeler, W.M. 1934c: 87, fig. 5 (w., ergatoid q.) AUSTRALIA (New South Wales).

Subspecies of *erythrocephalus*: Taylor & Brown, 1985: 104; Taylor, 1987a: 36; Shattuck, 1994: 117; Bolton, 1995b: 235.

Junior synonym of *cnemidatus*: Lucky & Ward, 2010: 26.

***wheeleri*.** *Leptomyrmex wheeleri* Donisthorpe, 1948d: 600 (w.m.) NEW GUINEA (Indonesia).

Status as species: Donisthorpe, 1948g: 138; Shattuck, 1994: 121; Bolton, 1995b: 235.

Junior synonym of *fragilis*: Lucky & Ward, 2010: 34.

***wiburdi*.** *Leptomyrmex wiburdi* Wheeler, W.M. 1915d: 272, fig. 7 (w.) AUSTRALIA (New South Wales).

Wheeler, W.M. 1934c: 99 (m.); Lucky & Ward, 2010: 61 (ergatoid q.).

Status as species: Wheeler, W.M. 1934c: 99; Taylor & Brown, 1985: 106; Taylor, 1987a: 36; Shattuck, 1994: 121; Bolton, 1995b: 235; Lucky & Ward, 2010: 60 (redescription).

Senior synonym of *pictus*: Lucky & Ward, 2010: 60.