

STRONGYLOGNATHUS

afer. *Strongylognathus afer* Emery, 1884a: 380 (footnote) (q.) ALGERIA.

Forel, 1900e: 279 (w.); Santschi, 1910d: 71 (m.).

Subspecies of huberi: Medina, 1889: 31; Dalla Torre, 1893: 130; Forel, 1900e: 279 (in key).

Junior synonym of *caeciliae*: Collingwood, 1978: 70.

Status as species: Emery, 1909d: 711; Wheeler, W.M. 1909g: 186; Santschi, 1910d: 71; Kutter, 1923: 337; Emery, 1924d: 285; Donisthorpe, 1936c: 114 (in list); Ceballos, 1956: 307; Kutter, 1968b: 205; Cagniant, 1970a: 430; Bolton, 1976: 306; Bolton, 1995b: 395; Cagniant, 2006a: 196; Sanetra & Güsten, 2001: 4 (redescription); Borowiec, L. 2014: 162.

Senior synonym of foreli: Kutter, 1968b: 205; Sanetra & Güsten, 2001: 4.

alboini. *Strongylognathus huberi* subsp. *alboini* Finzi, 1924b: 121 (w.) ITALY.

Baroni Urbani, 1969c: 141 (q.m.).

Status as species: Kutter, 1968b: 205; Baroni Urbani, 1969c: 141 (redescription); Baroni Urbani, 1971c: 146; Bolton, 1976: 306; Kutter, 1977c: 161; Agosti & Collingwood, 1987b: 278 (in key); Poldi, 1994: 189 (in key); Bolton, 1995b: 395; Poldi, *et al.* 1995: 6; Petrov, 2006: 101 (in key); Bračko, 2007: 18; Borowiec, L. 2014: 162; Lebas, *et al.* 2016: 338.

alpinus. *Strongylognathus huberi* subsp. *alpinus* Wheeler, W.M. 1909g: 178, fig. 1 (w.q.m.) SWITZERLAND.

Hauschteck, 1962: 219 (k.).

Subspecies of huberi: Forel, 1915d: 15 (in key); Emery, 1916b: 199; Kutter, 1920a: 528; Soudek, 1922: 29; Kutter, 1923: 387; Emery, 1924d: 286; Grandi, 1935: 101; Donisthorpe, 1936c: 114 (in list); Novák & Sadil, 1941: 88 (in key); Bernard, 1967: 238 (in key).

Status as species: Bondroit, 1918: 111; Kutter, 1968a: 60; Kutter, 1968b: 205; Baroni Urbani, 1969c: 140 (redescription); Bolton, 1976: 306; Kutter, 1977c: 165; Agosti & Collingwood, 1987b: 278 (in key); Poldi, 1994: 189 (in key); Bolton, 1995b: 395; Sanetra, Güsten & Schulz, 1999: 337; Petrov, 2006: 101 (in key); Casevitz-Weulersse & Galkowski, 2009: 493; Borowiec, L. 2014: 162; Lebas, *et al.* 2016: 338; Seifert, 2018: 237.

arnoldii. *Strongylognathus arnoldii* Radchenko, 1985a: 1514, fig. 1 (w.q.m.) UKRAINE (Crimea).

Status as species: Radchenko, 1991: 89; Bolton, 1995b: 395; Borowiec, L. 2014: 163; Radchenko, 2016: 260.

barnassarensis. *Strongylognathus testaceus* subsp. *barnassarensis* Arnol'di, 1948: 211 (in list).
Nomen nudum.

bulgaricus. *Strongylognathus rehbinderi* subsp. *bulgaricus* Pisarski, 1966: 515.

[First available use of *Strongylognathus huberi* subsp. *rehbinderi* var. *bulgarica* Viehmeyer, 1922: 211 (w.q.m.) BULGARIA; unavailable (infrasubspecific) name.]

As unavailable (infrasubspecific) name: Kutter, 1923: 338.

Status as species: Kutter, 1968b: 205; Bolton, 1976: 306; Atanassov & Dlussky, 1992: 158.

Synonym of kratochvili: Pisarski, 1966: 515; Kutter, 1968b: 205; Bolton, 1976: 306.

[Note: Pisarski, Kutter, and Bolton give *bulgaricus* as senior synonym, but *kratochvili* has priority (Bolton, 1995b: 395).]

Junior synonym of *kratochvili*: Bolton, 1995b: 395.

Junior synonym of *christophi*: Seifert, 2018: 239 (in text).

caeciliae. *Strongylognathus caeciliae* Forel, 1897a: 132 (q.) SPAIN.

Forel, 1900e: 287 (m.); Baroni Urbani, 1969c: 138 (w.).

Subspecies of *afer*: Emery, 1909d: 712; Wheeler, W.M. 1909g: 186; Kutter, 1923: 337; Emery, 1924d: 285; Donisthorpe, 1936c: 114 (in list); Ceballos, 1956: 307.

Status as species: Forel, 1900e: 279 (in key); Kutter, 1968b: 205; Baroni Urbani, 1969c: 138 (redescription); Bolton, 1976: 307; Collingwood, 1978: 86 (in key); Bolton, 1995b: 395; Espadaler, 1997b: 31; Tinaut, Ruano & Martinez, 2005: 469; Borowiec, L. 2014: 163; Lebas, *et al.* 2016: 338.

ceconii. *Strongylognathus huberi* subsp. *ceconii* Emery, 1916b: 199.

[First available use of *Strongylognathus huberi* subsp. *rehbinderi* var. *ceconii* Emery, 1908d: 24 (q.) ITALY; unavailable (infrasubspecific) name.]

As unavailable (infrasubspecific) name: Wheeler, W.M. 1909g: 186.

Subspecies of *huberi*: Kutter, 1923: 338; Emery, 1924d: 286; Santschi, 1927a: 58; Grandi, 1935: 101; Donisthorpe, 1936c: 114 (in list); Baroni Urbani, 1962: 133.

Status as species: Kutter, 1968b: 205; Baroni Urbani, 1969c: 153 (redescription); Baroni Urbani, 1971c: 146; Bolton, 1976: 307; Agosti & Collingwood, 1987b: 278 (in key); Bolton, 1995b: 395; Poldi, *et al.* 1995: 6; Petrov, 2006: 101 (in key) (error).

Junior synonym of *destefanii*: Sanetra, Güsten & Schulz, 1999: 340.

chelifer. *Strongylognathus cheliferus* Radchenko, 1985a: 1516, fig. 2 (q.m.) UKRAINE (Kherson).

[Justified emendation of spelling to *chelifer*: Radchenko, 2016: 261.]

Status as species: Radchenko, 1991: 89; Bolton, 1995b: 395; Guénard & Dunn, 2012: 53; Borowiec, L. 2014: 163; Radchenko, 2016: 261.

christophi. *Strongylognathus christophi* Emery, 1889a: 439 (q.) RUSSIA (“Sarepta sul Volga”).

Forel, 1900e: 280 (w.); Radchenko, 1985a: 1519 (m.).

As unavailable (infrasubspecific) name: Emery, 1909d: 709; Wheeler, W.M. 1909g: 186.

Subspecies of *huberi*: Emery, 1898c: 145; Wheeler, W.M. 1909g: 186; Kutter, 1923: 338; Emery, 1924d: 285; Donisthorpe, 1936c: 114 (in list); Karavaiev, 1936: 278.

Status as species: Dalla Torre, 1893: 129; Forel, 1900e: 279 (in key); Ruzsky, 1902a: 234; Ruzsky, 1903b: 310; Forel, 1904c: 1; Ruzsky, 1905b: 545; Pisarski, 1966: 509 (redescription); Kutter, 1968b: 205; Bolton, 1976: 305; Tarbinsky, 1976: 116 (redescription); Arnol'di & Dlussky, 1978: 546 (in key); Radchenko, 1985a: 1519; Radchenko, 1991: 88; Bolton, 1995b: 395; Schultz, R. *et al.* 2006: 206; Zryanin & Zryanina, 2007: 232; Borowiec, L. 2014: 163; Radchenko, 2016: 259.

Senior synonym of *ruzskyi*: Radchenko, 1991: 88; Radchenko, 2016: 259.

Senior synonym of *bulgaricus*: Seifert, 2018: 239 (in text).

dalmaticus. *Strongylognathus dalmaticus* Baroni Urbani, 1969c: 154, figs. 2-4 (w.) CROATIA.

Status as species: Bolton, 1976: 307; Agosti & Collingwood, 1987b: 278 (in key); Collingwood, 1993b: 195; Bolton, 1995b: 395; Petrov, 2006: 101 (in key); Legakis, 2011: 20; Borowiec, L. & Salata, 2012: 536; Lebas, *et al.* 2016: 338.

Subspecies of *huberi*: Borowiec, L. & Salata, 2013: 365; Salata & Borowiec, 2018c: 48.

dao. *Strongylognathus dao* Radchenko, Zhang & Heinze, 2017: 3, figs. 1-4, 5D (w.q.m.) CHINA (Inner Mongolia).

destefanii. *Strongylognathus destefanii* Emery, 1915a: 263 (q.) ITALY (Sicily).

Donisthorpe, 1927a: 6 (w.).

Status as species: Emery, 1916b: 199; Kutter, 1923: 338; Emery, 1924d: 285; Donisthorpe, 1927a: 6; Kutter, 1927: 101; Donisthorpe, 1936c: 114 (in list); Baroni Urbani, 1964b: 54; Kutter, 1968b: 205; Baroni Urbani, 1969c: 155 (redescription); Baroni Urbani, 1971c: 147; Bolton, 1976: 307; Agosti & Collingwood, 1987b: 278 (in key); Poldi, 1994: 189 (in key); Bolton, 1995b: 395; Poldi, *et al.* 1995: 6; Sanetra, Güsten & Schulz, 1999: 340; Petrov, 2006: 101 (in key); Borowiec, L. 2014: 163; Lebas, *et al.* 2016: 338.

Senior synonym of *cecconi*: Sanetra, Güsten & Schulz, 1999: 340.

Senior synonym of *emeryi*: Sanetra, Güsten & Schulz, 1999: 340.

Material of the unavailable name *kutteri* referred here by Baroni Urbani, 1964b: 54; Kutter, 1968b: 205; Baroni Urbani, 1969c: 155; Baroni Urbani, 1971c: 147; Bolton, 1976: 307.

diabaransis. *Strongylognathus rehbinderi* subsp. *diabaransis* Arnol'di, 1948: 211 (in list).
Nomen nudum.

diveri. *Strongylognathus diveri* Donisthorpe, 1936c: 113, figs. 1, 2, 7 (w.) GREAT BRITAIN.

Junior synonym of *testaceus*: Brown, 1955c: 113; Baroni Urbani, 1962: 131; Kutter, 1968b: 205; Collingwood, 1971: 162; Bolton, 1976: 306; van Boven, 1977: 89; Radchenko, 1991: 86; Bolton, 1995b: 395; Radchenko, 2016: 258.

emarginatus. *Myrmus emarginatus* Schenck, 1853: 188 (w.) GERMANY.

Junior synonym of *testaceus*: Mayr, 1853d: 390; Mayr, 1855: 431 (footnote); Nylander, 1856b: 101; Smith, F. 1858b: 134; Roger, 1863b: 26; Dours, 1873: 169; Forel, 1874: 100 (in list); Emery & Forel, 1879: 457; Dalla Torre, 1893: 130; Ruzsky, 1905b: 542; Wheeler, W.M. 1911f: 168; Emery, 1924d: 286; Karavaiev, 1934: 160; Bolton, 1976: 306; Radchenko, 1991: 86; Bolton, 1995b: 395; Radchenko, 2016: 258.

emeryi. *Strongylognathus emeryi* Menozzi, 1921: 30, fig. 3 (q.) ITALY.

Status as species: Kutter, 1923: 338; Donisthorpe, 1936c: 114 (in list); Kutter, 1968b: 205; Baroni Urbani, 1971c: 147; Bolton, 1976: 308; Bolton, 1995b: 395; Poldi, *et al.* 1995: 6.

Junior synonym of *destefanii*: Sanetra, Güsten & Schulz, 1999: 340.

foreli. *Strongylognathus huberi* subsp. *foreli* Emery, 1924d: 286.

[First available use of *Strongylognathus huberi* subsp. *huberi* var. *foreli* Emery, 1909d: 709 (w.) ALGERIA; unavailable (infrasubspecific) name.]

As unavailable (infrasubspecific) name: Wheeler, W.M. 1909g: 186.

Subspecies of *huberi*: Kutter, 1923: 388; Emery, 1924d: 286; Donisthorpe, 1936c: 114 (in list).

Status as species: Bolton, 1976: 308; Bolton, 1995b: 395.

Junior synonym of *afer*: Kutter, 1968b: 205; Sanetra & Güsten, 2001: 4.

gallica. *Strongylognathus gallica* Bondroit, 1918: 111.

[First available use of *Strongylognathus huberi* subsp. *huberi* var. *gallica* Emery, 1909d: 709 (w.) FRANCE; unavailable (infrasubspecific) name.]

As unavailable (infrasubspecific) name: Wheeler, W.M. 1909g: 186.

Subspecies of *huberi*: Kutter, 1923: 338; Donisthorpe, 1936c: 114 (in list); Kutter, 1923: 388; Emery, 1924d: 286.

Status as species: Kutter, 1968b: 205.

Junior synonym of *huberi*: Baroni Urbani, 1962: 132; Baroni Urbani, 1969c: 137; Bolton, 1976: 308; Bolton, 1995b: 395; Casevitz-Weulersse & Galkowski, 2009: 493.

***huberi*.** *Strongylognathus huberi* Forel, 1874: 71 (in key), 94 (w.) SWITZERLAND.

André, 1885: 851 (q.); Forel, 1900e: 278 (m.); Hauschteck, 1962: 213 (k.).

Status as species: Emery, 1878b: 52; Emery & Forel, 1879: 457; André, 1883a: 282 (in key); André, 1885: 851; Emery, 1891b: 4; Dalla Torre, 1893: 129; Wasmann, 1894: 164; Ruzsky, 1896: 71; Forel, 1900e: 277; Wheeler, W.M. 1901c: 709; Emery, 1909d: 707; Wheeler, W.M. 1909g: 176, 186; Forel, 1915d: 15 (in key); Emery, 1916b: 199; Bondroit, 1918: 110; Kutter, 1920a: 528; Soudek, 1922: 29; Kutter, 1923: 388; Emery, 1924d: 285; Finzi, 1924a: 14; Finzi, 1924b: 121; Arnol'di, 1933b: 598 (in key); Karavaiev, 1936: 278; Donisthorpe, 1936c: 114 (in list); Novák & Sadil, 1941: 88 (in key); Ceballos, 1956: 307; Baroni Urbani, 1962: 132; Bernard, 1967: 238 (redescription); Kutter, 1968a: 60; Kutter, 1968b: 205; Baroni Urbani, 1969c: 137 (redescription); Baroni Urbani, 1971c: 148; Bolton, 1976: 308; Agosti & Collingwood, 1987b: 278 (in key); Bolton, 1995b: 395; Poldi, *et al.* 1995: 6; Collingwood & Prince, 1998: 18; Sanetra, Güsten & Schulz, 1999: 335; Tinaut, Ruano & Martinez, 2005: 473; Petrov, 2006: 101 (in key); Casevitz-Weulersse & Galkowski, 2009: 493; Kiran & Karaman, 2012: 24; Borowiec, L. 2014: 163 (see note in bibliography); Lebas, *et al.* 2016: 338; Seifert, 2018: 236.

Senior synonym of *gallica*: Baroni Urbani, 1962: 132; Baroni Urbani, 1969c: 137; Bolton, 1976: 308; Bolton, 1995b: 395; Casevitz-Weulersse & Galkowski, 2009: 493.

Current subspecies: nominal plus *dalmaticus*.

***hyrcanus*.** *Strongylognathus rehbinderi* subsp. *hyrcanus* Arnol'di, 1948: 211 (in list). *Nomen nudum*.

***insularis*.** *Strongylognathus insularis* Baroni Urbani, 1968b: 470, figs. 38, 39 (w.) MALTA (Comino I.).

Status as species: Baroni Urbani, 1969c: 156 (redescription); Baroni Urbani, 1971c: 149; Bolton, 1976: 308; Schembri & Collingwood, 1981: 435; Agosti & Collingwood, 1987b: 278 (in key); Bolton, 1995b: 395; Schembri & Collingwood, 1995: 155; Petrov, 2006: 101 (in key); Borowiec, L. 2014: 163.

***italicus*.** *Strongylognathus huberi* subsp. *italicus* Finzi, 1924a: 14 (q.) ITALY.

Subspecies of *huberi*: Baroni Urbani, 1971c: 149.

Status as species: Kutter, 1968b: 205; Bolton, 1976: 308; Bolton, 1995b: 395; Poldi, *et al.* 1995: 6; Sanetra, Güsten & Schulz, 1999: 348; Borowiec, L. 2014: 164; Lebas, *et al.* 2016: 338; Seifert, 2018: 238.

***kabakovi*.** *Strongylognathus kabakovi* Radchenko & Dubovikoff, 2011: 808, figs. 1, 3, 5 (q.) AFGHANISTAN.

***karawajewi*.** *Strongylognathus karawajewi* Pisarski, 1966: 521, figs. 40-43 (w.) RUSSIA (Crimea).

[Misspelled as *karawajevi* by Kutter, 1968b: 205.]

Radchenko, 1985a: 1519 (q.); Radchenko, 1991: 88 (m.).

Status as species: Kutter, 1968b: 205; Arnol'di & Dlussky, 1978: 546 (in key); Bolton, 1976: 305; Radchenko, 1985a: 1519; Dlussky, Soyunov & Zabelin, 1990: 209; Radchenko, 1991: 87; Arakelian, 1994: 69; Bolton, 1995b: 395; Wu, J. & Wang, 1995: 95; Wei, Xu & He, 2001: 69 (in key); Guénard & Dunn, 2012: 53; Radchenko, 2016: 259.

kervillei. *Strongylognathus kervillei* Santschi, 1921a: 113 (w.) TURKEY.

Status as species: Kutter, 1923: 338; Donisthorpe, 1936c: 114 (in list); Kutter, 1968b: 205; Bolton, 1976: 308; Bolton, 1995b: 395; Schulz, A. & Sanetra, 2002: 164; Kiran & Karaman, 2012: 24; Borowiec, L. 2014: 164.

koreanus. *Strongylognathus koreanus* Pisarski, 1966: 519, figs. 36-39 (w.) KOREA.

Status as species: Kutter, 1968b: 205; Bolton, 1976: 308; Collingwood, 1976: 304; Ogata, 1991b: 103; Morisita, *et al.* 1992: 37; Bolton, 1995b: 395; Wu, J. & Wang, 1995: 96; Wei, Xu & He, 2001: 68 (in key); Imai, *et al.* 2003: 134; Radchenko, 2005b: 148; Guénard & Dunn, 2012: 53; Radchenko, Zhang & Heinze, 2017: 12 (in key).

kratochvili. *Strongylognathus kratochvili* Šilhavý, 1937: 5, 6 figs. (w.q.) CZECH REPUBLIC.

Status as species: Novák & Sadil, 1941: 87 (in key); Bolton, 1995b: 395; Lapeva-Gjonova, *et al.* 2010: 30; Borowiec, L. 2014: 164; Lebas, *et al.* 2016: 338; Seifert, 2018: 239.

Synonym of *bulgaricus*: Pisarski, 1966: 515; Kutter, 1968b: 205.

[Note: Pisarski, and Kutter, give *bulgaricus* as senior synonym, but *kratochvili* has priority (Bolton, 1995b: 395).]

kutteri. *Strongylognathus huberi* st. *cecconii* var. *kutteri* Santschi, 1927a: 58 (q.) ITALY (Sicily); unavailable (infrasubspecific) name.

As unavailable (infrasubspecific) name: Kutter, 1927: 102.

Declared as unavailable (infrasubspecific) name: Bolton, 1995b: 395.

Material referred to *destefanii* by Baroni Urbani, 1964b: 54.

minutus. *Strongylognathus minutus* Radchenko, 1991: 84, fig. 1 (w.q.m.) TURKMENISTAN, UZBEKISTAN.

Status as species: Bolton, 1995b: 395; Schultz, R. *et al.* 2006: 206.

palaestinensis. *Strongylognathus palaestinensis* Menozzi, 1933b: 75, fig. 5 (q.) ISRAEL.

Status as species: Kutter, 1968b: 205; Bolton, 1976: 309; Kugler, J. 1988: 257; Bolton, 1995b: 395; Vonshak, *et al.* 2009: 44; Borowiec, L. 2014: 164.

pisarskii. *Strongylognathus pisarskii* Poldi, 1994: 187, fig. 1 (w.) ITALY.

Status as species: Bolton, 1995b: 395; Poldi, *et al.* 1995: 6; Borowiec, L. 2014: 164; Lebas, *et al.* 2016: 338.

potanini. *Strongylognathus potanini* Radchenko, 1995e: 57, figs. 1-5 (q.m.) CHINA (no province data, “river Sang-Tshang-khe”).

Status as species: Radchenko, Zhang & Heinze, 2017: 11 (in key).

rehbinderi. *Strongylognathus christophi* var. *rehbinderi* Forel, 1904c: 2 (w.) GEORGIA.

Emery, 1909d: 710 (q.); Pisarski, 1966: 514 (q.m.).

Subspecies of christophi: Ruzsky, 1905b: 546.

Subspecies of huberi: Emery, 1909d: 710; Wheeler, W.M. 1909g: 186; Viehmeyer, 1922: 211; Kutter, 1923: 338; Emery, 1924d: 286; Donisthorpe, 1936c: 114 (in list).

Status as species: Arnol'di, 1948: 211; Pisarski, 1966: 512 (redescription); Kutter, 1968b: 205; Bolton, 1976: 309; Arnol'di & Dlussky, 1978: 546 (in key); Radchenko, 1991: 88; Arakelian, 1994: 69; Bolton, 1995b: 395; Gratiashvili & Barjadze, 2008: 142; Borowiec, L. 2014: 164.

ruzskyi. *Strongylognathus huberi* subsp. *ruzskyi* Emery, 1909d: 711, fig. 6 (w.) RUSSIA.

Radchenko, 1985a: 1517 (q.m.).

Subspecies of huberi: Wheeler, W.M. 1909g: 186; Ruzsky, 1923: 3; Kutter, 1923: 338; Emery, 1924d: 286; Donisthorpe, 1936c: 114 (in list).

Status as species: Kutter, 1968b: 205; Bolton, 1976: 309; Arnol'di & Dlussky, 1978: 546 (in key); Radchenko, 1985a: 1517; Dlussky & Zabelin, 1985: 233; Dlussky, Soyunov & Zabelin, 1990: 210; Bolton, 1995b: 395 (error).

Junior synonym of *christophi*: Radchenko, 1991: 88; Radchenko, 2016: 259.

scabrinodooides. *Strongylognathus scabrinodooides* Sadil, 1953c: 207. *Nomen nudum*.

silvestrii. *Strongylognathus silvestrii* Menozzi, 1936d: 292, fig. XIV (w.q.) GREECE (Rhodes I.).

Status as species: Kutter, 1968b: 205; Bolton, 1976: 309; Agosti & Collingwood, 1987a: 57; Bolton, 1995b: 395; Schulz, A. & Sanetra, 2002: 164; Legakis, 2011: 20; Borowiec, L. & Salata, 2012: 537; Kiran & Karaman, 2012: 24; Borowiec, L. & Salata, 2013: 367; Borowiec, L. 2014: 164; Lebas, *et al.* 2016: 338; Salata & Borowiec, 2018c: 48.

testaceus. *Eciton testaceum* Schenck, 1852: 117 (w.q.m.) GERMANY.

Combination in *Strongylognathus*: Mayr, 1853d: 390.

Status as species: Mayr, 1853d: 390 (redescription); Mayr, 1855: 431 (footnote, redescription); Nylander, 1856b: 101; Smith, F. 1858b: 134; Mayr, 1861: 57 (in key); Roger, 1863b: 26; Mayr, 1863: 454; Dours, 1873: 169; Forel, 1874: 71 (in key); André, 1874: 188 (in key); Emery, 1878b: 52; Emery & Forel, 1879: 457; André, 1883a: 282 (in key); Lameere, 1892: 67; Dalla Torre, 1893: 130; Wasmann, 1894: 164; Forel, 1900e: 278 (in key); Wheeler, W.M. 1901c: 710; Ruzsky, 1902d: 33; Ruzsky, 1905b: 542; Viehmeyer, 1906: 67; Wasmann, 1906: 120; Forel, 1908a: 22; Emery, 1909d: 707; Wheeler, W.M. 1909g: 186; Bondroit, 1910: 499; Wasmann, 1910: 522; Karavaiev, 1912b: 585; Stitz, 1914: 76; Forel, 1915d: 15 (in key); Emery, 1916b: 198; Escherich, 1917: 324; Bondroit, 1918: 111; Soudek, 1922: 28; Kutter, 1923: 338; Emery, 1924d: 285; Vandel, 1926: 198; Betrem, 1926: 218; Stärcke, 1926: 85 (in key); Karavaiev, 1927a: 293; Karavaiev, 1927c: 271 (in key); Santschi, 1927b: 127; Lomnicki, 1928: 4; Kuznetsov-Ugamsky, 1929b: 43; Soudek, 1931: 8; Gösswald, 1932: 85; Arnol'di, 1933b: 598 (in key); Karavaiev, 1934: 160 (redescription); Grandi, 1935: 102; Donisthorpe, 1936c: 114 (in list); Finzi, 1939b: 90; Novák & Sadil, 1941: 87 (in key); van Boven, 1947: 170 (in key); Bernard, 1950a: 19; Baroni Urbani, 1962: 131; Bernard, 1967: 238 (redescription); Kutter, 1968a: 60; Kutter, 1968b: 205; Collingwood & Yarrow, 1969: 73; Baroni Urbani, 1971c: 151; Collingwood, 1971: 162; Bolton & Collingwood, 1975: 3 (in key); Pisarski, 1975: 26; Bolton, 1976: 306; van Boven, 1977: 89; Kutter, 1977c: 166; Arnol'di & Dlussky, 1978: 546 (in key); Collingwood, 1978: 86 (in key); Collingwood, 1979: 80; Agosti & Collingwood, 1987a: 57; Agosti & Collingwood, 1987b: 278 (in key); Dlussky, Soyunov & Zabelin, 1990: 210; Radchenko, 1991: 86; Atanassov & Dlussky, 1992: 156; Douwes, 1995: 91; Bolton, 1995b: 395; Poldi, *et al.* 1995: 6; Espadaler, 1997b: 31; Gallé, *et al.* 1998: 215; Sanetra, Güsten & Schulz, 1999: 343; Czechowski, *et al.* 2002: 70; Schulz, A. & Sanetra, 2002: 163; Tinaut, Ruano & Martinez, 2005: 468; Bračko, 2006: 140; Markó, Sipos, *et al.* 2006: 70; Petrov, 2006: 101 (in key); Bračko, 2007: 18; Seifert, 2007: 252; Zryanin & Zryanina, 2007: 232; Gratiashvili & Barjadze, 2008: 142; Casevitz-Weulersse & Galkowski, 2009: 493; Lapeva-Gjonova, *et al.* 2010: 31; Boer, 2010: 66; Csösz, *et al.* 2011: 57; Legakis, 2011: 20; Borowiec, L. & Salata, 2012: 537; Czechowski, *et al.* 2012: 187; Kiran & Karaman, 2012: 24; Borowiec, L. 2014: 165; Lebas, *et al.* 2016: 338; Radchenko, 2016: 258; Salata & Borowiec, 2018c: 48; Seifert, 2018: 236.

Senior synonym of *diveri*: Brown, 1955c: 113; Baroni Urbani, 1962: 131; Kutter, 1968b: 205; Collingwood, 1971: 162; Bolton, 1976: 306; van Boven, 1977: 89; Radchenko, 1991: 86; Bolton, 1995b: 395; Radchenko, 2016: 258.

Senior synonym of *emarginatus*: Mayr, 1853d: 390; Mayr, 1855: 431 (footnote); Nylander, 1856b: 101; Smith, F. 1858b: 134; Roger, 1863b: 26; Dours, 1873: 169; Forel, 1874: 100 (in list); Emery & Forel, 1879: 457; Dalla Torre, 1893: 130; Ruzsky, 1905b: 542; Wheeler, W.M. 1911f: 168; Emery, 1924d: 286; Karavaiev, 1934: 160; Bolton, 1976: 306; Radchenko, 1991: 86; Bolton, 1995b: 395; Radchenko, 2016: 258.

***tylonus*.** *Strongylognathus tylonom* Wei, Xu & He, 2001: 69, figs. 1, 2 (w.) CHINA (Shaanxi).

Status as species: Guénard & Dunn, 2012: 53; Radchenko, Zhang & Heinze, 2017: 11 (in key).